

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: P999-G12PLUS**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Antifreeze
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Hepu Autoteile GmbH
Am Kreuzweg 2
D-32689 Kalletal-Hohenhausen
Tel: +49 (0) 5264 6483-0
Fax: +49 (0) 5264 6483-33
E-Mail: Info@hepu.de
- **Further information obtainable from:**
Product Safety Department
Tel: +49 (0) 5264 6483-0
Fax: +49 (0) 5264 6483-33
- **1.4 Emergency telephone number:**
Informationszentrale gegen Vergiftungen
des Landes Nordrhein-Westfalen
Tel.: +49 (0) 228 / 19 240

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Warning

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 1)

· **Hazard-determining components of labelling:**

ethanediol
2,2'-oxybisethanol

· **Hazard statements**

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P260 Do not breathe mist/vapours/spray.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 107-21-1 EINECS: 203-473-3	ethanediol ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302	75 - 95%
CAS: 111-46-6 EINECS: 203-872-2	2,2'-oxybisethanol ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302	0 - 15%
CAS: 3164-85-0 EINECS: 221-625-7	potassium 2-ethylhexanoate ⚠ Repr. 2, H361d; ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315	1 - <3%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Position and transport stably in side position.
Immediately remove any clothing soiled by the product.
Take affected persons out into the fresh air.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.
Generally the product does not irritate the skin.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 2)

- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Do not induce vomiting; call for medical help immediately.
A person vomiting while laying on their back should be turned onto their side.
Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear fully protective suit.
Mouth respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

GB

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 3)

SECTION 7: Handling and storage**· 7.1 Precautions for safe handling**

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.**· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**· Information about storage in one common storage facility:** Store away from foodstuffs.**· Further information about storage conditions:** None.**· 7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****· Additional information about design of technical facilities:** No further data; see item 7.**· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:****107-21-1 ethanediol**

WEL	Short-term value: 104** mg/m ³ , 40** ppm
	Long-term value: 10* 52** mg/m ³ , 20** ppm
	Sk *particulate **vapour

· DNELs

potassium 2-ethylhexanoate (CAS: 3164-85-0):

Industry - Inhalation; Long term systemic effects: 32 mg/m³Industry - Dermal; Long term systemic effects: 12 mg/m³Consumer - Inhalation; Long term systemic effects: 8 mg/m³Consumer - Dermal; Long term systemic effects: 6 mg/m³

Consumer - Oral; Long term systemic effects: 2.5 mg/kg/day

Ethanediol (CAS: 107-21-1):

Industry Inhalation. Long Term Local Effects 35 mg/m³

Industry Dermal Long Term Systemic Effects 106 mg/kg

Consumer Inhalation. Long Term Local Effects 7 mg/m³Consumer Dermal Long Term Systemic Effects 53 mg/m³**· PNECs**

potassium 2-ethylhexanoate (CAS: 3164-85-0):

Fresh water; 0.36 mg/l

Marine water; 0.036 mg/l

Intermittent release; 0.493 mg/l

STP; 71.7 mg/l

Sediment (Freshwater); 6.37 mg/l

Sediment (Marinewater); 0.637 mg/l

Soil; 1.06 mg/kg

Ethanediol (CAS: 107-21-1):

Freshwater 10 mg/l

Marinewater 1 mg/l

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 4)

STP 199.5 mg/l

Sediment Freshwater 20.9 mg/kg

Soil 1.53 mg/kg

· 8.2 Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:**

Clean skin thoroughly immediately after handling the product.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes.

Do not eat, drink, smoke or sniff while working.

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

PVA gloves

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Fluid**Colour:** Violet**· Odour:** Mild

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 5)

· Odour threshold:	Not determined.
· pH-value:	7.5 - 9
· Change in condition Melting point/freezing point:	-12 °C
Initial boiling point and boiling range:	>170 °C
· Flash point:	>111 °C (PMCC)
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>400 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Upper:	Not determined.
· Vapour pressure at 20 °C:	0.06 mmHg
· Density:	Not determined.
· Relative density at 20 °C	1.11
· Vapour density	2.1
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic:	Not determined.
Kinematic at 20 °C:	25 mm ² /s (DIN 53211/4)
· Solvent content: VOC (EC)	2.99 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
To avoid thermal decomposition do not overheat.
No decomposition if used and stored according to specifications.
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Carbon monoxide

(Contd. on page 7)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

Carbon dioxide

(Contd. of page 6)

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

LD/LC50 values relevant for classification:

Oral	ATE	500 mg/kg (ATE)
------	-----	-----------------

107-21-1 ethanediol

Oral	LD50	5,840 mg/kg (rat)
------	------	-------------------

Dermal	LD50	9,530 mg/kg (rabbit)
--------	------	----------------------

3164-85-0 potassium 2-ethylhexanoate

Oral	LD50	2,043 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>2,000 mg/kg (rat)
--------	------	--------------------

Primary irritant effect:**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation**

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

Reproductive Toxicity - Fertility

Fertility: Dose Level: >1000 mg/kg Oral Rat P

Not expected to be a reproductive toxicant

STOT-single exposure Based on available data, the classification criteria are not met.**STOT-repeated exposure**

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Aspiration hazard Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** Easily biodegradable**12.3 Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

12.4 Mobility in soil No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.

(Contd. on page 8)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 7)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations**· 13.1 Waste treatment methods****· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 01 14* antifreeze fluids containing dangerous substances

· Uncleaned packaging:

- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information**· 14.1 UN-Number**· **ADR, ADN, IMDG, IATA** Void**· 14.2 UN proper shipping name**· **ADR, ADN, IMDG, IATA** Void**· 14.3 Transport hazard class(es)**· **ADR, ADN, IMDG, IATA**· **Class** Void**· 14.4 Packing group**· **ADR, IMDG, IATA** Void**· 14.5 Environmental hazards:**· **Marine pollutant:** No· **14.6 Special precautions for user** Not applicable.**· 14.7 Transport in bulk according to Annex II of****Marpol and the IBC Code** Not applicable.· **UN "Model Regulation":** Void**SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****· Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12PLUS

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Department issuing SDS: Product safety department**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Repr. 2: Reproductive toxicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2