

according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Textar Hydra Tec

Product code:

81001400, 81001500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricants, greases, release products

1.3. Details of the supplier of the safety data sheet

Company name:	TMD Friction Services GmbH	
Street:	Schlebuscher Str. 99	
Place:	D-51381 Leverkusen	
Telephone:	+49 (2171)703-0	
e-mail:	serviceline@tmdfriction.com	
Contact person:	Hr. Beier	Telephone:+49 (2171)9113-7373
e-mail:	serviceline@tmdfriction.com	
Internet:	www.tmdfriction.com	
1.4. Emergency telephone	GIZ Bonn: +49 (0)228-19240 (24/7)	
a complete a sec		

<u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]aniline. May produce an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. Has degreasing effect on the skin. Special danger of slipping by leaking/spilling product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Contains: Fat, Additive, Thickener/Thickening agent



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 2 of 9

Quantity

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification			
38900-29-7	Dilithium azelate; Nonanedioic acid, dilithium salt			< 3 %
	254-184-4		01-2120119814-57	
	Acute Tox. 4; H302			
10081-67-1	4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]aniline			< 1 %
	233-215-5			
	Skin Sens. 1, Aquatic Chronic 4; H317 H413			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE CAS No EC No Chemical name

	Specific Conc. Limits, M-factors and ATE		
38900-29-7	254-184-4	Dilithium azelate; Nonanedioic acid, dilithium salt	< 3 %
	oral: LD50 = 500 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Has degreasing effect on the skin. May produce an allergic reaction. after ingestion: Gastrointestinal complaints, Nausea Following eye contact: erythema (redness) Following inhalation: Irritation to respiratory tract

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO2). Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 3 of 9

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Pyrolysis products, toxic (Metal oxide smoke, toxic)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/vapour/aerosol. Use personal protection equipment. Evacuate area. Remove persons to safety. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol. Wear personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Oxidising agent

7.3. Specific end use(s)

Lubricants, greases, release products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 4 of 9

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
38900-29-7	Dilithium azelate; Nonanedioic acid, dilithium salt			
Worker DNEL,	long-term	dermal	systemic	13,5 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	0,172 mg/cm²

PNEC values

CAS No	Substance	
Environmental compartment Value		Value
38900-29-7 Dilithium azelate; Nonanedioic acid, dilithium salt		
Freshwater 0,023 mg/l		0,023 mg/l
Freshwater (intermittent releases) 0,23 mg/l		0,23 mg/l
Marine water 0,0023 mg/l		0,0023 mg/l

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol.

Eye/face protection

Wear eye protection/face protection. Eye glasses with side protection (DIN EN 166)

Hand protection

Wear suitable gloves tested to EN374.

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0,35 mm

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Filtering Half-face mask (DIN EN 149), Combination filtering device (EN 14387), Particle filter device (DIN EN 143), Half-face mask (DIN EN 140), Full-/half-/quarter-face masks (DIN EN 136/140), High efficiency particulate air filter (HEPA filter) (Filter type: R/P)

Environmental exposure controls

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: Liquid (Paste) Colour: beige Odour: characteristic Odour threshold: not determined Test method pH-Value: not determined Changes in the physical state Melting point: not determined Boiling point or initial boiling point and not determined boiling range: Drop point/drop range: > 220 °C Flash point: 244 °C estimated Flammability Solid: not applicable Gas: not applicable **Explosive properties** The product is not: Explosive. not determined Lower explosion limits: not determined Upper explosion limits: Self-ignition temperature Solid: not applicable Gas: not applicable not determined Decomposition temperature: **Oxidizing properties** The product is not: oxidising. not determined Vapour pressure: Density (at 15 °C): 1 g/cm³ Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Relative vapour density: not determined Evaporation rate: not determined 9.2. Other information

No information available.

SECTION 10: Stability and reactivity

Page 5 of 9



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 6 of 9

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Pyrolysis products, toxic (Metal oxide smoke, toxic)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
38900-29-7	Dilithium azelate; Nonanedioic acid, dilithium salt					
	oral	LD50	500 mg/kg	Rat	Manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met. Has degreasing effect on the skin. Following eye contact: erythema (redness) Following inhalation: Irritation to respiratory tract

Sensitising effects

Contains 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]aniline. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

after ingestion: Gastrointestinal complaints, Nausea

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 7 of 9

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

Fat, insoluble in: Water

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Toytar Hydra To

	Textar Hydra Tec
Revision date: 03.03.2021	Page 8 of 9
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No information available.	
14.7. Transport in bulk according to Ani	nex II of Marpol and the IBC Code
not applicable	
SECTION 15: Regulatory information	n
15.1. Safety, health and environmental r	egulations/legislation specific for the substance or mixture
EU regulatory information	
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):	
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
15.2. Chemical safety assessment	
Chemical safety assessments for su	ubstances in this mixture were not carried out.
SECTION 16: Other information	
Abbreviations and acronyms	
CLP: Classification, labelling and Pa	
REACH: Registration, Evaluation ar	nd Authorization of Chemicals of Classification, Labelling and Packaging of Chemicals
UN: United Nations	or classification, Labelling and Fackaging of Chemicals
CAS: Chemical Abstracts Service	
DNEL: Derived No Effect Level	
DMEL: Derived Minimal Effect Leve PNEC: Predicted No Effect Concent	
ATE: Acute toxicity estimate	
LC50: Lethal concentration, 50%	
LD50: Lethal dose, 50%	
LL50: Lethal loading, 50% EL50: Effect loading, 50%	
EC50: Effective Concentration 50%	
ErC50: Effective Concentration 50%	
NOEC: No Observed Effect Concen	tration

- BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic



according to Regulation (EC) No 1907/2006

Textar Hydra Tec

Revision date: 03.03.2021

Page 9 of 9

vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
11047	Maria and a Manufa alian na atian
H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains 4-(1-methyl-1-phenylethyl)-N-[4-(1-methyl-1-phenylethyl)phenyl]aniline. May produce
an allergic reaction.	
an allergic reaction.	

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)