SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

	0		
Version: 4.0	Revision Date: 18	3.02.2022	Print Date: 12/09/2022
Conforms to EU Regulation 190 SECTION 1: Identification of			
1.1 Product identifier			
Trade name	: SynPower Synthetic	™ XL-IV C5 0W Notor Oil	20
Product code	: 882800		
1.2 Relevant identified us Recommended use			l uses advised against
1.3 Details of the supplier sheet	of the safety data	00-800-825-86	<b>y telephone number</b> 554 / 001-859-202-3865, or contact ergency telephone number at 112
SDS@valvoline.com		Product Infor	mation

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### Additional Labelling:

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 93,6017 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 93,6017 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 93,6017 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 6,3398 %

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Version: 4.0

Revision Date: 18.02.2022

Print Date: 12/09/2022

### Additional advice

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Hazardous components

Remarks : No hazardous ingredients

### **SECTION 4: First aid measures**

4.1 Description of first aid me	asures
General advice	: Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: No symptoms known or expected.
4.3 Indication of any immedia	te medical attention and special treatment needed
Treatment	: No hazards which require special first aid measures.

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion : carbon dioxide and carbon monoxide products

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Version: 4.0	Revision Date: 18.02.2022	Print Date: 12/09/2022
5.3 Advice for firefighters		

Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### **6.2 Environmental precautions**

Environmental precautions	: If the product contaminates rivers and lakes or drains inform
	respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece).
	Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection aga fire and explosion	inst : Normal measures for preventive fire protection.
Hygiene measures	: General industrial hygiene practice.
7.2 Conditions for safe stor	age, including any incompatibilities
Requirements for storag areas and containers	<ul> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Advice on common stora	ge : No materials to be especially mentioned.
Other data	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	: No data available

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Revision Date: 18.02.2022

Print Date: 12/09/2022

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Personal protective equipme	ent	
Eye protection	: Safety glasses	
Skin and body protection	: Protective suit	
Respiratory protection	: No personal respiratory protective equipment normally required.	

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	green
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	< -48 °C
Boiling point/boiling range	:	No data available
Flash point	:	228 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Version: 4.0	Re	vision Date: 18.02.2022	Print Date: 12/09/2022
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	ca. 0,843 g/cm3 (15,6 °C)	
Solubility(ies) Water solubility	:	insoluble	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	< 6.000 mPa.s (-35 °C)	
Viscosity, kinematic	:	41,2 mm2/s (40 °C)	
Oxidizing properties	:	No data available	
9.2 Other information Self-ignition	:	No data available	

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

: Stable under recommended storage condition No hazards to be specially mentioned.	IS.
: excessive heat	
No data available	
: Strong oxidizing agents	
Not applicable	
	No hazards to be specially mentioned. : excessive heat No data available : Strong oxidizing agents

### **10.6 Hazardous decomposition products**

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

/ersion: 4.0	Revision Date: 18.02.2022	Print Date: 12/09/2022
Hazardous decomposition products	: No hazardous decomposition p	roducts are known.
ECTION 11: Toxicological	information	
1.1 Information on toxicologi	ical effects	
Acute toxicity		
Not classified based on ava	ailable information.	
Skin corrosion/irritation		
Not classified based on ava	ailable information.	
Serious eye damage/eye i	irritation	
Not classified based on ava	ailable information.	
Respiratory or skin sensit	tisation	
	sified based on available information. lot classified based on available informa	tion.
Germ cell mutagenicity Not classified based on ava	ailable information.	
Carcinogenicity		
Not classified based on ava	ailable information.	
Reproductive toxicity		
Not classified based on ava	ailable information.	
STOT - single exposure		
Not classified based on ava	ailable information.	
STOT - repeated exposure	e	
Not classified based on ava	ailable information.	
Aspiration toxicity		
Not classified based on ava	ailable information.	
Further information		
Product:		
Remarks: No data available	9	

# 12.1 Toxicity

# Product:

Ecotoxicology Assessment
Short-term (acute) aquatic
hazard

: Not classified based on available information.

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Print Date: 12/09/2022

Long-term (chronic) aquatic hazard	: Not classified based on available information.
Further information The following percentage of the environment: 6,3398 %	mixture consists of ingredient(s) with unknown hazards to the aquatic
12.2 Persistence and degradability	y
No data available	
<b>12.3 Bioaccumulative potential</b> No data available	
12.4 Mobility in soil	
No data available	
12.5 Results of PBT and vPvB ass	essment
<u>Product:</u> Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6 Other adverse effects	
Product: Additional ecological information	: No data available
SECTION 13: Disposal conside	erations
13.1 Waste treatment methods	
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.
SECTION 14: Transport inform	ation

Revision Date: 18.02.2022

## 14.1 UN number

Version: 4.0

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Version: 4.0

Revision Date: 18.02.2022

Print Date: 12/09/2022

### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legisla	tion	specific for the substance or mixture
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		

The components of this product are reported in the following inventories:TCSI: Not in compliance with the inventory						
TSCA	:	All substances listed as active on the TSCA inventory				
AIIC	:	Not in compliance with the inventory				
DSL	:	All components of this product are on the Canadian DSL				
ENCS	:	Not in compliance with the inventory				
ISHL	:	Not in compliance with the inventory				
KECI	:	On the inventory, or in compliance with the inventory				
PICCS	:	On the inventory, or in compliance with the inventory				
IECSC	:	On the inventory, or in compliance with the inventory				
NZIoC	:	On the inventory, or in compliance with the inventory				

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Version: 4.0	Revision Date: 18.02.2022	Print Date: 12/09/2022
TECI	: Not in compliance with the inventory	

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

#### Further information

Internal information : 000000272908

#### **Full text of H-Statements**

Other information

: The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

SynPower™ XL-IV C5 0W20 Synthetic Motor Oil

Version: 4.0

Revision Date: 18.02.2022

Print Date: 12/09/2022

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent . Bioaccumulative and Toxic **PPE** : Personal Protective Equipment STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging **CSA** : Chemical Safety Assessment CSR : Chemical Safety Report

DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase

WGK : German Water Hazard Class