

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 12/08/2015 Revision date: 17/12/2015 : Version: 1.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Green Line - FRESH SHINE OUTDOOR

Vaporizer : Aerosol

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited

4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road

Liverpool, L30 4AB - United Kingdom

T +44 151 530 4740

MSDS@turtlewaxeurope.com

# 1.4. Emergency telephone number

Emergency number : +44 151 530 4740

Office hours only 08:30 - 17:00

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229
Skin Irrit. 2 H315
STOT SE 3 H336
Aquatic Chronic 3 H412
Full text of hazard classes and H-statements : see section 16

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02 GHS07

Signal word (CLP) : Danger

Hazardous ingredients : Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; propan-2-ol

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P102 - Keep out of reach of children

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use P271 - Use only outdoors or in a well-ventilated area P302+P352 - IF ON SKIN: Wash with plenty of water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

17/12/2015 EN (English) 1/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Harmful to aquatic life with long lasting effects.

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substance

Not applicable

# 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4 rich, petroleum distillate,petroleum gas	(CAS No) 68512-91-4 (EC no) 270-990-9 (EC index no) 649-083-00-0	50 - 70	Press. Gas Flam. Gas 1, H220
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	(CAS No) 64742-49-0 (EC no) 927-510-4 (REACH-no) 01-2119475515-33	20 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
4-TERTIARY-BUTYLCYCLOHEXYL ACETATE	(CAS No) 32210-23-4 (EC no) 250-954-9	< 0.1	Aquatic Chronic 2, H411
(L) HEXYL CINNAMAL	(CAS No) 101-86-0 (EC no) 202-983-3 (REACH-no) 01-2119533092-50	< 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317
AMYL CINNAMAL	(CAS No) 122-40-7 (EC no) 204-541-5	< 0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
AMYL SALICYLATE	(CAS No) 2050-08-0 (EC no) 218-080-2	< 0.1	Aquatic Chronic 2, H411
(L) EUGENOL	(CAS No) 97-53-0 (EC no) 202-589-1	< 0.1	Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	(CAS No) 78-70-6 (EC no) 201-134-4 (REACH-no) 01-2119474016-42	< 0.1	Skin Irrit. 2, H315
CITRONELLOL	(CAS No) 106-22-9 (EC no) 203-375-0 (REACH-no) 01-2119453995-23	< 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
(L) METHYLENEDIOXYPHENYL METHYLPROPANAL	(CAS No) 1205-17-0 (EC no) 214-881-6	< 0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
ALPHA-ISOMETHYL IONONE	(CAS No) 127-51-5 (EC no) 204-846-3	< 0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
2-tert-butylcyclohexylacetate	(CAS No) 88-41-5 (EC no) 201-828-7	< 0.1	Aquatic Chronic 2, H411
(L) COUMARIN	(CAS No) 91-64-5 (EC no) 202-086-7 (REACH-no) 01-2119949300-45	< 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
BUTYLPHENYL METHYLPROPIONAL	(CAS No) 80-54-6 (EC no) 201-289-8 (REACH-no) 01-2119485965-18	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 2, H411
(S) HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOX ALDEHYDE	(CAS No) 31906-04-4 (EC no) 250-863-4;904-617-9	< 0.1	Skin Sens. 1, H317 Aquatic Chronic 3, H412
DIMETHYL PHENETHYL BUTYRATE	(CAS No) 10094-34-5 (EC no) 233-221-8	< 0.1	Aquatic Chronic 2, H411
THYMOL	(CAS No) 89-83-8 (EC no) 201-944-8 (EC index no) 604-032-00-1 (REACH-no) 01-2119511177-46	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Chronic 2, H411
butylated hydroxy toluene	(CAS No) 128-37-0 (EC no) 204-881-4	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
ACETYL CEDRENE	(CAS No) 32388-55-9 (EC no) 251-020-3 (REACH-no) 01-2119969651-28	< 0.1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(L) LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

17/12/2015 EN (English) 2/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ETHYL TRIMETHYLCYCLOPENTENE BUTENOL	(CAS No) 28219-61-6 (EC no) 248-908-8	< 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Irritation

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

# 5.3. Advice for firefighters

Precautionary measures fire : Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Firefighting instructions : Eliminate all ignition sources if safe to do so.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment. Eliminate all ignition sources if safe to do so.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Use only non-sparking tools. Absorb spillage to prevent material damage.

Other information : This material and its container must be disposed of as hazardous waste.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Flammable gas. Pressurized container: Do not pierce or burn, even after use. In use, may form

flammable vapour-air mixture.

17/12/2015 EN (English) 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing

gas. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge.

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked

up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Storage temperature : 10 - 30 °C

Storage area : Store in a well-ventilated place.
Special rules on packaging : Keep only in original container.

#### 7.3. Specific end use(s)

Automotive Care Products.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

propan-2-ol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
butylated hydroxy toluene (128-37-0)		
United Kingdom	Local name	2,6-Di-tert-butyl-p-cresol
United Kingdom	WEL TWA (mg/m³)	10 mg/m³

# 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station. Eliminate ignition sources.

Hand protection : In case of repeated or prolonged contact wear gloves. Butyl rubber

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke when using this product.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state · Gas Colour Colourless Odour : characteristic. Odour threshold No data available рΗ No data available Relative evaporation rate (butylacetate=1) No data available Melting point : No data available No data available Freezing point Boiling point No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol

Vapour pressure : 3.2 - 5.2

Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 0.6 - 0.7

17/12/2015 EN (English) 4/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility : immiscible.

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

VOC content : 93.6 %

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

Oxidizing agent.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
LD50 oral	> 5840 mg/kg bodyweight	
LD50 dermal	> 2920 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 23300 mg/m³	
propan-2-ol (67-63-0)		
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal	12800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l/4h	
AMYL CINNAMAL (122-40-7)		
LD50 oral	3730 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
(L) HEXYL CINNAMAL (101-86-0)		
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal	> 3000 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l/4h	
4-TERTIARY-BUTYLCYCLOHEXYL ACETATE (32210-23-4)		
LD50 oral	3370 mg/kg bodyweight	
(L) EUGENOL (97-53-0)		
LD50 oral	2300 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2580 mg/l/4h	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
LD50 dermal	5610 mg/kg bodyweight	
CITRONELLOL (106-22-9)		
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal	2650 mg/kg bodyweight	

17/12/2015 EN (English) 5/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(L) METHYLENEDIOXYPHENYL METHYLPRO	(L) METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)		
LD50 oral	3550 mg/kg bodyweight		
2-tert-butylcyclohexylacetate (88-41-5)	2-tert-butylcyclohexylacetate (88-41-5)		
LD50 oral	4600 mg/kg bodyweight		
(L) COUMARIN (91-64-5)			
LD50 oral	500 mg/kg bodyweight		
BUTYLPHENYL METHYLPROPIONAL (80-54-	-6)		
LD50 oral	1390 mg/kg bodyweight		
LD50 dermal	> 5000 mg/kg bodyweight		
(S) HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOX ALDEHYDE (31906-04-4)			
LD50 oral	> 5000 mg/kg bodyweight		
LD50 dermal	> 5000 mg/kg bodyweight		
THYMOL (89-83-8)			
LD50 oral	980 mg/kg bodyweight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		

# **SECTION 12: Ecological information**

**Green Line - FRESH SHINE OUTDOOR** 

# 12.1. Toxicity

Vaporizer

Ecology - general : Harmful to aquatic life with long lasting effects

Aerosol

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hydrocarbons, C7, n-alkanes, isoalkan	es, cyclics (64742-49-0)
LC50 fish 1	> 3 mg/l
EC50 other aquatic organisms 1	4.6 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	10 mg/l IC50 algea (72 h) mg/l
propan-2-ol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
AMYL CINNAMAL (122-40-7)	
LC50 fish 1	3 mg/l
EC50 other aquatic organisms 1	1.1 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	1.89 mg/l IC50 algea (72 h) mg/l
(L) HEXYL CINNAMAL (101-86-0)	
LC50 fish 1	1.7 mg/l
EC50 other aquatic organisms 2	> 0.32 mg/l IC50 algea (72 h) mg/l
(L) EUGENOL (97-53-0)	
LC50 fish 1	5.6 mg/l
EC50 other aquatic organisms 1	1.9 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	15.4 mg/l IC50 algea (72 h) mg/l
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l
EC50 other aquatic organisms 1	20 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	88.3 mg/l IC50 algea (72 h) mg/l
CITRONELLOL (106-22-9)	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2.38 mg/l IC50 algea (72 h) mg/l

17/12/2015 EN (English) 6/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(L) COUMARIN (91-64-5)		
LC50 fish 1	56 mg/l	
EC50 other aquatic organisms 1	13.5 mg/l EC50 waterflea (48 h)	
BUTYLPHENYL METHYLPROPIONAL (80-54-6)		
BUTYLPHENYL METHYLPROPIONAL (80-54	1-6)	
BUTYLPHENYL METHYLPROPIONAL (80-54 LC50 fish 1	<b>1-6)</b> 2.2 mg/l	

### Persistence and degradability

No additional information available

#### **Bioaccumulative potential** 12.3.

(S) HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOX ALDEHYDE (31906-04-4)	
Log Pow	3.32

#### 12.4. Mobility in soil

No additional information available

#### Results of PBT and vPvB assessment 12.5.

No additional information available

#### Other adverse effects

Other adverse effects : None known.

Additional information : Avoid release to the environment

# **SECTION 13: Disposal considerations**

# Waste treatment methods

: Disposal must be done according to official regulations. Regional legislation (waste)

Waste disposal recommendations Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection

site except for empty clean containers which can be disposed of as non-hazardous waste.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. **UN** number

UN-No. (ADR) : 1950 UN-No. (IMDG) : 1950 UN-No. (IATA) 1950 UN-No. (ADN) : 1950 UN-No. (RID) : 1950

#### **UN** proper shipping name

: AEROSOLS Proper Shipping Name (ADR) : AEROSOLS Proper Shipping Name (IMDG)

Proper Shipping Name (IATA) : Aerosols, flammable

Proper Shipping Name (ADN) : AEROSOLS Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D) Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

#### Transport hazard class(es) 14.3.

# ADR

Transport hazard class(es) (ADR) : 2.1 Danger labels (ADR) : 2.1



#### **IMDG**

Transport hazard class(es) (IMDG) : 2.1 Danger labels (IMDG) : 2.1

17/12/2015 EN (English) 7/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



#### IATA

Transport hazard class(es) (IATA) : 2.1 : 2.1 Hazard labels (IATA)



### ADN

Transport hazard class(es) (ADN) : 2.1 Danger labels (ADN) : 2.1

#### RID

Transport hazard class(es) (RID) : 2.1 Danger labels (RID) : 2.1



# Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable Packing group (ADN) : Not applicable Packing group (RID) : Not applicable

# **Environmental hazards**

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### Special precautions for user 14.6.

### - Overland transport

Classification code (ADR)

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

: P207, LP02 Packing instructions (ADR) Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9 : 2 Transport category (ADR) Special provisions for carriage - Packages : V14 (ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Special provisions for carriage - Operation : S2

(ADR)

Tunnel restriction code (ADR) : D

17/12/2015 EN (English) 8/10

: CV9, CV12

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### - Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

Stowage and segregation (IMDG) : Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category

A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the

appropriate sub-division of class 2.

#### - Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

#### - Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 19, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1
Carriage prohibited (ADN) : No
Not subject to ADN : No

## - Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID): MP9Transport category (RID): 2Special provisions for carriage – Packages: W14

(RID)

Special provisions for carriage - Loading, : CW9, CW12

unloading and handling (RID)

Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23
Carriage prohibited (RID) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

17/12/2015 EN (English) 9/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 93.6 %

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

### Full text of H- and EUH-statements:

Acrosol 1 Aerosol, Category 1 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Aquatic Chronic 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flam. Liq. 2 Flammable liquids, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Fess. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1B Skin Corr. 1B Skin corrosion/irritation, Category 1 Skin Sens. 1 Sensitisation — Skin, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aerosol H226 Hajhy flammable iquid and vapour H229 Pressurised container: May burst if heated H300 Harmful if swallowed Harmful if swallowed H315 Causes serious eye irritation H336 May cause an allergic skin reaction H339 Causes serious eye irritation H330 May cause an allergic skin reaction H3410 Very toxic to aquatic life with long lasting effects H4410 Very toxic to aquatic life with long lasting effects H4411 Harmful to aquatic life with long lasting effects	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Fress. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corr. 1B Skin corrosion/irritation, Category 1B Skin Corr. 1B Skin corrosion/irritation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable agas Extremely flammable agas H222 Extremely flammable agas H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H304 H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes skin irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life with long lasting effects H411	` '	, , , , , , , , , , , , , , , , , , ,
Aquatic Chronic 1 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Aquatic Chronic 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable iguids, Category 1 Flam. Liq. 2 Flam. Liq. 3 Flammable ilquids, Category 3 Flam. Liq. 3 Flammable ilquids, Category 3 Fess. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin Corr. 1B Skin Corr. 1B Skin corrosion/irritation, Category 1 Skin Sens. 1 Sensitisation — Skin, Category 1 Stort SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas Flammable aerosol Highly flammable aerosol Highly flammable aerosol Highly flammable aerosol Highly flammable ilquid and vapour Flammable ilquid and vapour Flammable ilquid and vapour H229 Pressurised container: May burst if heated H304 May be fatal if swallowed H304 May be fatal if swallowed H304 May be fatal if swallowed H314 Causes severe skin burns and eye damage H315 Causes skin irritation May cause an allergic skin reaction H316 H317 May cause an allergic skin reaction H318 Causes serious eye irritation Way cause drowsiness or dizziness H3611 Suspected of damagling fertility H400 Very toxic to aquatic life with long lasting effects H411		, 0 ,
Aquatic Chronic 2 Aquatic Chronic 3 Aquatic Chronic 3 Asp. Tox. 1 Aspiration hazard, Category 2 Aquatic Chronic 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Fress. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1 Skin Corr. 1B Skin corrosion/irritation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable aerosol H225 H226 Highly flammable aerosol H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H304 May be fatal if swallowed H304 May be fatal if swallowed H314 Causes severe skin burns and eye damage H315 Causes skin irritation May cause an allergic skin reaction H336 May cause an allergic skin reaction H336 May cause drowsiness or dizziness H3411 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	•	•
Aquatic Chronic 3 Asp. Tox. 1 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flam. Bas 1 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Liq. 3 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1 Skin Corr. 1B Skin corrosion/irritation, Category 1 Skin Sens. 1 Sensitisation — Skin, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 2 Skin Corrosion/irritation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis Flam. Flammable gas Extremely flammable acrosol H222 Extremely flammable acrosol H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H300 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life with long lasting effects H411	<u> </u>	
Asp. Tox. 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flam. Gas 1 Flam. Hig. 2 Flam. Hig. 2 Flam. Liq. 3 F	<u> </u>	
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Press. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1 Skin Corr. 1B Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	<u> </u>	
Flam. Gas 1 Flam. Liq. 2 Flam. Liq. 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Fress. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable aerosol H222 H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	•	
Flam. Liq. 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Press. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corn. 1B Skin cornosion/irritation, Category 1B Skin Liq. 2 Skin cornosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Hamful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life with long lasting effects H411		, , , , , , , , , , , , , , , , , , , ,
Flam. Liq. 3 Flammable Ilquids, Category 3 Press. Gas Gases under pressure Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1B Skin Int. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable liquid and vapour H226 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Hamful if swallowed Hamful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	Flam. Gas 1	· · · · · · · · · · · · · · · · · · ·
Press. Gas  Gases under pressure  Repr. 2  Reproductive toxicity, Category 2  Skin Corr. 1B  Skin corrosion/irritation, Category 1B  Skin Irrit. 2  Skin corrosion/irritation, Category 2  Skin Sens. 1  Sensitisation — Skin, Category 1  Stort SE 3  Specific target organ toxicity — Single exposure, Category 3, Narcosis  H220  Extremely flammable gas  H222  Extremely flammable aerosol  H225  Highly flammable liquid and vapour  H226  Flammable liquid and vapour  H229  Pressurised container: May burst if heated  H300  Harmful if swallowed  H304  May be fatal if swallowed and enters airways  H314  Causes severe skin burns and eye damage  H315  Causes skin irritation  H317  May cause an allergic skin reaction  H319  Causes serious eye irritation  H336  May cause drowsiness or dizziness  H361f  Suspected of damaging fertility  H400  Very toxic to aquatic life  H410  Very toxic to aquatic life with long lasting effects  H411	Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2 Reproductive toxicity, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H300 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H440 Very toxic to aquatic life with long lasting effects H411	Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B Skin corrosion/irritation, Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aps H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes downleas or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life With long lasting effects H410 Very toxic to aquatic life with long lasting effects	Press. Gas	Gases under pressure
Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects	Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1 Sensitisation — Skin, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis H220 Extremely flammable gas H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411	Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis  Extremely flammable gas  Extremely flammable aerosol  H225 Highly flammable liquid and vapour  H226 Flammable liquid and vapour  H229 Pressurised container: May burst if heated  H302 Harmful if swallowed  H304 May be fatal if swallowed and enters airways  H314 Causes severe skin burns and eye damage  H315 Causes skin irritation  H317 May cause an allergic skin reaction  H319 Causes serious eye irritation  H336 May cause drowsiness or dizziness  H361f Suspected of damaging fertility  H400 Very toxic to aquatic life  H410 Very toxic to aquatic life with long lasting effects  Toxic to aquatic life with long lasting effects	Skin Irrit. 2	Skin corrosion/irritation, Category 2
H220Extremely flammable gasH222Extremely flammable aerosolH225Highly flammable liquid and vapourH226Flammable liquid and vapourH229Pressurised container: May burst if heatedH302Harmful if swallowedH304May be fatal if swallowed and enters airwaysH314Causes severe skin burns and eye damageH315Causes skin irritationH317May cause an allergic skin reactionH319Causes serious eye irritationH336May cause drowsiness or dizzinessH361fSuspected of damaging fertilityH400Very toxic to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effects	Skin Sens. 1	Sensitisation — Skin, Category 1
H222 Extremely flammable aerosol H225 Highly flammable liquid and vapour H226 Flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225 Highly flammable liquid and vapour H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H220	Extremely flammable gas
H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H222	Extremely flammable aerosol
H229 Pressurised container: May burst if heated H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H225	Highly flammable liquid and vapour
H302 Harmful if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H226	Flammable liquid and vapour
H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H229	Pressurised container: May burst if heated
H314 Causes severe skin burns and eye damage H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H302	Harmful if swallowed
H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H304	May be fatal if swallowed and enters airways
H317 May cause an allergic skin reaction H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H314	Causes severe skin burns and eye damage
H319 Causes serious eye irritation H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H315	Causes skin irritation
H336 May cause drowsiness or dizziness H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H317	May cause an allergic skin reaction
H361f Suspected of damaging fertility H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H319	Causes serious eye irritation
H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H336	May cause drowsiness or dizziness
H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects	H361f	·
H411 Toxic to aquatic life with long lasting effects	H400	Very toxic to aquatic life
H411 Toxic to aquatic life with long lasting effects	H410	Very toxic to aquatic life with long lasting effects
	H411	
	H412	

# SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

17/12/2015 EN (English) 10/10