

according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30 10th March 2023 Creation date Revision date Version 1.0 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Spec Gold SN/SM/CF 0W/30 Substance / mixture mixture 1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use Engine Oils. For specific application advice see appropriate Technical Data Sheet or consult our company representative. Mixture uses advised against Not defined. 1.3. Details of the supplier of the safety data sheet Manufacturer Name or trade name SPECOL Sp. z o.o. Address ul. Kluczborska 31, Chorzów, 41-508 Poland VAT Reg No PL6272453121 32 245 91 33 Phone F-mail info@specol.com.pl Web address www.specol.com.pl Competent person responsible for the safety data sheet SPECOL Sp. z o.o. Name F-mail info@specol.com.pl 1.4. **Emergency telephone number**

European emergency number: 112

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Supplemental information

EUH208

Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68037-01-4 EC: 500-183-1	1-Decene, homopolymer, hydrogenated	>40	Asp. Tox. 1, H304	



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

	Spec doid 317 317		50	
Creation date Revision date	10th March 2023 Ve	ersion	1.0	
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 93819-94-4 EC: 298-577-9	Zinc, bis[O-(6-methylheptyl) O-(1- methylpropyl) phosphorodithioato-S,S']-, (T -4)-	0,7-1,1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: ATE Oral = 2600 mg/kg bw ATE Inhalation (vapor) = 2 mg/l ATE Dermal = 3160 mg/kg bw Skin Irrit. 2, H315: $C \ge 6.25 \%$ Eye Irrit. 2, H319: 10 % $\le C <$ 12.5 % Eye Dam. 1, H318: $C \ge 12.5 \%$	
CAS: 36878-20-3 EC: 253-249-4	Benzenamine, ar-nonyl-N-(nonylphenyl)-	0,3-1,1	Aquatic Chronic 4, H413 Specific concentration limit: ATE Oral = 5000 mg/kg bw ATE Dermal = 2000 mg/kg bw	
Index: 649-469-00-9 CAS: 64742-56-9 EC: 265-159-2 Registration number: 01-2119480132-48	Distillates (petroleum), solvent-dewaxed light paraffinic	0,1-1,1	Asp. Tox. 1, H304	1, 2
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,1-1,1	Asp. Tox. 1, H304	
Index: 649-477-00-2 CAS: 64742-70-7 EC: 265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy	0,1-1,1	Asp. Tox. 1, H304	1, 2
EC: 457-320-2	Molybdenum polysulphide long chain alkyl dithiocarbamate complex	0,03-0,11	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	3

Notes

1 Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

2 The use of the substance is restricted by Annex XVII of REACH Regulation

3 Nanoform

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

				-	
Creat	ion date	10th March 2023			
Revis	on date		Version	1.0	
4.2.	Most important If inhaled	symptoms and effects, both a	acute and delayed		
	Not expected.				
	If on skin				
	Not expected.				
	If in eyes				
	Not expected.				

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

- 6.2. Environmental precautions
- Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s) not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL Benzenamine, ar-nonyl-N-(nonylphenyl)-

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.62 mg/kg	Chronic effects systemic		
Workers	Inhalation	4.73 mg/m ³	Chronic effects systemic		



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

 Creation date
 10th March 2023

 Revision date
 Version
 1.0

 Benzenamine, ar-nonyl-N-(nonylphenyl) Value
 Value

 Workers /
 Route of
 Value
 Effect
 Value

consumers	exposure		2.1000	determination	00000
Consumers	Dermal	0.31 mg/kg	Chronic effects systemic		
Consumers	Inhalation	1.09 mg/m ³	Chronic effects systemic		
Consumers	Oral	0.31 mg/kg	Chronic effects systemic		
Distillates (petro	oleum), solvent-d	ewaxed heav	y paraffinic		
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.4 mg/m ³	Chronic effects local		
Consumers	Inhalation	1.2 mg/m ³	Chronic effects local		
Zinc, bis[O-(6-r	nethylheptyl) O-(1-methylprop	yl) phosphorodithioato-S,S']-	, (T-4)-	
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	8.31 mg/m ³	Chronic effects local		
Workers	Dermal	0.58 mg/kg	Chronic effects local		
Consumers	Inholotion	2.11	Chronic effects local		
	Inhalation	mg/m ³			
Consumers	Dermal	mg/m³	Chronic effects local		

PNEC

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Value	Value determination	Source
Drinking water	0.1 mg/l		
Marine water	0.01 mg/l		
Water (intermittent release)	1 mg/l		
Microorganisms in sewage treatment	1 mg/l		
Freshwater sediment	132000 mg/kg		
Sea sediments	13200 mg/kg		
Soil (agricultural)	263000 mg/kg		

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Value	Value determination	Source			
Oral	9.33 mg/kg					
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S.S']-, (T-4)-						

Route of exposure	Value	Value determination	Source
Drinking water	0.004 mg/l		
Marine water	0.0046 mg/l		
Water (intermittent release)	0.021 mg/l		
Microorganisms in sewage treatment	100 mg/l		
Freshwater sediment	0.0116 mg/kg		
Sea sediments	0.00116 mg/kg		
Soil (agricultural)	0.00528 mg/kg		
Oral	10.67 mg/kg		



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date 10th March 2023 Revision date

Version

1.0

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	240 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	65 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,840-0,850 g/cm ³ at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available
Benzenamine, ar-nonyl-N-(nonylphenyl)- (CAS: 3687: -20-3)	⁸ liquid
Benzenamine, ar-nonyl-N-(nonylphenyl)- (CAS: 3687 -20-3)	⁸ solid: bulk
Distillates (petroleum), hydrotreated light paraffinic (CAS: 64742-55-8)	liquid
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)	liquid
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	liquid
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4)	liquid
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4)	solid: bulk
Other information	
not available	

9.2.



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date 10th March 2023

Version

1.0

SECTION 10: Stability and reactivity

10.1. Reactivity

not available 10.2. Chemical stability

The product is stable under normal conditions.

- 10.3. Possibility of hazardous reactions
- Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Parameter	Method	Value	Exposure time	Species	Sex
LD50	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)	
LD50	OECD 402	>2000 mg/kg		Rat (Rattus norvegicus)	
ATE		5000 mg/kg bw			
ATE		2000 mg/kg bw			
	LD50 LD50 ATE	LD50 OECD 401 LD50 OECD 402 ATE OECD 402	LDso OECD 401 >5000 mg/kg LDso OECD 402 >2000 mg/kg ATE 5000 mg/kg bw	Parameter Method Value time LDso OECD 401 >5000 mg/kg	ParameterMethodValuetimeSpeciesLDsoOECD 401>5000 mg/kgRat (Rattus norvegicus)LDsoOECD 402>2000 mg/kgRat (Rattus norvegicus)ATE5000 mg/kg bw

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		2600 mg/kg		Rat (Rattus norvegicus)	М
Inhalation	LC₅o	OECD 403	>2 mg/l	1 hour	Rat (Rattus norvegicus)	М
Dermal	LD50	OECD 402	>3160 mg/kg		Rabbit	F/M
Oral	ATE		2600 mg/kg bw			
Inhalation (vapor)	ATE		2 mg/l			
Dermal	ATE		3160 mg/kg bw			

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Result	Method	Exposure time	Species		
Dermal	Not irritating	OECD 404		Rabbit		
Molybdenum polysulphide long chain alkyl dithiocarbamate complex						

Route of exposure	Result	Method	Exposure time	Species
Skin	Irritating	OECD 404	4 hours	



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date 10th March 2023

Version

1.0

Zinc, bis[O-(6-meth	Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-							
Route of exposure	Result	Method	Exposure time	Species				
Skin	Irritating	OECD 404	4 hours	Guinea-pig (Cavia aperea f. porcellus)				

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit
Zinc, bis[O-(6-meth	ylheptyl) O-(1-methylpr	opyl) phosphorodith	ioato-S,S']-, (T-4)-	
Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage		504 hours	Rabbit

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Result	Method	Exposure time	Species	Sex
Eye	Not irritating	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	
Molybdenum polysu	Ilphide long chain alkyl	dithiocarbamate co	omplex		
Route of exposure	Result	Method	Exposure time	Species	Sex

•				
Skin	Sensitizing	OECD 404		
Zinc, bis[O-(6-meth	nylheptyl) O-(1-methyl	propyl) phosphorod	ithioato-S,S']-, (T-4)-	

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not irritating	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471				
Negative	OECD 474			Mouse	F/M

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Effect	Parameter	Method	Value	Result	Species	Sex
	NOAEL	OECD 422	160 mg/kg	Negative		

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date

Version

1.0

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC₅o	OECD 202	>100 mg/l	48 hours	Daphnia (Daphnia magna)	
EC₅o	OECD 201	>100 mg/l	72 hours	Algae (Selenastrum capricornutum)	

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

10th March 2023

Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 203	94.8 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL 50	OECD 202	50 mg/l	48 hours	Daphnia (Daphnia magna)	
EbC₅o	OECD 201	9.62 mg/l	72 hours	Algae (Selenastrum capricornutum)	
IC50		>100 mg/l	3 hours	Algae (Selenastrum capricornutum)	
NOEC		>100 mg/l	21 days	Daphnia (Daphnia magna)	

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	4.5 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL 50	OECD 202	5.4 mg/l	48 hours	Daphnia (Daphnia magna)	
ErC₅o	OECD 201	2.1 mg/l	96 hours	Algae (Selenastrum capricornutum)	

12.2. Persistence and degradability

Biodegradability

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Parameter	Method	Value	Exposure time	Environment	Result
		1 %	28 days		Not biodegradable
Molybdenum p	olysulphide long chain	alkyl dithiocarbama	te complex		
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301	22.75 %	29 days	Activated sludge	Hardly biodegradable
Zinc, bis[O-(6-	methylheptyl) O-(1-m	ethylpropyl) phosph	orodithioato-S,S']-, (T-4)-	
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301B	10 mg/l	28 hours		

not available

12.3. Bioaccumulative potential



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date

Version

1.0

Molybdenum polysulphide long chain alkyl dithiocarbamate complex								
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]		
BCF	OECD 305	88 %				25°C		
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-								
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]		
Log Pow		0.9				23°C		
Not available.								

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 06 synthetic engine, gear and lubricating oils *

10th March 2023

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- 14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date 10th March 2023

Version

1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Distillates (petroleum), solvent-dewaxed light paraffinic, Paraffin oils (petroleum), catalytic dewaxed heavy

Restriction	Conditions of restriction				
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used,				
	- as substances,				
	 as constituents of other substances, or, in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: 				
	 – either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, 				
	 the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. 				
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:				
	"Restricted to professional users".				
	 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: motor fuels which are covered by Directive 98/70/EC, 				
	 minor rules which are covered by Directive 36770/EC, mineral oil products intended for use as fuel in mobile or fixed combustion plants, fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; 				
	(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the				
	said date. (f) devices covered by Regulation (EU) 2017/745.				

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phra	ses used in the safety data sheet			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
H413	May cause long lasting harmful effects to aquatic life.			
A list of additional standard phrases used in the safety data sheet				
EUH208	Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.			



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date	10th March 2023	Version	1.0
	ant information about human hea	alth protection	
-		-	rer/importer - used for purposes other tha
	ion 1. The user is responsible for ad		
	viations and acronyms used in th		
ADR	-	-	national carriage of dangerous goods by
	road	5	5 5 5 ,
BCF	Bioconcentration F	actor	
CAS	Chemical Abstracts	Service	
CLP	Regulation (EC) No	1272/2008 on classific	cation, labelling and packaging of
	substance and mix		
EC	Identification code	for each substance list	ed in EINECS
EC50	Concentration of a	substance when it is af	ffected 50% of the population
EINECS	European Inventor	y of Existing Commerci	al Chemical Substances
ELso		or 50% of the tested or	
EmS	Emergency plan		5
EU	European Union		
EuPCS	•	Categorisation System	
IATA	-	ansport Association	
IBC		•	and Equipment of Ships Carrying
IDC	Dangerous Chemic		and Equipment of Ships Carrying
IC50	Concentration caus		
ICAO		Aviation Organization	
IMDG		ime Dangerous Goods	
IMDG	International Marit	5	
			a que die ate
INCI		enclature of Cosmetic I	5
ISO		nization for Standardiza	
IUPAC		of Pure and Applied C	
LC50	Lethal concentration	n of a substance in wh	ich it can be expected death of 50% of the
LD50	Lethal dose of a su population	bstance in which it can	be expected death of 50% of the
log Kow	Octanol-water part	ition coefficient	
NOAEL	No observed adver	se effect level	
NOEC	No observed effect	concentration	
OEL	Occupational Expo	sure Limits	
PBT		mulative and Toxic	
ppm	Parts per million		
REACH	•	ation, Authorisation an	d Restriction of Chemicals
RID		transport of dangerous	
UN	-		ubstance or article taken from the UN
0.1	Model Regulations		
UVCB	5	hown or variable compo	osition, complex reaction products or
	biological materials		···· / ·· / ··· / ····
VOC	Volatile organic cor	npounds	
vPvB	-	d very Bioaccumulative	
Aquatic Chronic		quatic environment (ch	nronic)
Asp. Tox.	Aspiration hazard		
Eye Dam.	Serious eye damag	e	
Skin Irrit.	Skin irritation		
Skin Sens.	Skin sensitization		
Training guid	elines		
Inform the per- ways of handlir		's of use, mandatory p	rotective equipment, first aid and prohibite
Recommende	d restrictions of use		
not available Information a	bout data sources used to comp	ile the Safety Data S	heet
age 11/12		Made ir	SBLCore 2023 (23.3.32) www.sblcore.cor



according to Commission Regulation (EU) 2020/878 as amended

Spec Gold SN/SM/CF 0W/30

Creation date Revision date

Version

1.0

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

10th March 2023

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.