

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: AW-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

AUTOMOCIÓN SOSTENIBLE T+C, S.L
Polígono comarca 2, calle B nave 5
31191 Esquiroz de Galar, Navarra

Telephone: +34 948 854 079

Contact Person:

AUTOMOCIÓN SOSTENIBLE. Seguridad de Producto

Telephone: +34 948 854 079
E-mail: info@tcmatic.com

1.4 Emergency telephone number: +34 948 854 079

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

| | | |
|--|------------|--|
| Chronic hazards to the aquatic environment | Category 3 | H412: Harmful to aquatic life with long lasting effects. |
|--|------------|--|

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Hazard Statement(s): H412: Harmful to aquatic life with long lasting effects.

AW-6

Precautionary Statements

- Prevention:** P273: Avoid release to the environment.
- Disposal:** P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Supplemental label information

EUH208: Contains: substituted hydrocarbyl sulphide, Alkyl amine derivative, Alkyl amine derivative, olefin derivative, Ca Sulfonate. May produce an allergic reaction.

- 2.3 Other hazards:** By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

General information: Mixture containing severely refined base oils and additives.

| Chemical name | Identifier | Concentration * | REACH Registration No. | Notes |
|---------------------------------|-------------------|-----------------|------------------------|-------|
| Base oil, low viscous | EINECS: 265-158-7 | 20,00 - <50,00% | 01-2119487077-29 | |
| Alkoxysulfolane | EC: 800-172-4 | 1,00 - <2,50% | 01-2119969520-35 | |
| substitued hydrocarbyl sulphide | EINECS: 266-582-5 | 0,25 - <1,00% | 01-2119953277-30 | |
| Alkyl amine derivative | EC: 471-920-1 | 0,10 - <1,00% | 01-0000019770-68 | |
| Alkyl amine derivative | EC: 482-000-4 | 0,10 - <1,00% | 01-0000020142-86 | |
| olefin derivative | Polymer | 0,10 - <1,00% | 01-2119976364-28 | |
| Ca Sulfonate | EINECS: 274-263-7 | 0,10 - <1,00% | 01-2119492616-28 | |
| ethoxylated amine | EC: 620-540-6 | 0,01 - <1,00% | 01-2119510877-33 | |
| Heterocyclic N-compound | EINECS: 202-414-9 | 0,01 - <1,00% | 01-2119777867-13 | |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

AW-6

Classification

| Chemical name | Identifier | Classification |
|---------------------------------|-------------------|--|
| Base oil, low viscous | EINECS: 265-158-7 | CLP: Asp. Tox. 1;H304 |
| Alkoxysulfolane | EC: 800-172-4 | CLP: Aquatic Chronic 2;H411 |
| substitued hydrocarbyl sulphide | EINECS: 266-582-5 | CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Skin Sens. 1;H317 |
| Alkyl amine derivative | EC: 471-920-1 | CLP: Skin Sens. 1B;H317 |
| Alkyl amine derivative | EC: 482-000-4 | CLP: Aquatic Chronic 3;H412, Skin Sens. 1B;H317 |
| olefin derivative | Polymer | CLP: Skin Sens. 1B;H317 |
| Ca Sulfonate | EINECS: 274-263-7 | CLP: Skin Sens. 1B;H317 |
| ethoxylated amine | EC: 620-540-6 | CLP: Skin Corr. 1C;H314, Aquatic Acute 1;H400, Aquatic Chronic 2;H411, Acute Tox. 4;H302, Eye Dam. 1;H318; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1 |
| Heterocyclic N-compound | EINECS: 202-414-9 | CLP: Skin Corr. 1C;H314, STOT RE 2;H373, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1 |

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed: May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

AW-6

5.1 Extinguishing media

Suitable extinguishing media:

CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s):

Not applicable

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Eye/face protection:

Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection:

Material: Nitrile-butadiene rubber (NBR).
Min. Breakthrough time: ≥ 480 min
Recommended thickness of the material: $\geq 0,38$ mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other:

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory Protection:

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

Thermal hazards:

Not known.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|---|---|
| Physical state: | liquid |
| Form: | liquid |
| Color: | Red |
| Odor: | Characteristic |
| Odor Threshold: | Not applicable for mixtures |
| pH: | Not applicable |
| Freezing point: | Not applicable for mixtures |
| Boiling Point: | Value not relevant for classification |
| Flash Point: | 210 °C |
| Evaporation Rate: | Not applicable for mixtures |
| Flammability (solid, gas): | Value not relevant for classification |
| Flammability Limit - Upper (%)-: | Value not relevant for classification |
| Flammability Limit - Lower (%)-: | Value not relevant for classification |
| Vapor pressure: | Not applicable for mixtures |
| Vapor density (air=1): | Not applicable for mixtures |
| Density: | 0,84 g/cm ³ (15 °C) |
| Solubility(ies) | |
| Solubility in Water: | Insoluble in water |
| Solubility (other): | No data available. Partition |
| coefficient (n-octanol/water): | Not applicable for mixtures Autoignition |
| Temperature: | Value not relevant for classification |
| Decomposition Temperature: | Value not relevant for classification |
| Kinematic viscosity: | 26 mm ² /s (40 °C) |
| Explosive properties: | Value not relevant for classification |
| Oxidizing properties: | Value not relevant for classification |
| 9.2 Other information | No data available. |

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1 Reactivity: | Stable under normal use conditions. |
| 10.2 Chemical Stability: | Stable under normal use conditions. |
| 10.3 Possibility of hazardous reactions: | Stable under normal use conditions. |
| 10.4 Conditions to avoid: | Stable under normal use conditions. |
| 10.5 Incompatible Materials: | Strong oxidizing substances. Strong acids. Strong bases. |
| 10.6 Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

substituted hydrocarbyl sulphide

LD 50 (Rat): > 5.000 mg/kg

Heterocyclic N-compound

LD 50 (Rat): 1.265 mg/kg (OECD 401)

Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Heterocyclic N-compound

OECD 404 (Rabbit):
Corrosive.

Serious Eye Damage/Eye Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Heterocyclic N-compound

OECD 405 (Rabbit):
Corrosive.

Respiratory or Skin Sensitization:

Product:

Skin sensitizer: Based on available data, the classification criteria are not met.

Respiratory sensitizer: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity

Product:

Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Based on available data, the classification criteria are not met.

Reproductive toxicity

Product:

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product:

Based on available data, the classification criteria are not met

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

| | |
|-------------------------|---|
| Alkoxysulfolane | LC 50 (Fish, 96 h): 2,4 mg/l |
| olefin derivative | LC 50 (Fish, 96 h): > 101 mg/l |
| Ca Sulfonate | LC 50 (Fish, 96 h): > 1.001 mg/l |
| ethoxylated amine | LC 50 (Fish, 96 h): 0,1 mg/l |
| Heterocyclic N-compound | LC 50 (Fish, 96 h): 0,3 mg/l (OECD 203) |

Aquatic Invertebrates

Specified substance(s)

| | |
|----------------------------------|---|
| Alkoxysulfolane | EC 50 (Water Flea, 48 h): 4,6 mg/l |
| substituted hydrocarbyl sulphide | EC 50 (Water Flea, 48 h): 0,58 mg/l |
| Alkyl amine derivative | EC 50 (Water Flea, 48 h): 180 mg/l |
| olefin derivative | EC 50 (Water Flea, 48 h): > 101 mg/l |
| Ca Sulfonate | EC 50 (Water Flea, 48 h): > 1.001 mg/l |
| Heterocyclic N-compound | EC 50 (Water Flea, 48 h): 0,136 mg/l (OECD 202) |

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

Fish

Specified substance(s)

| | |
|-----------------|---------------------------|
| Alkoxysulfolane | NOEC (Fish, 96 d): 1 mg/l |
|-----------------|---------------------------|

Aquatic Invertebrates

Specified substance(s)

| | |
|----------------------------------|-------------------------------------|
| Alkoxysulfolane | NOEC (Water Flea, 48 d): 0,63 mg/l |
| substituted hydrocarbyl sulphide | EC 50 (Water Flea, 21 d): 0,75 mg/l |

AW-6

| | |
|------------------------|---------------------------------------|
| Alkyl amine derivative | NOEC (Water Flea, 21 d): 56 mg/l |
| olefin derivative | NOEC (Water Flea, 21 d): 10 mg/l |
| ethoxylated amine | EC 10 (Water Flea, 21 d): 0,0107 mg/l |

Toxicity to Aquatic Plants
Specified substance(s)

| | |
|----------------------------------|--|
| Alkoxysulfolane | NOEC (Alga, 72 h): 0,313 mg/l |
| substituted hydrocarbyl sulphide | NOEC (Alga, 96 h): 100 mg/l |
| olefin derivative | EC 50 (Alga, 72 h): > 101 mg/l |
| ethoxylated amine | NOEC (Alga, 72 h): 0,0156 mg/l |
| Heterocyclic N-compound | EC 50 (Alga, 72 h): 0,03 mg/l (OECD 201) NOEC (Alga, 72 h): 0,11 mg/l |

12.2 Persistence and Degradability

Biodegradation

| | |
|-------------------------------|---|
| Product: | Not applicable for mixtures |
| Specified substance(s) | |
| ethoxylated amine | 63 % (28 d, OECD 301D) |
| Heterocyclic N-compound | (OECD 301B) The product is not biodegradable. |

12.3 Bioaccumulative potential

| | |
|-----------------|-----------------------------|
| Product: | Not applicable for mixtures |
|-----------------|-----------------------------|

12.4 Mobility in soil:

| | |
|-----------------|-----------------------------|
| Product: | Not applicable for mixtures |
|-----------------|-----------------------------|

12.5 Results of PBT and vPvB assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects:

| | |
|----------------------------------|---|
| Water Hazard Class (WGK): | Harmful to aquatic life with long lasting effects. WGK 2: significantly water-endangering. |
|----------------------------------|---|

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| | |
|-----------------------------|---|
| General information: | Dispose in accordance with all applicable regulations. |
| Disposal methods: | Discharge, treatment, or disposal may be subject to national, state, or local laws. |

European Waste Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

- 14.1 UN Number: —
- 14.2 UN Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): —
 - Hazard No. (ADR): —
 - Tunnel restriction code: —
- 14.4 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

ADN

- 14.1 UN Number: —
- 14.2 UN Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): —
- 14.3 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

IMDG

- 14.1 UN Number: —
- 14.2 UN Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): —
 - EmS No.: —
- 14.3 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

IATA

- 14.1 UN Number: —
- 14.2 Proper Shipping Name: —
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): —
- 14.4 Packing Group: —
- 14.5 Environmental hazards: —
- 14.6 Special precautions for user: —

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

| | |
|------|--|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Other information: The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.

Revision Date: 12.01.2021

Disclaimer: The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.