According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
1.7	02.03.2023	800010031611	Print Date 03.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	: Helix Ultra SN PLUS 0W-20
Product code	: 001G6355

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Engine oil.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	<ul> <li>Shell UK Oil Products Limited</li> <li>Shell Centre</li> <li>London</li> <li>SE1 7NA</li> <li>United Kingdom</li> </ul>
Telephone Telefax	: (+44) 08007318888
Contact for Safety Data Sheet	<ul> <li>If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com</li> </ul>

1.4 Emergency telephone number

: +44 (0) 1235 239 670 (This telephone number is available 24 hours per day, 7 days per week)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms Signal word	:	No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version 1.7	Revision Date: 02.03.2023	SDS Number: 800010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023
		Not classi ENVIRON	HAZARDS: fied as a health hazard under CLP criteria. IMENTAL HAZARDS: fied as environmental hazard according to
Precau	utionary statements	Prevention:	
		No precau	itionary phrases.
		Response:	
		No precau	itionary phrases.
		Storage:	
		No precau	itionary phrases.
		Disposal:	
		No precau	itionary phrases.

Safety data sheet available on request.

#### 2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties to the environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100. Alkylphenol

Toxicological information: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100. Alkylphenol

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities.

Not classified as flammable but will burn.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature	<ul> <li>Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains &lt;3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.</li> </ul>
	Classification based on DMSO extract content < 3% (Regula- tion (EC) 1272/2008, Annex VI, Part 3, Note L).

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

ersion .7	Revision Date: 02.03.2023	SDS Number: 800010031611	Date of last issue: 24.02.202 Print Date 03.03.2023	23
0		(REACH registrat 34), 64742-54-7 ( 2119487077-29), 0 (01-2119471299 72623-86-0 (01-2 2119474889-13), 9 (01-0000020163 151006-60-9 (01-2	more of the following CAS-nu on numbers): 64742-53-6 (0 01-2119484627-25), 64742-5 64742-56-9 (01-2119480132 9-27), 68037-01-4 (01-211948 119474878-16), 72623-87-1 ( 8042-47-5 (01-2119487078-2 8-82), 68649-12-7 (01-21195 2119523580-47), 163149-28- 64741-88-4 (01-2119488706 7-30).	1-2119480375- 5-8 (01- -48), 64742-65- 86452-34), (01- 27), 848301-69- 27646-33), ·8 (01-
	ponents nical name	CAS-No. EC-No. Index-No. Registration nur	Classification	Concentration (% w/w)
	hangeable low viscosity oil (<20,5 cSt @40°C) *		Asp. Tox. 1; H304	0 - 90
Alkar	yl amine	36878-20-3 253-249-4 01-2119488911	Aquatic Chronic 4; H413	1 - 3
Alkylp	bhenol	121158-58-5 310-154-3 604-092-00-9	Skin Corr. 1C; H314 Eye Dam. 1; H318 Repr. 1B; H360F Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	0.1 - 0.29

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Protection of first-aiders

: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

According to EC No 1907/2006 as amended as at the date of this SDS

Versi 1.7	on Revision Date: 02.03.2023		0S Number: 0010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023	
	If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact		:	ter and follow by w	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.	
In case of eye contact		:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.		
	If swallowed	:		tment is necessary unless large quantities wever, get medical advice.	
4.2 N	lost important symptoms ar	nd e	effects. both acute	and delaved	
Symptoms		:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 lı	ndication of any immediate i	med	dical attention and	special treatment needed	
	Treatment	:	Notes to doctor/pl Treat symptomation	nysician:	
SEC	TION 5: Firefighting meas	sur	es		
	xtinguishing media		- ·		
	Suitable extinguishing media	:		y or fog. Dry chemical powder, carbon diox- may be used for small fires only.	
	Unsuitable extinguishing media	:	Do not use water	in a jet.	
5.2 S	pecial hazards arising from	the	substance or mix	cture	
	Specific hazards during fire-	:	Hazardous combu	istion products may include:	
	fighting		gases (smoke).	e of airborne solid and liquid particulates and may be evolved if incomplete combustion	
			Unidentified organ	ic and inorganic compounds.	
53A	dvice for firefighters				
	Special protective equipment	:	Proper protective	equipment including chemical resistant	
	for firefighters	-	gloves are to be w large contact with Breathing Appara a confined space.	vorn; chemical resistant suit is indicated if spilled product is expected. Self-Contained tus must be worn when approaching a fire in Select fire fighter's clothing approved to s (e.g. Europe: EN469).	

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
1.7	02.03.2023	800010031611	Print Date 03.03.2023
Specif ods	ic extinguishing meth-	5	shing measures that are appropriate to local cir- and the surrounding environment.

### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>6.1.1 For non emergency personnel: Avoid contact with skin and eyes.</li> <li>6.1.2 For emergency responders: Avoid contact with skin and eyes.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	: Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---	--

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Versio 1.7	on	Revision Date: 02.03.2023	SDS Number:Date of last issue: 24.02.2023800010031611Print Date 03.03.2023	
F	Produc	t Transfer	: Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation	n.
H	Hygien	e measures	: Exposure to this product should be reduced as low as reason ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".	
7.2 C	onditi	ons for safe storage,	including any incompatibilities	
	Further age sta	information on stor- bility	<ul> <li>Keep container tightly closed and in a cool, well-ventilated place.</li> <li>Use properly labeled and closable containers.</li> <li>Store at ambient temperature.</li> </ul>	
			Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guid- ance may be obtained from the local environmental agency office.	
F	Packaç	ying material	<ul> <li>Suitable material: For containers or container linings, use mile steel or high density polyethylene. Unsuitable material: PVC.</li> </ul>	d
C	Contair	ner Advice	: Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.	
7.3 Sj	pecific	c end use(s)		
S	Specifi	c use(s)	: Not applicable	

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

### **Biological occupational exposure limits**

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
1.7	02.03.2023	800010031611	Print Date 03.03.2023

#### 8.2 Exposure controls

#### Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

#### General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

#### Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes protective eyewear is recommended. Approved to EU Standard EN166.	
Hand protection		
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For	

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version 1.7	Revision Date: 02.03.2023	SDS Number: 800010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023
		recognize that may not be ava time maybe ac and replaceme a good predicto dependent on Glove thicknes	ash protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance nt regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. s should be typically greater than 0.35 mm he glove make and model.
Skin a	nd body protection	work clothes.	is not ordinarily required beyond standard
		<b>.</b>	ice to wear chemical resistant gloves.
Respiratory protection		conditions of us In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s and vapours [T	protection is ordinarily required under normal se. with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for combined particulate/organic gases ype A/Type P boiling point > 65°C (149°F)] 387 and EN143.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	amber
Odour	:	Data not available
Odour Threshold	:	Data not available
pour point	:	-48 °C Method: ASTM D97
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)
Flammability Flammability (solid, gas)	:	Not applicable
, , , , , , , , , , , , , , , , , , ,		••

According to EC No 1907/2006 as amended as at the date of this SDS

Versi 1.7	on Revision Date: 02.03.2023		S Number: 0010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023
	Flammability (liquids)	:	Not classified as	flammable but will burn.
Lower explosion limit and upper explosion limit / flammability limit				
	Upper explosion limit / upper flammability limit	:	Typical 10 %(V)	
	Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)	
	Flash point	:	204 °C Method: ASTM D	992 (COC)
	Auto-ignition temperature	:	> 320 °C	
	Decomposition temperature Decomposition tempera- ture	:	Data not availabl	e
	Hq	:	Not applicable	
,	Viscosity Viscosity, dynamic	:	Data not availabl	e
	Viscosity, kinematic	:	8.6 mm2/s (100 ° Method: ASTM D	
			43.4 mm2/s (40 ° Method: ASTM D	
	Solubility(ies) Water solubility	:	negligible	
	Solubility in other solvents	:	Data not available	e
	Partition coefficient: n- octanol/water	:	log Pow: > 6 (based on inform	ation on similar products)
	Vapour pressure	:	< 0.5 Pa (20 °C) estimated value(s	5)
	Relative density	:	0.836 (15.0 °C)	
	Density	:	836 kg/m3 (15.0 Method: ASTM D	
	Relative vapour density	:	> 5	
	Particle characteristics Particle size	:	no data available	

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version 1.7	Revision Date: 02.03.2023	SDS Number: 800010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023		
	<b>r information</b> losives	: Classification	n Code: Not classified		
Oxidizing properties		: Data not available			
Flammability (liquids)		: Not classified	: Not classified as flammable but will burn.		
Eva	poration rate	: Data not ava	ilable		
Con	ductivity	: This material	is not expected to be a static accumulator.		

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

#### **10.2 Chemical stability**

Stable.

No hazardous reaction is expected when handled and stored according to provisions

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with strong oxidising agents.

#### 10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

:

#### Acute toxicity

#### Product:

Acute oral toxicity

LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

Version 1.7	Revision Date: 02.03.2023		DS Number: 0010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023
Acute	e inhalation toxicity	:	Remarks: Based are not met.	on available data, the classification criteria
Acute	Acute dermal toxicity		LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not	
Skin	corrosion/irritation			
Prod	uct:			
Rema	arks	:	can clog the pore acne/folliculitis.	o skin. eated skin contact without proper cleaning s of the skin resulting in disorders such as oil le data, the classification criteria are not met.
Serio	ous eye damage/eye irr	ritati	on	
Prod	<u>uct:</u>			
Rema	arks	:	Slightly irritating t Based on availab	o the eye. le data, the classification criteria are not met.
Resp	viratory or skin sensitis	satio	on	
Prod	uct:			
Rema	arks	:	Not a sensitiser.	nd skin sensitisation: le data, the classification criteria are not met.
Gern	n cell mutagenicity			
Prod	<u>uct:</u>			
Geno	otoxicity in vivo	:	Remarks: Non m Based on availab	utagenic le data, the classification criteria are not met.
Germ sessr	n cell mutagenicity- As- ment	:	This product does categories 1A/1B	s not meet the criteria for classification in
Carc	inogenicity			
Prod	uct:			
Rema	arks	:	Not a carcinogen Based on availab	le data, the classification criteria are not met.
Carci ment	nogenicity - Assess-	:	This product does categories 1A/1B	s not meet the criteria for classification in

According to EC No 1907/2006 as amended as at the date of this SDS

Version 1.7	Revision Date: 02.03.2023	SDS Number:Date of last issue: 24.02.2023800010031611Print Date 03.03.2023
Mate	rial	GHS/CLP Carcinogenicity Classification
Highl	y refined mineral oil	No carcinogenicity classification.
Repr	oductive toxicity	
Prod	-	
	ts on fertility	: Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria a not met.
Repro sessr	oductive toxicity - As- nent	: This product does not meet the criteria for classification in categories 1A/1B.
STO	۲ - single exposure	
<u>Prod</u> Rema		: Based on available data, the classification criteria are not me
STO	F - repeated exposure	
<u>Prod</u> Rema		: Based on available data, the classification criteria are not me
Aspii	ration toxicity	
	n aspiration hazard., Bas	ed on available data, the classification criteria are not met.
	mation on other hazard	
Prod	ocrine disrupting prope uct: ssment	: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)
Alkylp	bhenol	2017/2100.
Furth	er information	
Prod	uct:	
Rema		: Used oils may contain harmful impurities that have accumu- lated during use. The concentration of such impurities will depend on use and they may present risks to health and the

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version 1.7	Revision Date: 02.03.2023	SDS Number: 800010031611		Date of last issue: 24.02.2023 Print Date 03.03.2023	
			environment on c ALL used oil sho avoided as far as	uld be handled with caution and skin contact	
Remarks		:	Continuous contact with used engine oils has caused skin cancer in animal tests.		
Remarks		:	Slightly irritating to respiratory system.		
Rema	rks	: Classifications by other authorities under varying reg frameworks may exist.			
Rema	rks	:		otherwise, the data presented is representa- t as a whole, rather than for individual com-	

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.
Components:		
Alkylphenol:		

M-Factor (Acute aquatic tox- : 10

According to EC No 1907/2006 as amended as at the date of this SDS

Versior 1.7	n Revision Date: 02.03.2023	SDS Number:Date of last issue: 24.02.2023800010031611Print Date 03.03.2023	
ici	ty)		
	-Factor (Chronic aquatic xicity)	: 10	
12.2 Pe	ersistence and degrad	ility	
	roduct: odegradability	<ul> <li>Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contains coponents that may persist in the environment. Persistent per IMO criteria. International Oil Pollution Compensation (IOPC) Fund definitio "A non-persistent oil is oil, which, at the time of shipment, const of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) whe tested by the ASTM Method D-86/78 or any subsequent revision thereof."</li> </ul>	on: ists f en
12.3 Bi	ioaccumulative potent		
	oaccumulation	: Remarks: Contains components with the potential to bioaccumu	late.
12.4 M	obility in soil		
	r <mark>oduct:</mark> obility	<ul> <li>Remarks: Liquid under most environmental conditions., If i enters soil, it will adsorb to soil particles and will not be mo bile.</li> <li>Remarks: Floats on water.</li> </ul>	
12 5 D	esults of PBT and vPv	recomment	
	oduct:	15562221116111	
	ssessment	: This mixture does not contain any REACH registered sub- stances that are assessed to be a PBT or a vPvB	
12.6 Ei	ndocrine disrupting pr	erties	
<u>Pr</u>	oduct:		
	ssessment kylphenol	: This substance/mixture contains components considered to have endocrine disrupting properties to the environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 of Commission Delegated Regulation (EU) 2017/2100.	)
<i>,</i> u			

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
1.7	02.03.2023	800010031611	Print Date 03.03.2023

#### 12.7 Other adverse effects

### Product:

Additional ecological infor- mation	: Does not have ozone depletion potential, photochemical ozone crea- tion potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.
	Poorly soluble mixture. Causes physical fouling of aquatic organisms.
	Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product :	<ul> <li>Recover or recycle if possible.</li> <li>It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.</li> <li>Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses.</li> <li>Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.</li> <li>Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.</li> </ul>
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides tech- nical aspects at controlling pollutions from ships.
Contaminated packaging :	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation	
Waste catalogue	: EU Waste Disposal Code (EWC):

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version 1.7	Revision Date: 02.03.2023	SDS Number: 800010031611	Date of last issue: 24.02.2023 Print Date 03.03.2023
Waste	Code	: 13 02 06*	
Rema	rks	: Classification of user.	waste is always the responsibility of the end
		•	be in accordance with applicable regional, cal laws and regulations.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.:	3 Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	4 Packing group		
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.	5 Environmental hazards		
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
14.0	6 Special precautions for use	r	
	Remarks	:	Special Precautions: Refer to Section 7, Handling & Storage,

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
1.7	02.03.2023	800010031611	Print Date 03.03.2023

for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### 14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

#### Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this pro	duc	are reported in the following inventories:
REACH	:	Notified with Restrictions.

TSCA : All components listed.

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date
1.7	02.03.2023	800010031611	Prin

Date of last issue: 24.02.2023 Print Date 03.03.2023

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H360F	:	May damage fertility.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ons	
A guatia A guta		Chart tarm (aguta) aguatia hazard

	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Eye Dam. :	Serious eye damage
Repr. :	Reproductive toxicity
Skin Corr. :	Skin corrosion
ACGIH :	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA :	8-hour, time-weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous

According to EC No 1907/2006 as amended as at the date of this SDS

# Helix Ultra SN PLUS 0W-20

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2023
1.7	02.03.2023	800010031611	Print Date 03.03.2023

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Training advice	:	Provide adequate information, instruction and training for op- erators.
Other information	:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar ( ) in the left margin indicates an amendment
		from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN