



## 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Surface active agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
CARAMBA CHEMIE GMBH & Co.KG  
WANHEIMERSTR. 334/336  
47055 DUISBURG  
www.caramba.de  
Tel.: +49 (0) 203/77 86 01
- **Further information obtainable from:**  
Abteilung Labor  
Andrea Petersen  
andrea.petersen@caramba.de  
Tel.: +49 (0)203 / 77 86-189
- **1.4 Emergency telephone number:**  
Giftnotruf Berlin +49(0)30 30686 790 Beratung in Deutsch und Englisch

## 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
 F+; Extremely flammable  
R12: Extremely flammable.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
Warning! Pressurized container.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- **Code letter and hazard designation of product:**  
 F+ Extremely flammable
- **Risk phrases:**  
12 Extremely flammable.
- **Safety phrases:**  
2 Keep out of the reach of children.  
16 Keep away from sources of ignition - No smoking.  
23 Do not breathe spray.  
51 Use only in well-ventilated areas.  
60 This material and its container must be disposed of as hazardous waste.
- **Special labelling of certain preparations:**  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
Do not spray on a naked flame or any incandescent material.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.02.2013

Version number 1

Revision: 14.02.2013

**Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)**

(Contd. of page 1)

*Buildup of explosive mixtures possible without sufficient ventilation.*

- **Classification in accordance with Directive 75/324/EEC:** Extremely flammable
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

#### · 3.2 Chemical characterization: Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 64742-48-9 EC number: 927-241-2	Naphtha (petroleum), hydrotreated heavy Xn R65 R10-52/53-66-67 Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336; Aquatic Chronic 3, H412	2.5-5%
CAS: 106-97-8 EINECS: 203-448-7	butane F+ R12 Flam. Gas 1, H220; Press. Gas, H280	2.5-5%
CAS: 64742-47-8 EC number: 926-141-6	Destillate (Erdöl), mit Wasserstoff behandelte leichte Xn R65 R66 Asp. Tox. 1, H304	1-2.5%
CAS: 9043-30-5 NLP: 500-027-2	Isotridecylalkohol, ethoxyliert (3/4/5 EO) Xi R41 Eye Dam. 1, H318	1-2.5%
CAS: 69011-36-5 EC number: 931-138-8	Isotridecanol, ethoxyliert (>5-20 EO) Xn R22; Xi R41 Eye Dam. 1, H318; Acute Tox. 4, H302	1-2.5%

#### · **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

aliphatic hydrocarbons	5 - 15%
non-ionic surfactants	< 5%
preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)	

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

#### · 4.1 Description of first aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

#### · 5.1 Extinguishing media

#### · **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.02.2013

Version number 1

Revision: 14.02.2013

**Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)**

(Contd. of page 2)

- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.  
Do not spray onto a naked flame or any incandescent material.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**
**106-97-8 butane (2.5-5%)**

WEL	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
-----	---

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:** Not required.

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 14.02.2013

Version number 1

Revision: 14.02.2013

**Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)**

(Contd. of page 3)

 · **Eye protection:** Safety glasses

## 9 Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Aerosol
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

 · **pH-value:** Not determined.

#### · Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	-40 °C

 · **Flash point:** -44 °C

 · **Flammability (solid, gaseous):** Not applicable.

 · **Decomposition temperature:** Not determined.

 · **Self-igniting:** Product is not selfigniting.

 · **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

#### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

 · **Vapour pressure:** Not determined.

Density at 20 °C:	0.96 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.

#### · Solubility in / Miscibility with water:

Not miscible or difficult to mix.

 · **Partition coefficient (n-octanol/water):** Not determined.

#### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

 · **9.2 Other information** No further relevant information available.

## 10 Stability and reactivity

### · 10.1 Reactivity

### · 10.2 Chemical stability

#### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

 · **10.3 Possibility of hazardous reactions** No dangerous reactions known.

 · **10.4 Conditions to avoid** No further relevant information available.

 · **10.5 Incompatible materials:** No further relevant information available.

 · **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

GB

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.02.2013

Version number 1

Revision: 14.02.2013

Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)

(Contd. of page 4)

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.


## 12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | <p style="text-align: center;">UN1950</p>   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>  | <p style="text-align: center;">1950 AEROSOLS<br/>AEROSOLS<br/>AEROSOLS, flammable</p> |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR</b></li> </ul>   |   |
| <div style="display: flex; align-items: center;">  <div> <ul style="list-style-type: none"> <li>· <b>Class</b></li> </ul> </div> </div> |   |
| <p style="text-align: center;">2 5F Gases.</p>   |   |

(Contd. on page 6)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31




Printing date 14.02.2013

Version number 1

Revision: 14.02.2013

**Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)**

(Contd. of page 5)

· <b>Label</b>	2.1
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	2.1
· <b>Label</b>	2.1
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Warning: Gases.
· <b>Danger code (Kemler):</b>	-
· <b>EMS Number:</b>	F-D,S-U
· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Excepted quantities (EQ):</b>	E0
· <b>Limited quantities (LQ)</b>	1L
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D

## 15 Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### · **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

#### · **Code letter and hazard designation of product:**



F+ Extremely flammable

#### · **Risk phrases:**

12 Extremely flammable.

#### · **Safety phrases:**

2 Keep out of the reach of children.

16 Keep away from sources of ignition - No smoking.

23 Do not breathe spray.

51 Use only in well-ventilated areas.

60 This material and its container must be disposed of as hazardous waste.

#### · **Special labelling of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

#### · **Classification in accordance with Directive 75/324/EEC: Extremely flammable**

(Contd. on page 7)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**



Printing date 14.02.2013

Version number 1

Revision: 14.02.2013

---

**Trade name: CARAMBA Profi Intensive Cockpit Care silicone-free (Aerosol)**

---

(Contd. of page 6)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

---

## **16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

H220 Extremely flammable gas.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

R10 Flammable.

R12 Extremely flammable.

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

· **\* Data compared to the previous version altered.**

---

GB