		SAFETY	DATA SHEET		
		according to Commission Reg	gulation (EU) 2020/878 a	as amended	
		TECMAXX	WHITE GREASE		
Creat	ion date	04th November 2016			
Revis	ion date	02nd July 2024	Version	4.0	
SECT	ION 1: Identifica	tion of the substance/mixture a	and of the company/u	ndertaking	
1.1.	Product identif	ier	TECMAXX WHITE	E GREASE	
	Substance / mix	ture	mixture		
	Number		M-28072023		
	UFI		X3EW-T0FP-900	F-WFTD	
1.2.	Relevant ident	ified uses of the substance or m	nixture and uses advis	ed against	
	Mixture's inten	ided use			
	Lubricating agen	t.			
	Main intended	use			
	PC-TEC-11	Lubricants, greases	s, release agents		
	Mixture uses a	-			
		uld not be used in ways other than		n 1.	
1.3.		supplier of the safety data shee	t		
	Manufacturer				
	Name or t	rade name	AMTRA Sp. z o.		
	Address		Schonów 3, Sosi	nowiec, 41-200	
			Poland		
	VAT Reg N	lo	PL6250009241		
	Phone		+48 32 294 41 (
	E-mail		amtra@amtra.pl		
		son responsible for the safety o			
	Name		AMTRA Sp. z o.		
	E-mail		amtra@amtra.pl		
1.4.		ephone number			
	European emerg	ency number: 112			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Aerosol 1, H222, H229 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412

Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

Most serious adverse effects on human health and the environment

Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

2.2. Label elements



Signal word Danger Hazardous substances Hydrocarbons, C6, n-alkanes, iso-alkanes, cyclics, n-hexane rich Hazard statements H222 Extremely flammable aerosol.

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date	04th November 2016						
Revision date	02nd July 2024	Version	4.0				
H229	Pressurised conta	iner: May burst if heated.					
H315	Causes skin irritat	tion.					
H336	May cause drowsi	ness or dizziness.					
H361	Suspected of dam	aging fertility or the unbo	rn child.				
H373	May cause damag	je to organs through prolo	nged or repeated exposure.				
H412	Harmful to aquati	c life with long lasting effe	cts.				
Precautionary s	Precautionary statements						
P102	Keep out of reach	of children.					
P210	Keep away from h No smoking.	neat, hot surfaces, sparks,	open flames and other ignition	sources.			
P211	Do not spray on a	in open flame or other ign	ition source.				
P251	Do not pierce or b	ourn, even after use.					
P261	Avoid breathing s	pray.					
P273	Avoid release to t	he environment.					
P302+P352	IF ON SKIN: Was	h with plenty of water and	soap.				
P314	Get medical advic	e/attention if you feel unv	vell.				
P405	Store locked up.						
P410+P412	Protect from sunli	ight. Do no expose to tem	peratures exceeding 50 °C.				
P501	Dispose of conten	ts/container to in accorda	nce with international regulation	ns.			
Requirements for	or child-resistant fastenings a	and tactile warning of d	anger				

Container must carry a tactile warning of danger.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	39-<44	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 2
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	19-<22	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	2
CAS: 64742-49-0 EC: 925-292-5	Hydrocarbons, C6, n-alkanes, iso-alkanes, cyclics, n-hexane rich	15-<18	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361 STOT RE 2, H373 (inhalation) Aquatic Chronic 2, H411 Specific concentration limit: Aquatic Chronic 2, H411: C > 5 % Flam. Liq. 2, H225: C > 5 %	

Notes

1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date	04th November 2016			
Revision date	02nd July 2024	Version	4.0	

2 Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Unlikely.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Causes skin irritation.

If in eyes

When intruding eyes, it can evoke irritation.

If swallowed

Irritation, nausea.

- 4.3. Indication of any immediate medical attention and special treatment needed
 - Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date Revision date Version

4.0

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

04th November 2016

02nd July 2024

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Wash hands and exposed parts of the body thoroughly after handling. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature is from +5 °C to +30 °C. Protect against frost. Protect from sunlight. Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date	04th November 2016		
Revision date	02nd July 2024	Version	4.0

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Eye/face protection Protective goggles. Skin protection Hand protection: Chemical resistant gloves should be worn whenever working with chemical products when a risk assessment indicates this is necessary. The selected protective gloves must meet the requirements of the EN 374-1 standard. Recommended for long-term contact: Material for protective gloves: nitrile rubber. Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6 Recommended for momentary contact: Material for protective gloves: nitrile rubber Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6 Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly. **Respiratory protection** Respirator. Thermal hazard Not available. **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

liquid
white
characteristic
data not available
data not available
inflammable
data not available
insoluble
data not available
4.5 - 5.0 bar
0.79 g/cm ³
data not available
data not available

9.2.

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date Revision date 04th November 2016 02nd July 2024

Version

4.0

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

Unknown.

- 10.2. Chemical stability
 - The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

Serious eye damage/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Suspected of damaging fertility or the unborn child. Data for the components of the mixture are not available.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure. Data for the components of the mixture are not available.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date Revision date 04th November 2016 02nd July 2024

Version

4.0

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Data for the components of the mixture are not available.

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - UN 1950
- 14.2. UN proper shipping name AEROSOLS
- 14.3.Transport hazard class(es)2Gases
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

SAFETY DATA SHEET				
according to Commission Regulation (EU) 2020/878 as amended				
		X WHITE GREASE		
Creation date Revision date	04th November 2016 02nd July 2024	Version	4.0	
Additional info	rmation			
Hazard ider	ntification No.			
UN number		1950		
Classificatio Safety sign		5F		
Road transport	t - ADR			
Special pro	visions	190, 327, 344, 625		
Limited qua	intities	1 L		
Sign				
		$\langle \rangle$		
Excepted q	uantities	E0		
Packaging				
Packing ins	tructions	P207, LP200		
	king provisions	PP87, RR6, L2		
	ing provisions	MP9		
Transport c		2		
Tunnel rest		(D)		
	ovision for			
packages		V14		
-	loading and handling	CV9, CV12		
operation		S2		
Railway transp				
Special pro		190, 327, 344, 625		
Excepted q		EO		
Packaging				
Packing ins		P207, LP200		
	king provisions	PP87, RR6, L2		
	ing provisions	MP9		
Transport o	ategory ovision for	0		
packages		W14		
	loading and handling	CW9, CW12		
-				
Air transport -	nstructions for limited amount	V203		
	nstructions for limited amount nstructions passenger	Y203 203		
	aging instructions	203		
Marine transpo		203		
	gency plan)	F-D, S-U		
MFAG		620		

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date Revision date

Version

4.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

04th November 2016

02nd July 2024

SECTION 16: Other information

A list of standard risk phrase	es used in the safety data sheet
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Guidelines for safe handling	used in the safety data sheet
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.
P273	Avoid release to the environment.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P314	Get medical advice/attention if you feel unwell.
P405	Store locked up.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container to in accordance with international regulations.
Other important information	about human health protection
	ss specifically approved by the manufacturer/importer - used for purposes other than s responsible for adherence to all related health protection regulations.
Key to abbreviations and acr	onyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
Aerosol	Aerosol
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

	<u> </u>	WHITE GREASE	
reation date	04th November 2016		
evision date	02nd July 2024	Version	4.0
EmS	Emergency plan		
EU	European Union		
EuPCS	European Product	t Categorisation System	
Flam. Gas	Flammable gas		
Flam. Liq.	Flammable liquid		
IATA	International Air	Transport Association	
IBC	International Cod Dangerous Chem		d Equipment of Ships Carrying
ICAO	International Civi	l Aviation Organization	
IMDG	International Mar	itime Dangerous Goods	
IMO	International Mar	itime Organization	
INCI	International Non	nenclature of Cosmetic Ing	redients
ISO	International Org	anization for Standardizatio	on
IUPAC		on of Pure and Applied Che	
log Kow	Octanol-water pa	rtition coefficient	
OEL	Occupational Exp		
PBT		umulative and toxic	
PMT	Persistent, mobile		
ppm	Parts per million		
Press. Gas	Gases under pres	sure	
Press. Gas (Comp.)	Gas under pressu	re: compressed gas	
Press. Gas (Diss.)	Gas under pressu		
Press. Gas (Liq.)	Gas under pressu	ire: liquefied gas	
Press. Gas (Ref. Liq.)		ire: refrigerated liquefied g	as
REACH	Registration, Eva	luation, Authorisation and I	Restriction of Chemicals
Repr.	Reproductive tox		
RID	Agreement on the	e transport of dangerous go	oods by rail
Skin Irrit.	Skin irritation		
STOT RE	Specific target or	gan toxicity - repeated exp	oosure
STOT SE	Specific target or	gan toxicity - single exposu	Jre
UN		fication number of the sub	stance or article taken from the UN
UVCB	Substances of un biological materia		tion, complex reaction products or
VOC	Volatile organic c	ompounds	
vPvB	Very persistent a	nd very bioaccumulative	
vPvM	Very persistent a	nd very mobile	
Training guidelines Inform the personnel ways of handling the Recommended rest not available	product.	ays of use, mandatory prot	tective equipment, first aid and prohibit
	data sources used to com	nile the Safety Data She	aet .
REGULATION (EC) No REGULATION (EC) No the manufacturer of t	o. 1907/2006 OF THE EUR	OPEAN PARLIAMENT AND OPEAN PARLIAMENT AND C vailable - information from	OF THE COUNCIL (REACH) as amende OF THE COUNCIL as amended. Data fro registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 28 July 2023. Changes were made in sections 1, 2, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

according to Commission Regulation (EU) 2020/878 as amended

TECMAXX WHITE GREASE

Creation date	04th November 2016		
Revision date	02nd July 2024	Version	4.0

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.