Revision Date 30.07.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Helix Ultra 5W-40
Product code	:	001A9013

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Engine oil.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Email Contact for Safety Data Sheet	 : (+44) 08007318888 : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)			
Hazard pictograms	:	No Hazard Symbol required	
Signal word	:	No signal word	
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.	

|--|

Helix Ultra 5W-40

Version 3.10	Revision Date 3	30.07.2020	Print Date 31.07.2020
Precautionary statements	: Prevention: Response: Storage: Disposal:	HEALTH HAZARDS: Not classified as a health criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria No precautionary phrase No precautionary phrase No precautionary phrase	ARDS: Imental hazard a. es. es.

Safety data sheet available on request.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
	:	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65- 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01- 2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69- 9 (01-0000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47), 163149-28-8 (01- 2119543695-30).

Revision Date 30.07.2020

Print Date 31.07.2020

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90
Alkaryl amine	36878-20-3 253-249-4 01-2119488911-28	Aquatic Chronic4; H413	1 - 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	 Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 Most important symptoms a	nd effects, both acute and delayed
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 Indication of any immediate	medical attention and special treatment needed
Treatment	: Notes to doctor/physician:

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra 5W-40

Version 3.10

Revision Date 30.07.2020

Print Date 31.07.2020

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
	Unsuitable extinguishing media	:	Do not use water in a jet.
5.2	Special hazards arising from t	he	substance or mixture
	Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
	Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Helix Ultra 5W-40

Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Methods for cleaning up	: Slippery when spilt. Avoid accid Prevent from spreading by mak or other containment material. Reclaim liquid directly or in an a Soak up residue with an absorb suitable material and dispose of	ing a barrier with sand, earth absorbent. ent such as clay, sand or other

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

G	eneral Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Pr	ecautions for safe handling		
A	dvice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Ρ	roduct Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
7.2 Co	onditions for safe storage, in	cl	uding any incompatibilities
0	ther data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
			Store at ambient temperature.
			Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
			The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.
Ρ	ackaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
С	ontainer Advice	:	Polyethylene containers should not be exposed to high

Helix Ultra 5W-40

Version 3.10 Revision Date 30.07.2020 Print Date 31.07.2020 temperatures because of possible risk of distortion. 7.3 Specific end use(s)

Specific use(s)

: Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measures The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Version 3.10

Revision Date 30.07.2020

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
	·

SAFFTY DATA SHFFT

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra 5W-40 Version 3.10 Revision Date 30.07.2020 Print Date 31.07.2020 Skin and body protection : Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves. Respiratory protection : No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [Type A/Type P boiling point > $65^{\circ}C$ (149°F)] meeting EN14387 and EN143. Thermal hazards : Not applicable : Exposure to this product should be reduced as low as Hygiene measures reasonably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials". **Environmental exposure controls** General advice : Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in

Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant

Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing

before discharge to surface water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: amber
Odour	: Slight hydrocarbon

vapour.

Helix Ultra 5W-40

Odour Threshold pH pour point Melting / freezing point Initial boiling point and boiling	:	Data not available Not applicable -45 °CMethod: ASTM D97 Data not available	
pour point Melting / freezing point		-45 °CMethod: ASTM D97 Data not available	
Melting / freezing point		Data not available	
Initial boiling point and boiling		> 280 °Cestimated value(s)	
range	-		
Flash point	•	242 °C Method: ASTM D92 (COC)	
Evaporation rate	:	Data not available	
Flammability (solid, gas)	:	Data not available	
Upper explosion limit	:	Typical 10 %(V)	
Lower explosion limit	:	Typical 1 %(V)	
Vapour pressure	:	< 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	:	> 1estimated value(s)	
Relative density	:	0.8403 (15.0 °C)	
Density	:	840.3 kg/m3 (15.0 °C) Method: ASTM D4052	
Solubility(ies)			
Water solubility	:	negligible	
Solubility in other solvents	:	Data not available	
Partition coefficient: n- octanol/water	:	log Pow: > 6(based on information on simila	ar products)
Auto-ignition temperature	:	> 320 °C	
Decomposition temperature	:	Data not available	
Viscosity			
Viscosity, dynamic	:	Data not available	
Viscosity, kinematic	:	79.1 mm2/s (40.0 °C) Method: ASTM D445	
		13.1 mm2/s (100 °C) Method: ASTM D445	

Helix	Ultra	5W-40	

Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a	a static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	Reacts with strong oxidising agents.	
10.4 Conditions to avoid		
Conditions to avoid	: Extremes of temperature and direct sunlight.	
10.5 Incompatible materials		
Materials to avoid	: Strong oxidising agents.	
10.6 Hazardous decomposition	products	
Hazardous decomposition products	: No decomposition if stored and applied as directed.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Helix Ultra 5W-40

Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Product:		
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classifie	cation criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, t are not met.	he classification criteria
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classifie	cation criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not a sensitiser., Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Revision Date 30.07.2020

Print Date 31.07.2020

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.

Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Reproductive toxicity - Assessment	: This product does not meet the crite categories 1A/1B.	eria for classification in

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute	:	Remarks: LL/EL/IL50 > 100 mg/l
toxicity)		Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic	:	Remarks: LL/EL/IL50 > 100 mg/l
plants (Acute toxicity)		Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms	:	
(Acute toxicity)		Remarks: Data not available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment.

12.3 Bioaccumulative potential

Product:

13 / 19

Helix Ultra 5W-40

 Revision Date 30.07.2020 Remarks: Contains components with bioaccumulate. log Pow: > 6Remarks: (based on information) 	Print Date 31.07.2020 the potential to	
bioaccumulate.	the potential to	
: log Pow: > 6Remarks: (based on info		
products)	log Pow: > 6Remarks: (based on information on similar products)	
 Remarks: Liquid under most environmenters soil, it will adsorb to soil particle mobile. Remarks: Floats on water. 		
sessment		
: This mixture does not contain any RE substances that are assessed to be a		
 Does not have ozone depletion potentiozone creation potential or global war is a mixture of non-volatile componential released to air in any significant quanticonditions of use. Poorly soluble mixture., Causes physicorganisms. 	ming potential., Product ts, which will not be tities under normal	
	 Remarks: Liquid under most environmenters soil, it will adsorb to soil particle mobile. Remarks: Floats on water. Sessment This mixture does not contain any RE substances that are assessed to be a Does not have ozone depletion poten ozone creation potential or global war is a mixture of non-volatile componen released to air in any significant quanconditions of use. Poorly soluble mixture., Causes physical content of the substance of the subst	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ültra 5W-40

Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Local legislation		
Waste catalogue	:	
	EU Waste Disposal Code (EWC):	
Waste Code	:	
	13 02 06*	
Remarks	: Disposal should be in accordance with national, and local laws and regulation	
	Classification of waste is always the r user.	esponsibility of the end

SECTION 14: Transport information

14.1 UN number	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΑΤΑ	: Not regulated as a dangerous good
14.5 Environmental hazards	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
14.6 Special precautions for user	
Remarks	: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

Revision Date 30.07.2020

Print Date 31.07.2020

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety,	, health and environme	nta	al regulations/legislation specific for the substance or mixture
REACH (Annex	I - List of substances sub XIV)	oje	ct to authorisation : Product is not subject to Authorisation under REACH.
Volatile	organic compounds	:	0 %
Other re	egulations	:	The regulatory information is not intended to be comprehensive. Other regulations may apply to this material. Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1995. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Vaste (England and Wales) Regulations 2010 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XIV. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XVII.

According to EC No 1907/2006 as amended as at the date of this SDS

Helix Ultra 5W-40

Revision Date 30.07.2020	Print Date 31.07.2020
risks related to exposure to carcinog and its amendments. Directive 1994/33/EC on the protect work and its amendments. Council Directive 92/85/EEC on the to encourage improvements in the s pregnant workers and workers who	gens or mutagens at work ion of young people at introduction of measures safety and health at work of have recently given birth
	Directive 2004/37/EC on the protect risks related to exposure to carcinog and its amendments. Directive 1994/33/EC on the protect

The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

,

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Chronic Asp. Tox. Abbreviations and Acro	Long-term (chronic) aquatic hazard Aspiration hazard hyms : The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
	ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List

According to EC No 1907/2006 as amended as at the date of this SDS

Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Version 3.10	Revision Date 30.07.2020 EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ed Toxicology Of Chemicals ECHA = European Chemicals Ager EINECS = The European Inventory Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and Net Inventory EWC = European Waste Code GHS = Globally Harmonised Syste Labelling of Chemicals IARC = International Agency for Ret IATA = International Agency for Ret IATA = International Maritime Dan INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum tes determination of polycyclic aromati KECI = Korea Existing Chemicals I LC50 = Lethal Concentration fifty LD50 = Lethal Loading/Effective LL/EL/IL = Lethal Loading/Effective LL50 = Lethal Loading fifty MARPOL = International Exposure PBT = Persistent, Bioaccumulative PICCS = Philippine Inventory of Ch Substances PNEC = Predicted No Effect Conce REACH = Registration Evaluation A Chemicals	y cotoxicology and ncy / of Existing Commercial ew Chemical Substances m of Classification and esearch on Cancer Association // orgerous Goods y t method N° 346 for the cs DMSO-extractables nventory e Loading/Inhibitory loading on for the Prevention of et Concentration / No e - High Production Volume and Toxic nemicals and Chemical entration And Authorisation Of mational Carriage of

Further information

:

Training advice

Provide adequate information, instruction and training for operators.

Helix Ultra 5W-40		
Version 3.10	Revision Date 30.07.2020	Print Date 31.07.2020
Other information	 No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment from the previous version. 	
Sources of key data used to compile the Safety Data Sheet	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.