
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

### Trade name: MANNOL 4115 Antifreeze AF13++

(Contd. of page 1) H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read carefully and follow all instructions. Do not breathe dust/fume/gas/mist/vapours/spray. P260 Wash thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 P280 Wear eye protection / face protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 P330 Rinse mouth. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention. P337+P313 Dispose of contents/container in accordance with local/regional/national/ P501 international regulations. · 2.3 Other hazards Results of PBT and vPvB assessment

· PBT: Not applicable.

• vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 107-21-1 EINECS: 203-473-3	ethanediol	Acute Tox. 4, H302	<95.0%	
· Not dangerous substances				
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %		<0.5%	
CAS: 29385-43-1 EINECS: 249-596-6	······································		0.01–0.4%	
· Additional informat	tion: For the wording of the listed hazard phras	ses refer to section 1	6.	

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

IE -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

#### Trade name: MANNOL 4115 Antifreeze AF13++

(Contd. of page 2) • **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

- Sand
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.
   Wear protective clothing.
   6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
  6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

#### Trade name: MANNOL 4115 Antifreeze AF13++

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 107-21-1 ethanediol (95.0%)

OEL Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin, IOELV

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### • Eye/face protection



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

- $^{\cdot}$  9.1 Information on basic physical and chemical properties
- General Information
   Physical state

Fluid

(Contd. on page 5)

IE -

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

### Trade name: MANNOL 4115 Antifreeze AF13++

	(Contd. of page 4
· Colour:	Violet
· Odour:	Product specific
· Odour threshold:	Not determined.
· Melting point/freezing point:	-14 °C
· Boiling point or initial boiling point and	
boiling range	>160 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
Upper:	Not determined.
· Flash point:	Not applicable.
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	Not determined.
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log	
	Not determined.
value)	
· Vapour pressure:	Not determined.
Density and/or relative density	4.4.4
· Density at 20 °C:	1.14 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
<ul> <li>Appearance:</li> <li>Form:</li> <li>Important information on protection of hea and environment, and on safety.</li> </ul>	
· Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Not determined
· Evaporation rate	Not determined.
· Information with regard to physical haza	ard
classes · Explosives	Void
· Flammable gases	Void
· Aerosols	Void
	Void
· Oxidising gases	
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
<ul> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit</li> </ul>	Void
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
	Void
· Organic peroxides	
· Organic peroxides · Corrosive to metals	Void

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

#### Trade name: MANNOL 4115 Antifreeze AF13++

(Contd. of page 5)

· Desensitised explosives

Void

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde

Poisonous gases/vapours Carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

107-21-1 ethanediol

Oral LD50 5,840 mg/kg (rat)

Dermal LD50 9,530 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

### · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

#### Trade name: MANNOL 4115 Antifreeze AF13++

(Contd. of page 6)

#### · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

#### · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP6 Acute Toxicity

#### · Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	not regulated	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	not regulated	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA · Class	not regulated	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments</li> <li>Not applicable.</li> </ul>		
· UN "Model Regulation":	not regulated	

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)

١E



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024

Version number 3 (replaces version 2)

Revision: 24.05.2024

#### Trade name: MANNOL 4115 Antifreeze AF13++

(Contd. of page 7)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- · Department issuing SDS: Product safety department.
- · Contact: Mrs. Zubaite
- · Date of previous version: 17.05.2024
- · Version number of previous version: 2
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- \*\* Data compared to the previous version altered.