

Printing date 31.08.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2208

Revision: 31.08.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: MANNOL 9881 Lithium spray 400ml
- · UFI: WACV-K0PA-J00D-NYCP
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Lubricant Grease
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
- SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND +49 (0)4103 1211 0 info@sct-germany.de
- Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture
 · Classification according to Regulation (EC) No 1272/2008

GHS02 flame



2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labelling:** Naphtha (petroleum), hydrotreated light

(Contd. on page 2)

⁻ IF

Version number 2208

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

(Contd. of page 1) · Hazard statements H223-H229 Flammable aerosol. Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smokina. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

[.] Dangerous compone	ints:	
	laphtha (petroleum), hydrotreated light	20–30%
EINECS: 265-151-9 A	sp. Tox. 1, H304	
	utane, pure	2–15.1%
EINECS: 203-448-7 F	lam. Gas 1A, H220; Press. Gas (Comp.), H280	
	sobutane	2–11.9%
EINECS: 200-857-2 F	lam. Gas 1A, H220; Press. Gas (Comp.), H280	
	ropane	2-8.05%
EINECS: 200-827-9 F	lam. Gas 1A, H220; Press. Gas (Comp.), H280	
Not dangerous subst	tances	
CAS: 8020-83-5	Hydrocarbon oils	35-<60%
EC number: 617-002-8	3	
CAS: 7620-77-1	Lithium 12-hydroxystearate	2.8–5.4%
EINECS: 231-536-5		
CAS: 3159-62-4	Calcium(2+) 12-hydroxyoctadecanoate	0.7–1.8%
EINECS: 221-605-8		
CAS: 9010-79-1	1-Propene, polymer with ethene	0.14-0.42%
EC number: 618-455-4	4	
	•	(Contd. on page 3



Printing date 31.08.2022

Revision: 31.08.2022



Printing date 31.08.2022

Version number 2208

Trade name: MANNOL 9881 Lithium spray 400ml

CAS: 68649-42-3 EINECS: 272-028-3	Ditiophoshor acid O,O-diC1-14-alkilester. zinc salt	(Contd. of page 2) 0.07–0.24%	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319		
CAS: 9003-29-6 NLP: 500-004-7	Butene, homopolymer (products derived from either/or But-1- ene/But-2-ene)	0.035–0.12%	
	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Aquatic Chronic 4, H413		
CAS: 1305-62-0	calcium dihydroxide	0.0035-0.012%	
EINECS: 215-137-3	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335		
 Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2. Do not use water. Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

Version number 2208

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

(Contd. of page 3)

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- **Information about fire and explosion protection:** Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane, pure (15.05%)

OEL Short-term value: 1000 ppm

75-28-5 isobutane (11.9%)

OEL Short-term value: 1000 ppm

74-98-6 propane (8.05%)

OEL Asphx

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to



Printing date 31.08.2022

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

(Contd. of page 4)

(Contd. on page 6)

IE

be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Yellowish · Odour: Characteristic · Odour threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: -44.5 °C -97 °C · Flash point: Flammability (solid, gas): Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive • Explosive properties: air/vapour mixtures are possible. • Explosion limits: Lower: 1.5 Vol % Upper: 8.5 Vol % · Vapour pressure at 20 °C: 3.000 hPa Not determined. · Density: · Relative densitv Not determined. · Vapour density Not determined. · Evaporation rate Not applicable. Solubility in / Miscibility with water: Not miscible or difficult to mix. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Dynamic: Not determined. **Kinematic:** Not determined. · Solvent content: **Organic solvents:** 24-53.1 %

26-65 %



Printing date 31.08.2022

VOC (EC)

Version number 2208

Printing date 31.08.2022

Version number 2208

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

Solids content:

35-60 %

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide

Aldehyde

Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

106-97-8 butane, pure

Inhalative LC50/4 h 658 mg/l (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)

IF

(Contd. of page 5)

.

Sa according

Printing date 31.08.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2208

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.
- **SECTION 13: Disposal considerations**
- · 13.1 Waste treatment methods · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP3 Flammable

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG, IATA	AEROSOLS	
14.3 Transport hazard class(es)		
ADR		
Class	2 5A Gases.	
Label	2.2	
IMDG, IATA		
Class	2 Gases.	
Label	2.2	
14.4 Packing group ADR, IMDG, IATA	not regulated	



GERMANY

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.08.2022

Version number 2208

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

	(Contd. of page
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler co	
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity o
	1 litre: Category A. For AEROSOLS with a maximum capacity of a capacity of the
	above 1 litre: Category B. For WASTE AEROSOLS
	Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from class 1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of
	For WASTE AEROSOLS: Segregation as for the appropriate subdivision c
	class 2.
14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
Turners at a standard	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	3 E
	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

IE



Printing date 31.08.2022

Version number 2208

Revision: 31.08.2022

Trade name: MANNOL 9881 Lithium spray 400ml

(Contd. of page 8) · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in

electrical and electronic equipment – Annex II None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H413 May cause long lasting harmful effects to aquatic life.

• **Department issuing SDS:** Product safety department.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A

Aerosol 2: Aerosols – Category 2

Press. Gas (Comp.): Gases under pressure – Compressed gas

Asp. Tox. 1: Aspiration hazard - Category 1