

According to Regulation (EU) No 830/2015

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : VALMA PLASTI-SHINE

Product code : A30S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Consumer product (SU21).

1.3. Details of the supplier of the safety data sheet

Supplier : Turtle Wax Europe Ltd

4th floor Alaska House, Dunnings Bridge road

L30 4AB Liverpool, Great Britain

E-mail : MSDS@turtlewaxeurope.com Website : www.turtlewaxeurope.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

GB - Telephone : +44 151 530 4740 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

*

2.1. Classification of the substance or mixture

CLP classification : Not classified as date

(1272/2008/EC)

: Not classified as dangerous according to Regulation (EC) No 1272/2008.

Human health hazards

: Low hazard for usual industrial or commercial handling. Contains petroleum distillates, may be harmful when

ingested.

Physical/chemical hazards

: Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards

: Not classified as dangerous according to statutory EC-Directives.

Other information : Keep out of the reach of children.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : None.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture.

| Substance name | Concentration (w/w) (%) | CAS nr. | EC number | REACH nr. | OEL |
|---|-------------------------|---------|-----------|------------------|-----|
| Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, < 2% | () () | | 919-857-5 | 01-2119463258-33 | # |
| aromatics | | | | | |

Flam. Liq. 3; Asp. Tox. 1; STOT SE 3 H226; H304; H336; EUH066

Product name : Valma Plasti-Shine Page 1/7
Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS



According to Regulation (EU) No 830/2015

Reference is made to chapter 16 for full text of each relevant H phrase. Substance(s) with an Occupational Exposure Limit are marked with #. Occupational exposure limit(s) are listed in section 8.

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if irritation

persists.

Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to an

unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.

Skin contact : No specific effects and/or symptoms are known.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of

breath

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective equipment : Use adequate respiratory equipment in case of insufficient ventilation.

for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. For guidance on selection

of personal protective equipment see section 8. For guidance on disposal of spilled material see section 13.

Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Large spills: contain with dike.

6.3. Methods and material for containment and cleaning up

Product name : Valma Plasti-Shine Page 2/7

Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS



According to Regulation (EU) No 830/2015

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised

waste collection point. Wash away remainder with plenty of water and soap.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not

breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product.

Occupational exposure limits (mg/m³):

| Chemical name | Country | TWA 8 hour | STEL 15 min | Comments |
|-------------------------------------|---------|------------|-------------|------------|
| | | (mg/m3) | (mg/m3) | |
| Hydrocarbons, C9-11, n-alkanes, | | 1200 | - | CEFIC-HSPA |
| isoalkanes, cyclics, < 2% aromatics | | | | |

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure.

Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Liquid.
Colour : White.
Odour : Perfumed.
Odour threshold : Not known.
pH : 7,5

Solubility in water : Dispersible.
Partition coefficient (n- : Not applicable.

octanol/water)

Product name : Valma Plasti-Shine Page 3/7
Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS



According to Regulation (EU) No 830/2015

Flash point : $> 60 \, ^{\circ}\text{C}$ (PMcc)

Auto ignition temperature $: > 200 \, ^{\circ}\text{C}$ Boiling point/boiling range $: 100 \, ^{\circ}\text{C}$ Melting point/melting range $: 0 \, ^{\circ}\text{C}$

Explosion limits (in air) : Not known. Lower explosion limit in air (%): 0,6 (Hydrocarbons, C9-11, n-alkanes,

isoalkanes, cyclics, < 2% aromatics) Upper explosion limit in air (%): 7

Oxidising properties : Not applicable.

Decomposition temperature : Not applicable.

Viscosity (20°C) : (1 mm2/sec = 1cSt)

Viscosity (40°C) : > 20 mm2/sec

Viscosity (40°C) : > 20 mm2/sec Vapour pressure (20°C) : Not known.

Vapour density (20°C) : Not known. (air = 1)

Relative density (20°C) : 0.96 g/ml

Evaporation rate : Not known. (n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

 $Acute \ toxicity \\ \hspace*{0.5in} : \ Calculated \ LC50: \ > 10 \ mg/l. \ Ingredients \ of \ unknown \ toxicity: \ 36 \ \%. \ ATE: \ > 5 \ mg/l. \ May \ cause \ headache,$

dizziness and a feeling of sickness.

Sensitisation : Does not contain respiratory sensitisers. Not classified - based on available data, the classification criteria are

not met

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are

not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification

criteria are not met.

Corrosion/irritation : Unlikely to cause irritation.

Product name : Valma Plasti-Shine Page 4/7

Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS



According to Regulation (EU) No 830/2015

Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not

met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are

not met.

Eye contact

Corrosion/irritation : Slight irritation possible.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification

criteria are not met. After ingestion, at vomiting, risk of aspiration in the lungs.

Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are

not met.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity: Not classified as dangerous for the aquatic environment. Calculated LC50 (fish): 2434 mg/l. Calculated EC50

(waterflea): 2847 mg/l. Contains 33 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water

surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation do not comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents. This product shall not be

used in cleaners.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product

residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.

Additional warning : None

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local

regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

Product name : Valma Plasti-Shine Page 5/7

Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS



According to Regulation (EU) No 830/2015

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID (road / railway)

Class : This product is not classified according to ADR/RID.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EC) No 1907/2006 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

: This product need not be classified under statutory EC-regulations.

Additional labelling: none.

Other information : Not applicable.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) 1907/2006 dated 18 December 2006 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of H-phrases mentioned in section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE Acute Toxicity Estimate
BCF Bioconcentration factor
DNEL Derived no-effect level

ECETOC TRA European centre for ecotoxicology and toxicology of chemicals. Targeted risk assessment

EU European Union

EUSES European Union System for the Evaluation of Substances

Product name : Valma Plasti-Shine Page 6/7
Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS



According to Regulation (EU) No 830/2015

IBC code Intermediate Bulk Container

LD50 LC50 Lethal Dose/Concentration for 50% of a population

No Observed (Adverse) Effect Level NOAEL No observed effect concentration NOEC OEL Occupational exposure limit

Persistent, Bioaccumulative and Toxic PBT

PC Chemical product category **PNEC** Predicted no-effect concentration Sewage Treatment Plant

STP

Sector of Use SU

SVHC Substance of very high concern

Time-Weighted Average/Short Term Exposure Limit TWA/STEL

Very Persistent and Very Bioaccumulative vPvB

: "," used as decimal separator. Number format

Date of fifth issue

Product name : Valma Plasti-Shine Page 7/7 Date of issue : 04-05-2016 Replaces issue dated : 04-04-2012 CHESSOL SDS