

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

*

*

*

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	:	VALMA METALLIC WAX
Product code	:	L54S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Consumer product (SU21). Car maintenance. Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Supplier	:	Service Best International B.V. De Run 4271 5503LM Veldhoven, The Netherlands
E-mail Website		info@servicebest.com www.servicebest.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE	NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:	
NL - Telephone	: 040-2302300	(During office hours only)

EMERGENCY TELEPHONE NUMBER (in the UK and Ireland for healthcare professionals only):

(24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	Not classified as dangerous according to Regulation (EC) No 1272/2008.
Human health hazards Environmental hazards Other information	 May produce an allergic reaction. Not classified as dangerous according to statutory EC-Directives. Keep out of the reach of children.
2.2. Label elements	
Label elements (1272/2008/EC Hazard pictograms	: None.
Signal word	Not applicable.

H- and P-phrases	: EUH208 P101	Contains May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*. If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
Additional labelling	: * Contains 1,2-E	Benzisothiazol-3(2H)-one. May produce an allergic reaction.
2.3. Other hazards		
Other information	: Does not contair	n PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS



*

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Concentration	CASpr	EC number	DEACH pr	OEI
Concentration	CAS III.	EC number	KEACH III.	UEL
(w/w) (%)				
5 - < 10	1332-58-7	310-194-1	,	#
0.005 - 0.05	2634-33-5	220-120-9		
Skin Sens. 1; Aquatic A	Acute 1			
	5 - < 10	(w/w) (%) 5 - < 10 1332-58-7	(w/w) (%) 1332-58-7 310-194-1 0.005 - 0.05 2634-33-5 220-120-9	(w/w) (%) 200 mm 200 mm 5 - < 10

Reference is made to chapter 16 for full text of each relevant H phrase. Substance(s) with an Occupational Exposure Limit are marked with #. Occupational exposure limit(s) are listed in section 8.

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult
	a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if irritation
	persists.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of
	butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: May produce an allergic reaction. May cause dry skin and redness.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	: None known.
--------------------	---------------

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

5.3. Advice for firefighters



*

*

Special protective equipment : Use adequate respiratory equipment in case of insufficient ventilation. for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Large spills: contain with dike.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : For guidance on selection of personal protective equipment see section 8. For guidance on disposal of spilled material see section 13.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage	:	Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).
Recommended packaging	:	Keep only in the original container.
Non recommended packaging	:	Steel (except stainless steel).

7.3. Specific end use(s)

Use

: Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION *

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Occupational exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments
		(mg/m3)	(mg/m3)	
Kaolin	GB	2	-	Respirable dust

8.2. Exposure controls

Engineering measures Hygienic measures

- : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
- : When using do not eat, drink or smoke.



*

*

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

 to for the purchedian robar s	
Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: butyl. Indication of permeation breakthrough time: 4 hours.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: butyl. ± 0.5 mm. Indication of permeation breakthrough time: 4 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.
Thermal hazards	: Not applicable.
Environmental exposure controls	: Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Grey.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 9	
Solubility in water	: Dispersible.	
Partition coefficient (n-	: Not known.	
octanol/water)		
Flash point	: >100 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93)
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	$: > 240 \circ C$	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (in air)	: Not applicable.	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	č
Viscosity (20°C)	: 8000 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	: Not relevant.	The product contains $< 10\%$ substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	r
Vapour density (20°C)		(air = 1)
Relative density (20°C)	: 1.03 g/ml	
Evaporation rate	: <1	(n-butyl acetate = 1)
r station face	• -	(

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability

: Stable under normal conditions.

10.3. Possibility of hazardous reactions



*

Reactivity	:	No other hazardous reactions known.
10.4. Conditions to avoid		
Conditions to avoid	:	See section 7.
10.5. Incompatible materials	5	
Materials to avoid	:	No specific recommendations.
10.6. Hazardous decomposition products		
Hazardous decomposition products	:	Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product. Inhalation

Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 10 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Sensitisation	: May produce an allergic reaction.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
1,2-Benzisothiazol-3(2H)-one	LD50 (oral)	1020 mg/kg bw		Rat
	LC50 (inhalation)	100 mg/m3		Rat
	Skin irritation	Irritant		Rabbit
	Eye irritation	Severely irritant		Rabbit
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	NOAEL (oral)	30 mg/kg bw/d	OECD 408	Rat
	Genotoxicity - in vitro	Genotoxic	OECD 473	
	Genotoxicity - in vivo	250 mg/kg bw/d	OECD 474	Mouse
	NOAEL (development,	Not teratogenic		
	oral)			



SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

	NOAEL (fertility, oral) LD50 (dermal)	24 mg/kg bw/d 4115 mg/kg bw	Rat Rat
SECTION 12 ECOLO	OGICAL INFORMATION		
12.1. Toxicity			
No ecotoxicological research Ecotoxicity			a): 977 mg/l. Contains 2 % of components ed - based on available data, the classificati
12.2. Persistence and degra	adability		
Persistence – degradability			his preparation do not comply with the 2004 on detergents. This product shall not b
12.3. Bioaccumulative pote	ential		
Bioaccumulative potential	: Contains substances that are pote	ntially bioaccumulating (Log	Pow > 3).
12.4. Mobility in soil			
Mobility	: Spilled product can penetrate into	o the ground and get into the s	surface water and ground water.
12.5. Results of PBT and v	PvB assessment		
PBT/vPvB assessment	: Does not contain PBT or vPvB su	ubstances in concentrations his	gher than 0,1%.
12.6. Other adverse effects	i		
Other information	: Not applicable.		

13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.
Additional warning Local legislation	 None. Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways) Class : This product is not classified according to ADR/RID/ADN. *



IMDG (sea)		
Class	: This product is not classified according to IMDG.	
Marine pollutant	: No	
IATA (air)		
Class	: This product is not classified according to IATA.	
14.6. Special precautions for user		

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations	: Regulation (EC) No 830/2015 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.
Directive 2012/18/EU	 This product need not be classified under statutory EC-regulations. Not regulated.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 830/2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of H-phrases mentioned in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Skin Sens. 1	: Skin sensitization, category 1.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE Acute Toxicity Estimate	
BCF Bioconcentration factor	
DNEL Derived no-effect level	
ECETOC TRA European centre for ecotoxicology and toxicology of chemicals. Targeted risk asses	sment
EU European Union	

*



SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

EUSES	European Union System for the Evaluation of Substances
IBC code	Intermediate Bulk Container
LD50 LC50	Lethal Dose/Concentration for 50% of a population
NOAEL	No Observed (Adverse) Effect Level
NOEC	No observed effect concentration
OEL	Occupational exposure limit
PBT	Persistent, Bioaccumulative and Toxic
PC	Chemical product category
PNEC	Predicted no-effect concentration
STP	Sewage Treatment Plant
SU	Sector of Use
SVHC	Substance of very high concern
TWA/STEL	Time-Weighted Average/Short Term Exposure Limit
vPvB	Very Persistent and Very Bioaccumulative
mb or form of	· ""used as desimal separator

Number format

: "," used as decimal separator.