

SAFETY DATA SHEET**AXE GEL CAN AIR FRESHENER - DARK TEMPTATION**

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification**Product identifier****Product name** AXE GEL CAN AIR FRESHENER - DARK TEMPTATION**Product number** 71053**Recommended use of the chemical and restrictions on use****Application** Air Freshener**Uses advised against** No specific uses advised against are identified.**Details of the supplier of the safety data sheet****Supplier** C. A. International Sarl
Place Bel-Air 5, Nyon
Geneva, 1260
Switzerland
T: +44 (0) 1488 662770
F: +44 (0) 1488 662771
E: info@caeurope.co.uk**Emergency telephone number****Emergency telephone** +44 (0) 1488 662770 (9:00-5:00 pm Monday to Friday UK Time)**2. Hazard(s) identification****Classification of the substance or mixture****Physical hazards** Not Classified**Health hazards** Skin Sens. 1 - H317**Environmental hazards** Aquatic Acute 3 - H402**Human health** The product contains a sensitizing substance. See Section 11 for additional information on health hazards.**Environmental** The product contains a substance which may have hazardous effects on the environment.**Label elements****Hazard symbols****Signal word** Warning**Hazard statements** H317 May cause an allergic skin reaction.
H402 Harmful to aquatic life.

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

Precautionary statements	P102 Keep out of reach of children. P302+P352 If on skin: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Isocyclemone E
Labeling notes	This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations.

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

dipentene CAS number: 138-86-3 M factor (Acute) = 1 M factor (Chronic) = 1	0.025 - <0.25%
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
1,4-dioxacyclohexadecane-5,16-dione CAS number: 54982-83-1 M factor (Acute) = 1	0.025 - <0.25%
Classification Aquatic Acute 1 - H400	
Isocyclemone E CAS number: 54464-57-2 M factor (Acute) = 1 M factor (Chronic) = 1	0.025 - <0.25%
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

pin-2(10)-ene

<0.025%

CAS number: 127-91-3

Classification

Flam. Liq. 3 - H226

Skin Irrit. 2 - H315

Skin Sens. 1 - H317

Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention promptly if symptoms occur after washing.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a sensitizing substance.
Inhalation	Symptoms following overexposure may include the following: Irritation of nose, throat and airway. Headache.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause skin sensitization or allergic reactions in sensitive individuals.
Eye contact	May cause temporary eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not flammable.

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances:
Harmful gases or vapors. Carbon dioxide (CO₂). Carbon monoxide (CO).

Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapors. Ventilate closed spaces before entering them. Cool containers exposed to flames with water until well after the fire is out. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8. Avoid contact with skin and eyes. Provide adequate ventilation.

Environmental precautions

Environmental precautions

Avoid discharge to the aquatic environment.

Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Collect spillage with a shovel and broom, or similar and reuse, if possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions

Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Handle all packages and containers carefully to minimize spills. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Do not eat, drink or smoke when using this product. Persons susceptible to allergic reactions should not handle this product.

Conditions for safe storage, including any incompatibilities

Storage precautions

Store in a cool and well-ventilated place. Do not store near heat sources or expose to high temperatures. Protect containers from damage.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

Comment The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

pin-2(10)-ene

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 112 mg/m³

A4, DSens

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

DSens = Dermal sensitizer.

Exposure controls

Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Avoid contact with eyes. No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific requirements are anticipated under normal conditions of use. Large Spillages: Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacture, who can provide information about the breakthrough time of the glove material.
Hygiene measures	Wash promptly with soap and water if skin becomes contaminated. When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Persons susceptible to allergic reactions should not handle this product.
Respiratory protection	Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Avoid discharge to the aquatic environment.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colored gel.
Color	Not available.
Odor	Characteristic.
Odor threshold	Not determined.
pH	Not determined.
Melting point	Not determined.
Flash point	Not available.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapor pressure	Not determined.
Vapor density	Not determined.
Relative density	Not determined.

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Explosive properties	Not determined.
Oxidizing properties	Does not meet the criteria for classification as oxidizing.
Other information	None.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	None known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO ₂). Carbon monoxide (CO).

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization May cause skin sensitization or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a small amount of sensitizing substance.

Inhalation

Symptoms following overexposure may include the following: Irritation of nose, throat and airway. Headache.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause skin sensitization or allergic reactions in sensitive individuals.

Eye contact

May cause temporary eye irritation.

Route of exposure

Ingestion Inhalation Skin and/or eye contact

Target Organs

No specific target organs known.

12. Ecological information

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Toxicity

Based on available data the classification criteria are not met.

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient

Not determined.

Mobility in soil

Mobility

The product is insoluble in water.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Avoid discharge into drains or watercourses or onto the ground. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name (International) Not applicable.

Transport hazard class(es)

Transport Labels (International) No transport warning sign required.

Packing group

Packing group (International) Not applicable.

Environmental hazards

Environmentally Hazardous Substance
No.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

National regulations OSHA Hazard Communication Standard 29 CFR §1910.1200

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities
None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)
None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities
None of the ingredients are listed or exempt.

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

SARA 313 Emission Reporting

The following ingredients are listed or exempt:

Sodium nitrate

1.0 %

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

Carrageenan

Present.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

coumarin

Present.

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

Carrageenan

Present.

Sodium nitrate

Present.

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

Sodium nitrate

Present.

Minnesota "Right To Know" List

The following ingredients are listed or exempt:

Carrageenan

Present.

AXE GEL CAN AIR FRESHENER - DARK TEMPTATION

New Jersey "Right To Know" List

The following ingredients are listed or exempt:

dipentene

Present.

Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

Carrageenan

Present.

Sodium nitrate

Present.

Inventories

US - TSCA

All the ingredients are listed or exempt.

16. Other information

Key literature references and sources for data Source: European Chemicals Agency, <http://echa.europa.eu/>

Revision comments This is the first issue.

Revision date 8/13/2019

SDS No. 5109

Hazard statements in full H226 Flammable liquid and vapor.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.