

# SAFETY DATA SHEET AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

Product number 71064

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Freshener

**Uses advised against**No specific uses advised against are identified.

## 1.3. Details of the supplier of the safety data sheet

Supplier Custom Accessories Europe

The Granary Standen Manor Hungerford Berkshire RG17 0RB

UK

T: +44 (0) 1488 662770 F: +44 (0) 1488 662771 E: info@caeurope.co.uk

## 1.4. Emergency telephone number

**Emergency telephone** +44 (0)1488662770 (9:00 - 5:00 pm Monday to Friday UK Time)

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

## 2.2. Label elements

#### Hazard pictograms





Signal word Warning

**Hazard statements** H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

**Precautionary statements** P102 Keep out of reach of children.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Contains Isocyclemone E, coumarin, hexyl cinnamic aldehyde, geraniol

Supplementary precautionary statements

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Sulfuric acid, calcium salt, hydrate (1:1:2) 60 - 100%

CAS number: 10101-41-4

Classification
Not Classified

Isocyclemone E 2.5 - <5%

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2,6-dimethylheptan-2-ol 2.5 - <5%

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

ethyl vanillin 1 - <2.5%

CAS number: 121-32-4 EC number: 204-464-7

Classification

Eye Irrit. 2 - H319

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

coumarin		1 - <2.5%
CAS number: 91-64-5	EC number: 202-086-7	

## Classification

Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

hexyl cinnamic aldehyde		1 - <2.5%
CAS number: 101-86-0	EC number: 202-983-3	
Classification Skin Sens. 1 - H317		

3,7-dimethyloctan-3-ol		1 - <2.5%
CAS number: 78-69-3	EC number: 201-133-9	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate		1 - <2.5%
CAS number: 4707-47-5	EC number: 225-193-0	
Classification Skin Sens. 1B - H317		

geraniol	0.5 - <	1%
CAS number: 106-24-1	EC number: 203-377-1	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		

benzyl salicylate		0.5 - <1%
CAS number: 118-58-1	EC number: 204-262-9	
Classification		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Aquatic Chronic 3 - H412		

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

linalool 0.025 - <0.25%

CAS number: 78-70-6 EC number: 201-134-4

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

3-(p-methoxyphenyl)-2-methylpropionaldehyde

0.025 - < 0.25%

CAS number: 5462-06-6 EC number: 226-749-5

Classification

Skin Sens. 1B - H317

Isomenthone 0.025 - <0.25%

CAS number: 491-07-6 EC number: 207-727-4

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317

Eucalyptol 0.025 - <0.25%

CAS number: 470-82-6 EC number: 207-431-5

Classification

Flam. Liq. 3 - H226 Skin Sens. 1B - H317

Linalyl acetate 0.025 - <0.25%

CAS number: 115-95-7 EC number: 204-116-4

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317

Nerol 0.025 - <0.25%

CAS number: 106-25-2 EC number: 203-378-7

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

citronellol 0.025 - <0.25%

CAS number: 106-22-9 EC number: 203-375-0

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

**Inhalation** The product is considered to be a low hazard under normal conditions of use. Move affected

person to fresh air and keep warm and at rest in a position comfortable for breathing. Get

medical attention if any discomfort continues.

Ingestion Rinse immediately with plenty of water. Do not induce vomiting. If vomiting occurs, the head

should be kept low so that vomit does not enter the lungs. Get medical attention.

Skin contact Wash skin thoroughly with soap and water. In the event of any sensitisation symptoms

developing, ensure further exposure is avoided. Get medical attention if irritation persists after

washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for

several minutes. Get medical attention if any discomfort continues.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. The product contains a small amount of sensitising substance.

**Inhalation** Symptoms following overexposure may include the following: Headache.

**Ingestion** Due to the physical nature of this product, it is unlikely that ingestion will occur. May be a

choking hazard. May cause discomfort if swallowed. May cause stomach pain or vomiting.

**Skin contact** May cause sensitisation or allergic reactions in sensitive individuals.

**Eye contact** May be slightly irritating to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Carbon dioxide (CO2). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate

ventilation. Avoid contact with eyes and prolonged skin contact.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal,

see Section 13.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. For personal protection, see Section 8.

Keep out of the reach of children. The product contains a sensitising substance. Avoid contact with eyes and prolonged skin contact. Persons susceptible to allergic reactions should not

handle this product.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Good personal hygiene procedures

should be implemented. Wash hands thoroughly after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep in a cool place. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

## Occupational exposure limits

Sulfuric acid, calcium salt, hydrate (1:1:2)

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation.

**Eye/face protection** No specific eye protection required during normal use. Eyewear complying with an approved

standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard

EN166.

**Hand protection** No specific requirements are anticipated under normal conditions of use. Large Spillages:

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European

Standard EN374.

**Hygiene measures**Good personal hygiene procedures should be implemented. Persons susceptible to allergic

reactions should not handle this product. When using do not eat, drink or smoke. Wash hands

thoroughly after handling.

**Respiratory protection** No specific requirements are anticipated under normal conditions of use. Large Spillages:

Provide adequate ventilation. If ventilation is inadequate, suitable respiratory protection must be worn. Ensure all respiratory protective equipment is suitable for its intended use and is

'CE'-marked.

Environmental exposure

controls

Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Solid.

Colour Not available.

Odour Characteristic.

Odour threshold Not available.

pH Not applicable.

Melting point Not available.

Flash point Not available.

**Evaporation rate** Not available.

**Evaporation factor** Not available.

Flammability (solid, gas) Not available.

, , ,

Upper/lower flammability or

Initial boiling point and range

explosive limits

Not available.

Not applicable.

Vapour pressure Not available.

Vapour density Not available.

Relative density Not available.

Bulk density Not available.

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

Solubility(ies) Not available.

Partition coefficient Not available.

Auto-ignition temperature Not available.

**Decomposition Temperature** Not available.

Viscosity Not available.

**Explosive properties** Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No potentially hazardous reactions known.

## 10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

## 10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD50) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 26,935.1

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 26,935.1

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

ATE inhalation (dusts/mists

mg/l)

45.96

Skin corrosion/irritation

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

Aspiration hazard

**Aspiration hazard** Not relevant. Solid.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. The product contains a sensitising substance.

**Inhalation** Symptoms following overexposure may include the following: Headache.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact May cause sensitisation or allergic reactions in sensitive individuals.

**Eye contact** May cause temporary eye irritation.

Route of exposure Inhalation Ingestion Skin and/or eye contact

#### Toxicological information on ingredients.

#### coumarin

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 293.0

mg/kg)

Species Rat

Notes (oral LD<sub>50</sub>) REACH dossier information. Toxic if swallowed.

**ATE oral (mg/kg)** 293.0

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 293.0

mg/kg)

**Species** Rat

Notes (dermal LD₅₀) REACH dossier information. Toxic in contact with skin.

ATE dermal (mg/kg) 293.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) REACH dossier information. Toxic if inhaled.

ATE inhalation 0.5

(dusts/mists mg/l)

Skin corrosion/irritation

Animal data Primary dermal irritation index: 1.15 REACH dossier information. Based on

available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information. Based on available

data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available

data the classification criteria are not met.

Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans. IARC carcinogenicity

Reproductive toxicity

Reproductive toxicity -Screening - NOEC 0.25 %, Oral, Mouse P REACH dossier information. Based on

fertility available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOEC 42 mg/kg/day, Oral, Rat REACH dossier information. Based on available

data the classification criteria are not met.

geraniol

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

3,600.0

**Species** Rat

REACH dossier information. Based on available data the classification criteria are Notes (oral LD₅₀)

not met.

ATE oral (mg/kg) 3,600.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 5,001.0

mg/kg)

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

Species Rabbit

Notes (dermal LD<sub>50</sub>) REACH dossier information. Based on available data the classification criteria are

not met.

**ATE dermal (mg/kg)** 5,001.0

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2).

Oedema score: Slight oedema - edges of area well defined by definite raising (2).

REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye

Irritating to eyes.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier

information.

Germ cell mutagenicity

Gene mutation: Negative. REACH dossier information. Based on available data the

classification criteria are not met.

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information. Based on available

data the classification criteria are not met.

Carcinogenicity

Carcinogenicity NOAEL 2000 ppm, Oral, Rat REACH dossier information. Based on available data

the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity -

- NOAEL 300 mg/kg/day, Dermal, Rat P REACH dossier information. Based on

available data the classification criteria are not met.

Reproductive toxicity -

development

fertility

Maternal toxicity: - NOAEL: 300 mg/kg/day, Dermal, Rat REACH dossier information. Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**STOT - single exposure** No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 300 mg/kg/day, Dermal, Rat REACH dossier information. Based on

available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

#### SECTION 12: Ecological information

#### 12.1. Toxicity

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

**Toxicity** Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

coumarin

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 1.324 mg/l, Freshwater fish

REACH dossier information.

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: 8.012 mg/l, Daphnia sp.

invertebrates

REACH dossier information.

geraniol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 22 mg/l, Brachydanio rerio (Zebra Fish)

REACH dossier information.

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: 10.8 mg/l, Daphnia magna

invertebrates

REACH dossier information.

Acute toxicity - aquatic

EC<sub>50</sub>, 72 hours: 13.1 mg/l, Desmodesmus subspicatus

plants

REACH dossier information.

## 12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

coumarin

Biodegradation Water - Degradation 100: 28 days

REACH dossier information.

The substance is readily biodegradable.

geraniol

Biodegradation Water - Degradation 90: 3 days

REACH dossier information.

The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

Ecological information on ingredients.

coumarin

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: 1.39 REACH dossier information.

geraniol

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 2.6 REACH dossier information.

## AXE REFILL STICKS FOR ALUMINIUM VENT AIR FRESHENER - AFRICA

12.4. Mobility in soil

**Mobility** The product is insoluble in water.

Ecological information on ingredients.

coumarin

**Mobility** The product is partly soluble in water and may spread in the aquatic environment.

geraniol

**Mobility** The product is partly soluble in water and may spread in the aquatic environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

coumarin

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

geraniol

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects Not known.

Ecological information on ingredients.

coumarin

Other adverse effects Not known.

geraniol

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. Avoid discharge to the aquatic environment. This material and its

container must be disposed of in a safe way.

Disposal methods Waste packaging should be collected for reuse or recycling. Dispose of contents/container in

accordance with local regulations.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3077

**UN No. (IMDG)** 3077

UN No. (ICAO) 3077 UN No. (ADN) 3077

#### 14.2. UN proper shipping name

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS

(ADR/RID) Isocyclemone E, coumarin)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS

Isocyclemone E, coumarin)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS

Isocyclemone E, coumarin)

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS

Isocyclemone E, coumarin)

## 14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M7

ADR/RID label 9

IMDG class 9

IIVIDO ciass

ICAO class/division 9

ADN class 9

## Transport labels



#### 14.4. Packing group

ADR/RID packing group III

IMDG packing group

ICAO packing group

ADN packing group

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



#### 14.6. Special precautions for user

**EmS** F-A, S-F

ADR transport category 3

Emergency Action Code 2Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code (-)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IMDG: International Maritime Dangerous Goods.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Key literature references and

sources for data

REACH dossier information. Source: European Chemicals Agency, http://echa.europa.eu/

Supplier's information.

Classification procedures according to Regulation (EC)

1272/2008

Skin Sens. 1 - H317: : Calculation method. Aquatic Chronic 2 - H411: : Calculation method.

**Training advice** Read and follow manufacturer's recommendations.

Revision date 21/05/2020

Revision 1

Supersedes date 11/08/2019

SDS number 5078

Hazard statements in full H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.