

HYBRID SOLUTIONS CERAMIC POLISH & WAX

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 07/10/2019 Revision date: :

Version: 1.0

1.1. Product identifier	
Product form	: Mixture
Product name	: HYBRID SOLUTIONS CERAMIC POLISH & WAX
roduct code	: 15486
	stance or mixture and uses advised against
.2.1. Relevant identified uses	
ntended for general public	
Main use category	: Consumer use
Jse of the substance/mixture	: Automotive Care Products.
I.2.2. Uses advised against	
No additional information available	
I.3. Details of the supplier of the safety	/ data sheet
Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, L30 4AB - United Kingdom Γ +44 151 530 4740 <u>MSDS@turtlewax.com</u>	
1.4. Emergency telephone number	
Emergency number	: +44 (0) 845 600 3663 Office hours only 08:30 - 17:00
SECTION 2: Hazards identification	
2.1. Classification of the substance or I	mixture
Skin Irrit. 2 H315	No. 1272/2008 [CLP]
Skin Irrit. 2 H315 Eye Irrit. 2 H319	No. 1272/2008 [CLP]
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements	
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1	1272/2008 [CLP]
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP)	
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP) Signal word (CLP)	1272/2008 [CLP] : GHS07 : Warning : H315 - Causes skin irritation.
Classification according to Regulation (EC) Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	1272/2008 [CLP] : GHS07 : Warning
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP) Hazard statements (CLP) Precautionary statements (CLP)	 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP) Hazard statements (CLP) Precautionary statements (CLP)	 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) DFI	 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Skin Irrit. 2 H315 Eye Irrit. 2 H319 Full text of H statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	 1272/2008 [CLP] I I I I I I I I I I I I I I I I I I I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, c9-c11, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with a Community workplace exposure limit	(CAS-No.) 64742-48-9 (EC-No.) 919-857-5 (REACH-no) 01-2119471843-32	1 - 10	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336
Siloxanes and silicones; 3-[(2-aminoe-thyl)amino]propyl me; di-me	(CAS-No.) 71750-79-3 (EC-No.) 615-336-9	1 - 10	Skin Corr. 1B, H314 Eye Dam. 1, H318
Quartz substance with a Community workplace exposure limit	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	< 0.1	Not classified
Methanol substance with a Community workplace exposure limit	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	< 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
Cyclohexane substance with a Community workplace exposure limit	(CAS-No.) 110-82-7 (EC-No.) 203-806-2 (EC Index-No.) 601-017-00-1 (REACH-no) 01-2119463273-41	< 0.1	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	(3 = <c 10)="" 2,="" <="" h371<br="" se="" stot="">(10 =<c 1,="" 100)="" <="" h370<="" se="" stot="" th=""></c></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	95
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention i you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the respiratory tract.
4.2 Indication of any immediate ma	disclation and appell treatment peopled

Indication of any immediate medical attention and special treatment needed 4.3. ot

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Not known.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

Safety Data Sheet

. . .

-

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighter	rs		
Precautionary measures fire	:	Not applicable.	
Firefighting instructions	:	Use extinguishing media appropriate f	for surrounding fire.
Protection during firefighting	:	Do not attempt to take action without s apparatus. Complete protective clothin	suitable protective equipment. Self-contained breathing ng.
SECTION 6: Accidental	release measur	es	
6.1. Personal precaution	s, protective equip	ment and emergency procedures	
General measures	:	Avoid release to the environment.	
644			
6.1.1. For non-emergency		Mean recommended personal protecti	ive equipment. For further information refer to applied 0.
Protective equipment		"Exposure controls/personal protection	
Emergency procedures	:	Stop release. Ventilate spillage area.	Avoid contact with skin and eyes.
6.1.2. For emergency resp	onders		
Protective equipment	:	Wear recommended personal protection "Exposure controls/personal protection	ive equipment. For further information refer to section 8: n".
Emergency procedures	:	Stop release. Ventilate area. Avoid co	ntact with skin and eyes.
6.2. Environmental preca	autions		
Avoid release to the environmer	nt.		
6.3. Methods and materia	al for containment	and cleaning up	
For containment	:	Collect spillage.	
Methods for cleaning up			example cloth). Place in a suitable container for disposal ons (see Section 13). This material and its container must per local legislation.
Other information	:	This material and its container must be	e disposed of in a safe way, and as per local legislation.
6.4. Reference to other s	ections		
For further information refer to s "Disposal considerations".	section 8: "Exposure	controls/personal protection". For disp	osal of solid materials or residues refer to section 13 :
SECTION 7: Handling an	nd storage		
7.1. Precautions for safe			
Precautions for safe handling	•	Keep out of reach of children. Ensure	adequate ventilation. Observe the label precautions.
		Avoid contact with skin and eyes. Wea	
Hygiene measures	Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe s	storage, including a	any incompatibilities	
Storage conditions	:	Keep out of reach of children. Keep or Keep container tightly closed.	nly in the original container in a cool well ventilated place.
Storage area	:	Store in a well-ventilated place.	
Packaging materials	:	Keep only in original container.	
7.3. Specific end use(s)			
Automotive Care Products.			
SECTION 8: Exposure c	ontrols/person	al protection	
8.1. Control parameters			
Cyclohexane (110-82-7)			
United Kingdom	Local name		Cyclohexane
United Kingdom	WEL TWA (mg/m ³)	350 mg/m ³
United Kingdom	WEL TWA (ppm)		100 ppm
United Kingdom	WEL STEL (mg/m	3)	1050 mg/m ³
United Kingdom	WEL STEL (ppm)		300 ppm
United Kingdom Quartz (14808-60-7)	WEL STEL (ppm)		300 ppm
	WEL STEL (ppm)		300 ppm Silica
Quartz (14808-60-7))	
Quartz (14808-60-7) United Kingdom	Local name)	Silica
Quartz (14808-60-7) United Kingdom United Kingdom	Local name)	Silica
Quartz (14808-60-7) United Kingdom United Kingdom Methanol (67-56-1)	Local name WEL TWA (mg/m ³		Silica 0.1 mg/m ³ respirable crystalline

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methanol (67-56-1)		
United Kingdom	WEL STEL (mg/m ³)	333 mg/m ³
United Kingdom	WEL STEL (ppm)	250 ppm
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)

: Gloves. Protective goggles. Safety glasses.

: Protective gloves. Standard EN 374 - Protective gloves against chemicals.

: Eye protection should only be necessary where liquid could be splashed or sprayed. Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product. Standard EN 166 - Personal eye-protection - specifications

8.2. Exposure controls

Appropriate engineering controls

- Personal protective equipment
- Materials for protective clothing
- Hand protection
- Eye protection

Skin and body protection

Respiratory protection



: Ensure adequate ventilation.

: Wear suitable working clothes

: Wear suitable protective clothing

Environmental exposure controls Consumer exposure controls

: Read label before use. Observe the label precautions.

: No respiratory protection needed under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Colour	: No data available
Odour	: pleasant fruity.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available
9.2. Other information	
No additional information available	

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2.	Chemical stability
Stable ur	nder normal conditions.
10.3.	Possibility of hazardous reactions
No dange	erous reactions known under normal conditions of use.
10.4.	Conditions to avoid
None und	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
Strong ad	cids. Oxidising agents.
10.6.	Hazardous decomposition products
I be dealers	

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Cyclohexane (110-82-7)		
LD50 oral	> 5000 mg/kg bodyweight	
LD50 dermal	> 2000 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	13900 mg/l/4h	
Methanol (67-56-1)		
LD50 oral	5628 mg/kg bodyweight	
LD50 dermal	15800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	85000 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
cology - water	: No data available on ecotoxicity.
Cyclohexane (110-82-7)	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	2.2 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	1.8 mg/l IC50 algea (72 h) mg/l
Hydrocarbons, c9-c11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)	
LC50 fish 1	> 10 mg/l
EC50 other aquatic organisms 1	> 22 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
Methanol (67-56-1)	
LC50 fish 1	10800 mg/l
EC50 other aquatic organisms 1	10000 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	12000 mg/l IC50 algea (72 h) mg/l

HYBRID SOLUTIONS CERAMIC POLISH & WAX	
Persistence and degradability Not established.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential		
HYBRID SOLUTIONS CERAMIC POLISH & WAX		
Bioaccumulative potential	Not established.	
Methanol (67-56-1)		
Log Pow	-0.80.6	
12.4. Mobility in soil		
HYBRID SOLUTIONS CERAMIC POLISH & WAX		
Ecology - soil	Not established.	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Other adverse effects	None known.	
Additional information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

15.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
14.2. UN proper shipp	ing name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	l class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			
No supplementary information available				

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport No data available

- Inland waterway transport Carriage prohibited (ADN)

Not subject to ADN	:	No
- Rail transport		
Carriage prohibited (RID)	:	No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

: No

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. **National regulations**

No additional information available

Chemical safety assessment 15.2.

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.