Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL ATF 9HP Fluid

Article No.:

1211149

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

löllenbecker Str. 2 33824 Werther Germany

Telephone: +49 5203 9719 0 Telefax: +49 5203 9719 40 E-mail: kontakt@ravenol.de Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

1.4. Emergency telephone number

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Company ID: RAV) (outside USA/Canada) 011 49 700 24 112 112 (Company ID: RAV) (inside USA/Canada), +49 5203 9719 0 (Mo-Do 7.30 Uhr -16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling:

Mixture of: triphenylthio-phosphate and tertiary butylated phenyl derivatives; Reaction product of alkylthioalcohol and substituted phoshorus compound

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information: -

Precautionary statements Prevention	
P273	Avoid release to the environment.

Precautionary statements Disposal		
P501	Dispose of contents/container to an appropriate recycling or disposal facility.	

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 Danger H304	40 - < 70 weight-%
CAS No.: 68649-11-6 EC No.: 500-228-5 REACH No.: 01-2119493069-28	Dec-1-ene, dimers, hydrogenated Acute Tox. 4, Asp. Tox. 1 Danger H304	4 - < 8 weight-%
CAS No.: 64742-55-8 EC No.: 265-158-7 REACH No.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1 H304	1 - < 3 weight-%
CAS No.: 72623-86-0 EC No.: 276-737-9 REACH No.: 01-2119474878-16	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Asp. Tox. 1 Danger H304	0 - < 2 weight-%
CAS No.: 192268-65-8 EC No.: 421-820-9	Mixture of: triphenylthio-phosphate and tertiary butylated phenyl derivatives Aquatic Chronic 4, Repr. 2 H361d-H413	0 - < 0.5 weight-%
EC No.: 424-820-7 REACH No.: 01-0000017126-75	Reaction product of alkylthioalcohol and substituted phoshorus compound Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Skin Corr. 1B Danger H312-H314-H400-H410 M-factor (acute): 10 M-factor (chronic): 10	0 - < 0.5 weight-%
CAS No.: 91-20-3 EC No.: 202-049-5	naphthalene Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Carc. 2 Warning H302-H351-H410	0 - < 0.05 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment neededTreat symptomatically. Observe risk of aspiration if vomiting occurs.

Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO2)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx),

During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety. Remove all sources of ignition. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Personal protection equipment: see section 8. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE)	Dec-1-ene, dimers, hydrogen ated CAS No.: 68649-11-6 EC No.: 500-228-5	① 5 mg/m³ ② 20 mg/m³ ⑤ (alveolengängige Fraktion)
SI	Dec-1-ene, dimers, hydrogen ated CAS No.: 68649-11-6 EC No.: 500-228-5	① 5 mg/m³ ② 20 mg/m³ ⑤ (alveolarna frakcija)
СН	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ⑤ (kann über die Haut aufgenommen werden)
BE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (53 mg/m³) ② 15 ppm (80 mg/m³) ⑤ (peut être absorbé par la peau)
CZ	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 9.4 ppm (50 mg/m³) ② 18.8 ppm (100 mg/m³)



Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
PL	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	 ① 20 mg/m³ ② 50 mg/m³ ⑤ (może przenikać przez skórę do organizmu)
NO	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)
IE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)
HTP (FI)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 1 ppm (5 mg/m³) ② 2 ppm (10 mg/m³)
LT	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ⑤ (Kancerogeninės)
SE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ③ 15 ppm (80 mg/m³)
NPEL (SK)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ② 15 ppm (80 mg/m³)
TRGS 900 (DE)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 0.4 ppm (2 mg/m³) ② 1.6 ppm (8 mg/m³) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen we rden)
DK	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ② 20 ppm (100 mg/m³)
BG	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m³ ② 75 mg/m³
HR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)
ES	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	 10 ppm (53 mg/m³) 15 ppm (80 mg/m³) (puede ser absorbido a través dérmica)
RO	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)
EE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)
LV	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)
Alberta (CA)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m³) ② 15 ppm (79 mg/m³)
BC (CA)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm ⑤ (may be absorbed through the skin)
MY	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m³)
IOELV (EU)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)

RAVENOL

Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark 		
VLA (FR)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)		
SI	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	 50 mg/m³ 50 mg/m³ (frakcija ki jo je mogoče vdihniti računati je treba z možnos tjo prodiranja skozi kožo) 		
TW	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m³)		
KR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ② 15 ppm (75 mg/m³)		
IS	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)		
CN	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m³② 75 mg/m³⑤ (必须考虑到可能会经由皮肤吸收)		
RU	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	③ 20 mg/m³		
HU	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m³		
GR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)		
NL	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m³ ② 80 mg/m³		
MAK (AT)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ⑤ (kann über die Haut aufgenommen werden)		
SI	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	 10 ppm 10 ppm (računati je treba z možnostjo prodiranja skozi kožo) 		
TR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)		
Québec (CA)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m³) ② 15 ppm (79 mg/m³)		
OSHA (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)		
NIOSH (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³) ② 15 ppm (75 mg/m³)		
ACGIH (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	 10 ppm (52 mg/m³) 15 ppm (79 mg/m³) (may be absorbed through the skin) 		

8.1.2. Biological limit valuesNo data available



8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Dec-1-ene, dimers, hydrogenated	60 mg/m ³	① DNEL worker
CAS No.: 68649-11-6 EC No.: 500-228-5		② Acute - inhalation, systemic effects
Lubricating oils (petroleum), C15-30, hydrotreate	2.73 mg/m ³	① DNEL worker
d neutral oil-based CAS No.: 72623-86-0		② Long-term – inhalation, systemic effects
EC No.: 276-737-9		
Lubricating oils (petroleum), C15-30, hydrotreate	5.58	① DNEL worker
d neutral oil-based CAS No.: 72623-86-0		② Long-term – inhalation, local effects
EC No.: 276-737-9		
Lubricating oils (petroleum), C15-30, hydrotreate	0.97 mg/kg	① DNEL worker
d neutral oil-based CAS No.: 72623-86-0		② Long-term - dermal, systemic effects
EC No.: 276-737-9		
Mixture of: triphenylthio-phosphate and tertiary	1.2 mg/m ³	① DNEL worker
butylated phenyl derivatives CAS No.: 192268-65-8		② Long-term – inhalation, systemic effects
EC No.: 421-820-9		
Reaction product of alkylthioalcohol and substitut	1.76 mg/m ³	① DNEL worker
ed phoshorus compound EC No.: 424-820-7		② Long-term – inhalation, systemic effects
Reaction product of alkylthioalcohol and substitut	0.5 mg/kg	① DNEL worker
ed phoshorus compound EC No.: 424-820-7	bw/day	② Long-term - dermal, systemic effects
naphthalene	25 mg/m³	① DNEL worker
CAS No.: 91-20-3 EC No.: 202-049-5		② Long-term – inhalation, systemic effects
naphthalene	25 mg/m³	① DNEL worker
CAS No.: 91-20-3 EC No.: 202-049-5		② Long-term – inhalation, local effects
naphthalene	3.57 mg/kg	① DNEL worker
CAS No.: 91-20-3 EC No.: 202-049-5	bw/day	② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Lubricating oils (petroleum), C15-30, hydrotreate d neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	9.99 mg/kg	① PNEC secondary poisoning
Reaction product of alkylthioalcohol and substitut ed phoshorus compound EC No.: 424-820-7	0.9 μg/l	① PNEC aquatic, freshwater
Reaction product of alkylthioalcohol and substitut ed phoshorus compound EC No.: 424-820-7	0.09 μg/l	① PNEC aquatic, marine water
Reaction product of alkylthioalcohol and substitut ed phoshorus compound EC No.: 424-820-7	5 mg/l	① PNEC sewage treatment plant
Reaction product of alkylthioalcohol and substitut ed phoshorus compound EC No.: 424-820-7	0.159 mg/kg bw/day	① PNEC sediment, freshwater
Reaction product of alkylthioalcohol and substitut ed phoshorus compound EC No.: 424-820-7	0.0159 mg/ kg bw/day	① PNEC sediment, marine water
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	2.4 μg/l	① PNEC aquatic, freshwater
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	2.4 μg/l	① PNEC aquatic, marine water

Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021



Substance name	PNEC Value	① PNEC type
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	2.9 mg/l	① PNEC sewage treatment plant
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	20 μg/l	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment





Eye/face protection:

During transfer: Eye glasses with side protection

Wear eye/face protection. DIN EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene

rubber)

Thickness of the glove material: >= 0,4 mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374 Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: green

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
рН	not determined			
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	not determined			
Decomposition temperature	not determined			
Flash point	208 °C			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	837 kg/m³	15 °C		
Relative density	not determined			
Bulk density	not determined			

Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021



parameter		at °C	Method	Remark
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	25.5 mm ² /s	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1	LD ₅₀ oral: 5,000 mg/kg (Rat) OECD 401 LD ₅₀ dermal: 5,000 mg/kg (Rabbit) OECD 402 LC ₅₀ Acute inhalation toxicity (dust/mist): 5.53 mg/l 4 h (Rat) OECD 403
Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5	LD ₅₀ oral: >2,000 - <5,000 mg/kg (Rat) LD ₅₀ dermal: >2,000 mg/kg (Rabbit) LC ₅₀ Acute inhalation toxicity (dust/mist): >1.1 - <1.4 mg/l 4 h (Rat)
Distillates (petroleum), hydrotreated light paraffinic CAS No.: 64742-55-8 EC No.: 265-158-7	LD ₅₀ oral: >5,000 mg/kg (rats) OECD 401 LD ₅₀ dermal: >2,000 mg/kg (rabbits) OECD 402 LC ₅₀ Acute inhalation toxicity (dust/mist): >5 mg/l 4 h (rats) OECD 403
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	LD ₅₀ oral: 5,000 mg/kg (Rat) LD ₅₀ dermal: >2,000 mg/kg (rabbit) LC ₅₀ Acute inhalation toxicity (dust/mist): >5.53 mg/l 4 h



Substance name	Toxicological information
Reaction product of alkylthioalcohol and substituted phoshorus compound EC No.: 424-820-7	LD ₅₀ oral: 2,000 mg/kg (rat) LD ₅₀ dermal: 500 mg/kg (rabbit)
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	LD ₅₀ oral: >533 mg/kg (Mouse) LC ₅₀ Acute inhalation toxicity (dust/mist): >0.4 mg/l 4 h (Rat) LD ₅₀ dermal: >16,000 mg/kg (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

No information available for acute dermal and inhalative toxicity.

Acute inhalation toxicity:

No information available for acute dermal and inhalative toxicity.

Skin corrosion/irritation:

No irritant effect.

Serious eye damage/irritation:

No irritant effect.

Respiratory or skin sensitisation:

No sensitizing effects known.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Revision date: 13 Apr 2021 Version: 1 Print date: 13 Apr 2021



SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information	
Distillates (petroleum), hydrotreated heavy paraffinic;	LC₅₀: 100 mg/l 4 d (fish)	
Base oil - not specified CAS No.: 64742-54-7	NOEC: 100 mg/l 4 d (fish)	
EC No.: 265-157-1	EC₅₀: 10,000 mg/l 2 d (crustaceans)	
	LC₅₀: 10,000 mg/l 4 d (crustaceans)	
	NOEC: 100 mg/l 3 d (Algae/water plant)	
Distillates (petroleum), hydrotreated light paraffinic	LC ₅₀ : >100 mg/l 4 d (fish)	
CAS No.: 64742-55-8 EC No.: 265-158-7	LC ₅₀ : >10,000 mg/l 4 d (crustaceans)	
	NOEC: >10,000 mg/l 4 d (crustaceans)	
	NOEC: >100 mg/l 3 d (Algae/water plant)	
Reaction product of alkylthioalcohol and substituted	LC₅₀: 1.5 mg/l 4 d (fish)	
phoshorus compound EC No.: 424-820-7	EC₅₀: 0.09 mg/l 2 d (crustaceans)	
LC No.: 424-020-7	EC ₅₀ : 0.31 mg/l 3 d (Algae/water plant)	
naphthalene	LC₅₀: >1.2 - <2.1 mg/l 4 d (fish)	
CAS No.: 91-20-3 EC No.: 202-049-5	EC₅₀: >2.16 mg/l 2 d (crustaceans)	
EC NO 202-049-3	EC ₅₀ : >2.96 mg/l 4 d (Algae/water plant)	

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5	Yes, rapidly	
Distillates (petroleum), hydrotreated light paraffinic CAS No.: 64742-55-8 EC No.: 265-158-7	Yes, slowly	

Biodegradation:

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

-		
Substance name	Log K _{OW}	Bioconcentration factor (BCF)
Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5	6.5	
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	3.7	168

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1	The substance in the mixture does not meet the PBT/ vPvB criteria according to REACH, annex XIII.
Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5	The substance in the mixture does not meet the PBT/ vPvB criteria according to REACH, annex XIII.
Distillates (petroleum), hydrotreated light paraffinic CAS No.: 64742-55-8	The substance in the mixture does not meet the PBT/ vPvB criteria according to REACH, annex XIII.



Substance name	Results of PBT and vPvB assessment
EC No.: 265-158-7	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
Mixture of: triphenylthio-phosphate and tertiary butylated phenyl derivatives CAS No.: 192268-65-8 EC No.: 421-820-9	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
Reaction product of alkylthioalcohol and substituted phoshorus compound EC No.: 424-820-7	The substance in the mixture does not meet the PBT/ vPvB criteria according to REACH, annex XIII.
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	The substance in the mixture does not meet the PBT/ vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)	
14.1. UN number or	ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper shi	pping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.3. Transport haz	ard class(es)			
not relevant	not relevant			
14.4. Packing group				
not relevant				
14.5. Environmenta	14.5. Environmental hazards			
not relevant				



Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.6. Special precautions for user			
not relevant			

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Safety data sheet available on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category. E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Technische Anleitung Luft (TA-Luft)

Remark:

To follow: 5.2.5

Water hazard class

WGK:

2 - deutlich wassergefährdend

Source:

Self-classification (mixture; calculation rule). Identification number 436

Technische Regeln für Gefahrstoffe

TRGS 510 TRGS 500

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

[DK] National regulations

Other regulations, restrictions and prohibition regulations

Lister over stoffer og processer, der anses for at være kræftfremkaldende

[FR] National regulations

Other regulations, restrictions and prohibition regulations

Tableaux de maladies professionnelles

Nomenclature des installations classées pour la protection de l'environnement

[NL] National regulations

Other regulations, restrictions and prohibition regulations

Lijst van kankerverwekkende, mutagene, en voor de voortplanting giftige stoffen SZW Algemeene beoordelingsmethodiek Water (ABM)

Nederlandse emissierichtlijn (NeR)





[CH] National regulations

Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV) Gefahrencode

Brandverhütung, BVD (Schweiz)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive 1999/45/EEC - Dangerous Preparations Directive EC 1907/2006 - REACH Regulation 1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006 Regulation (EC) No 1907/2006 (REACH), Annex II European Chemicals Agency (ECHA), C & L classification and labeling inventory European Chemicals Agency (ECHA), ECHA CHEM Registered substances OECD The Global Portal to Information on Chemical Substances (ChemPortal) Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard state	Hazard statements		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H351	Suspected of causing cancer.		
H361d	Suspected of damaging the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H413	May cause long lasting harmful effects to aquatic life.		

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new madeup material.