Revision Date 04.09.2019

Print Date 02.11.2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	:	Advance 4T Ultra 10W-40 (SN/MA2)
Product code	:	001F3999

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Engine oil.
Uses advised against	:	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	<ul> <li>Shell UK Oil Products Limited</li> <li>Shell Centre</li> <li>London</li> <li>SE1 7NA</li> <li>United Kingdom</li> </ul>
Telephone Telefax Email Contact for Safety Data Sheet	<ul> <li>: (+44) 08007318888</li> <li>:</li> <li>: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com</li> </ul>

1.4 Emergency telephone number

: +44-(0) 151-350-4595

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)		
Hazard pictograms	:	No Hazard Symbol required
Signal word	:	No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.

## Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5	Revision Date (	04.09.2019	Print Date 02.11.2019
Precautionary statements :	Prevention: Response: Storage: Disposal:	HEALTH HAZARDS: Not classified as a health criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria No precautionary phrase No precautionary phrase No precautionary phrase	ARDS: mental hazard s. s. s.

Safety data sheet available on request.

#### 2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature	Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65- 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01- 2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69- 9 (01-0000020163-82).

#### Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	[%]

# Advance 4T Ultra 10W-40 (SN/MA2)

### Version 1.5

Revision Date 04.09.2019

Print Date 02.11.2019

	Registration number	(EC) No 1272/2008)	
Alkylphenol	121158-58-5 310-154-3	Skin Corr.1C; H314 Eye Dam.1; H318 Repr.1B; H360F Aquatic Acute1; H400 Aquatic Chronic1; H410	0.1 - 0.29
Alkaryl amine	36878-20-3 253-249-4 01-2119488911-28	Aquatic Chronic4; H413	1 - 3
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 Most important symptoms a	nd e	ffects, both acute and delayed
Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 Indication of any immediate	med	ical attention and special treatment needed
Treatment	:	Notes to doctor/physician:

Revision Date 04.09.2019

Print Date 02.11.2019

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

	Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
	Unsuitable extinguishing media	:	Do not use water in a jet.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
	Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel:
	Avoid contact with skin and eyes.
	6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

#### **6.2 Environmental precautions**

ironmental precautions	<ul> <li>Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.</li> </ul>
ironmental precautions	contamination. Prevent from spreading or entering drains ditches or rivers by using sand, earth, or other appropriate

Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	<ul> <li>Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.</li> </ul>
-------------------------	---

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

#### **SECTION 7: Handling and storage**

General Precautions	<ul> <li>Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols.</li> <li>Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.</li> </ul>
7.1 Precautions for safe handling	
Advice on safe handling	<ul> <li>Avoid prolonged or repeated contact with skin.</li> <li>Avoid inhaling vapour and/or mists.</li> <li>When handling product in drums, safety footwear should be worn and proper handling equipment should be used.</li> <li>Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.</li> </ul>
Product Transfer	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Other data	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
	Store at ambient temperature.
	Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
	The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019	
Packaging material	: Suitable material: For containers or c steel or high density polyethylene. Unsuitable material: PVC.		
Container Advice		: Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.	
7.3 Specific end use(s)			
Specific use(s)	: Not applicable		

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

#### **Biological occupational exposure limits**

No biological limit allocated. **Monitoring Methods** 

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

#### 8.2 Exposure controls

**Engineering measures**The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Revision Date 04.09.2019

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

#### Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	<ul> <li>If material is handled such that it could be splashed into eyes, protective eyewear is recommended.</li> <li>Approved to EU Standard EN166.</li> </ul>
Hand protection	
Remarks	<ul> <li>Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.</li> <li>For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for &gt; 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not</li> </ul>

## Advance 4T Ultra 10W-40 (SN/MA2)

sion 1.5	Revision Date 04.09.2019	Print Date 02.11.20	
	dependent on the exact composition Glove thickness should be typically	a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.	
Skin and body protection	: Skin protection is not ordinarily requ work clothes. It is good practice to wear chemical	-	
Respiratory protection	<ul> <li>No respiratory protection is ordinaril conditions of use.</li> <li>In accordance with good industrial h precautions should be taken to avoid If engineering controls do not mainta concentrations to a level which is ac health, select respiratory protection specific conditions of use and meeti Check with respiratory protective eq Where air-filtering respirators are su appropriate combination of mask an Select a filter suitable for combined and vapours [Type A/Type P boiling meeting EN14387 and EN143.</li> </ul>	nygiene practices, d breathing of material. ain airborne dequate to protect worker equipment suitable for the ng relevant legislation. uipment suppliers. uitable, select an nd filter. particulate/organic gases	
Thermal hazards	: Not applicable		
Hygiene measures	: Exposure to this product should be reasonably practicable. Reference s Health and Safety Executive's public Essentials".	should be made to the	
Environmental exposure c	ontrols		
General advice	: Take appropriate measures to fulfill relevant environmental protection le contamination of the environment by Section 6. If necessary, prevent und being discharged to waste water. W treated in a municipal or industrial w before discharge to surface water. Local guidelines on emission limits f must be observed for the discharge vapour.	gislation. Avoid y following advice given in dissolved material from aste water should be vaste water treatment plant for volatile substances	

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

# Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5	Revision Date 04.09.2	.2019 Print Date 02.11.2019
Appearance	liquid	
Colour	amber	
Odour	Slight hydrocarbon	
Odour Threshold	Data not available	
рН	Not applicable	
pour point	-33 °C	
Initial boiling point and boiling range	> 280 °Cestimated va	ılue(s)
Flash point	230 °C	
Evaporation rate	Data not available	
Flammability (solid, gas)	Data not available	
Upper explosion limit	Typical 10 %(V)	
Lower explosion limit	Typical 1 %(V)	
Vapour pressure	< 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	> 1estimated value(s)	)
Relative density	0.858 (15 °C)	
Density	858 kg/m3 (15 °C) Method: ASTM D4052	2
Solubility(ies)		
Water solubility	negligible	
Solubility in other solvents	Data not available	
Partition coefficient: n- octanol/water	log Pow: > 6(based or	n information on similar products)
Auto-ignition temperature	> 320 °C	
Decomposition temperature	Data not available	
Viscosity		
Viscosity, dynamic	Data not available	
Viscosity, kinematic	90.2 mm2/s (40 °C) Method: ASTM D445	

## Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
	14.2 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a	static accumulator.

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

#### 10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with strong oxidising agents.	
<b>10.4 Conditions to avoid</b> Conditions to avoid	: Extremes of temperature and direct sunlight.	
10.5 Incompatible materials		
Materials to avoid	: Strong oxidising agents.	
10.6 Hazardous decomposition products		

## 10

Hazardous decomposition	: No decomposition if stored and applied as directed.
products	

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

## Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
Acute toxicity		

Product:	
Acute oral toxicity	<ul> <li>LD50 rat: &gt; 5,000 mg/kg</li> <li>Remarks: Low toxicity:</li> <li>Based on available data, the classification criteria are not met.</li> </ul>
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

#### Product:

Draduate

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: For respiratory and skin sensitisation:, Not a sensitiser., Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material GHS/CLP Carcinogenicity Classification
---

## Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5

Revision Date 04.09.2019

Print Date 02.11.2019

Highly refined mineral oil	No carcinogenicity classification.

#### Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### Further information

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

#### Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment	: This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity -	: This product does not meet the criteria for classification in

Advance 4	I Ultra	10W-40 (	(SN/MA2)

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
Assessment	categories 1A/1B.	
Reproductive toxicity - Assessment	: This product does not meet the crite categories 1A/1B.	ria for classification in

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	•	Remarks: Data not available

### Components: Alkylphenol :

M-Factor (Short-term (acute)	:	10
aquatic hazard)		
M-Factor (Long-term		10
(chronic) aquatic hazard)		

12.2 Persistence and degradability

## Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5	Revision Date 04.0	9.2019 Print Date	02.11.2019
Product:			
Biodegradability	: Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment.		
12.3 Bioaccumulative potential			
Product:			
Bioaccumulation	: Remarks: Contains bioaccumulate.	components with the potential to	
Partition coefficient: n- octanol/water	: log Pow: > 6Remarl products)	ks: (based on information on similar	
12.4 Mobility in soil			
Product:			
Mobility		der most environmental conditions., Isorb to soil particles and will not be water.	lf it
12.5 Results of PBT and vPvB	essment		
Product:			
Assessment		not contain any REACH registered a assessed to be a PBT or a vPvB.	
12.6 Other adverse effects			
Product:			
Additional ecological information	ozone creation pote is a mixture of non-v released to air in an conditions of use.	ne depletion potential, photochemica ential or global warming potential., Pr volatile components, which will not b ny significant quantities under normal ure., Causes physical fouling of aqua	roduct e I

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>Recover or recycle if possible.</li> <li>It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.</li> <li>Do not dispose into the environment, in drains or in water courses</li> </ul>

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
	Waste product should not be allowe ground water, or be disposed of into Waste, spills or used product is dan	the environment.
Contaminated packaging	: Dispose in accordance with prevailir to a recognized collector or contract the collector or contractor should be Disposal should be in accordance w national, and local laws and regulati	or. The competence of established beforehand. rith applicable regional,
Local legislation		
Waste catalogue	:	
	EU Waste Disposal Code (EWC):	
Waste Code	:	
	13 02 06*	
Remarks	: Disposal should be in accordance w national, and local laws and regulati	
	Classification of waste is always the user.	responsibility of the end

### **SECTION 14: Transport information**

14.1 UN number ADR RID IMDG IATA 14.2 Proper shipping name	<ul> <li>Not regulated as a dangerous good</li> </ul>
ADR RID IMDG IATA 14.3 Transport hazard class	<ul> <li>Not regulated as a dangerous good</li> </ul>
ADR RID IMDG IATA	<ul> <li>Not regulated as a dangerous good</li> </ul>
14.4 Packing group ADR RID IMDG IATA	<ul> <li>Not regulated as a dangerous good</li> </ul>

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
14.5 Environmental hazards		
ADR RID IMDG	<ul> <li>Not regulated as a dangerous good</li> <li>Not regulated as a dangerous good</li> <li>Not regulated as a dangerous good</li> </ul>	
14.6 Special precautions for user		
Remarks	: Special Precautions: Refer to Section 7, for special precautions which a user need needs to comply with in connection with tr	ls to be aware of or

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances s (Annex XIV)	Subject to authorisation : Product is not subject to Authorisation under REACH.
Volatile organic compounds	: 0%
Other regulations	<ul> <li>The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.</li> <li>Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.</li> </ul>

and o Regis Cher Regu and o Regis Cher Direc risks and i Direc work Cour to en pregi	lation (EC) No 1907/2006 of the Ex of the Council of 18 December 2006 stration, Evaluation, Authorisation a nicals (REACH), annex XIV. lation (EC) No 1907/2006 of the Ex of the Council of 18 December 2006 stration, Evaluation, Authorisation a nicals (REACH), annex XVII. tive 2004/37/EC on the protection of related to exposure to carcinogens as amendments. tive 1994/33/EC on the protection of and its amendments. cil Directive 92/85/EEC on the intro courage improvements in the safet nant workers and workers who have breastfeeding and its amendment	5 concerning the and Restriction of uropean Parliament 5 concerning the and Restriction of of workers from the or mutagens at work of young people at oduction of measures y and health at work of e recently given birth

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: Other information**

**Full text of H-Statements** 

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Acute	Short-term (acute) aquatic hazard
Aquatic Chronic	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Repr.	Reproductive toxicity
Skin Corr.	Skin corrosion
Abbreviations and Acro	nyms : The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g.

,

# Advance 4T Ultra 10W-40 (SN/MA2)

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
	scientific dictionaries) and/or websites. ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials	
	BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenze	
	CAS = Chemical Abstracts Service CEFIC = European Chemical Industry C	-
	CLP = Classification Packaging and La	
	COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung	
	DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level	
	DSL = Canada Domestic Substance Lis EC = European Commission	st
	EC50 = Effective Concentration fifty ECETOC = European Center on Ecotox	kicology and
	Toxicology Of Chemicals ECHA = European Chemicals Agency	
	EINECS = The European Inventory of E Chemical Substances	Existing Commercial
	EL50 = Effective Loading fifty ENCS = Japanese Existing and New Cl	hemical Substances
	Inventory EWC = European Waste Code	
	GHS = Globally Harmonised System of Labelling of Chemicals	Classification and
	IARC = International Agency for Resear IATA = International Air Transport Asso	
	IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty	
	IMDG = International Maritime Dangero INV = Chinese Chemicals Inventory	us Goods
	IP346 = Institute of Petroleum test me determination of polycyclic aromatics D	
	KECI = Korea Existing Chemicals Inver LC50 = Lethal Concentration fifty	
	LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective Loa	ding/Inhibitory loading
	LL50 = Lethal Loading fifty MARPOL = International Convention fo	
	Pollution From Ships NOEC/NOEL = No Observed Effect Co	
	Observed Effect Level	
	OE_HPV = Occupational Exposure - Hi PBT = Persistent, Bioaccumulative and PICCS = Philippine Inventory of Chemic	Toxic
	Substances PNEC = Predicted No Effect Concentra	tion

Version 1.5	Revision Date 04.09.2019	Print Date 02.11.2019
	REACH = Registration Evaluation And A Chemicals RID = Regulations Relating to Internatio Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Control A TWA = Time-Weighted Average vPvB = very Persistent and very Bioacce	nal Carriage of
Further information		
Training advice	:	
	Provide adequate information, instructio operators.	n and training for
Other information	<ul> <li>No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.</li> <li>A vertical bar ( ) in the left margin indicates an amendment from the previous version.</li> </ul>	
Sources of key data used to compile the Safety Data	:	
Sheet	The quoted data are from, but not limiter sources of information (e.g. toxicologica Health Services, material suppliers' data IUCLID date base, EC 1272 regulation,	l data from Shell a, CONCAWE, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.