

according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Hipospec GL-4 75W/90 semisynthetic

Substance / mixture mixture

UFI T7H0-M05N-200M-UNXV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Gear Oil.

For specific application advice see appropriate Technical Data Sheet or consult our company representative.

Mixture uses advised against

Not defined.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name SPECOL Sp. z o.o.

Address ul. Kluczborska 31, Chorzów, 41-508

Poland

VAT Reg No PL6272453121
Phone 32 245 91 33
E-mail info@specol.com.pl
Web address www.specol.com.pl

Competent person responsible for the safety data sheet

Name SPECOL Sp. z o.o. E-mail info@specol.com.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1A, H317 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram





Signal word

Warning

Hazardous substances

Amines, C10-C14-tert-alkyl

Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

P261 Avoid breathing vapours. P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container to in accordance with national regulations.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|---|---|---------------------|---|------|
| Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 | Distillates (petroleum), hydrotreated heavy paraffinic | ≥50 | not classified as dangerous | |
| Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 | Distillates (petroleum), hydrotreated light paraffinic | ≥4 | not classified as dangerous | 1, 2 |
| CAS: 68937-96-2 EC: 273-103-3 | Polysulfides, di-tert-Bu | 2,3-2,6 | Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) | |
| Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 | Distillates (petroleum), hydrotreated heavy paraffinic | 0,2-0,4 | not classified as dangerous | |
| EC: 701-175-2 | Amines, C10-C14-tert-alkyl | 0,11-0,17 | Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 1, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) | |
| CAS: 1213789-63-9 EC: 627-034-4 | Amines, C16-18 and C16-18-unsatd. alkyl | 0,04-0,11 | Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Corr. 1B, H314 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) Specific concentration limit: ATE Oral = 1689 mg/kg bw | |
| Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7 | Distillates (petroleum), solvent-dewaxed heavy paraffinic | 0,04-0,11 | Asp. Tox. 1, H304 | |

Notes

- Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
- 2 Fulfilled Note L

Full text of all classifications and hazard statements is given in the section 16.



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

10th March 2023 Creation date

1.0 Revision date Version

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Specific end use(s) 7.3.

not available

SECTION 8: Exposure controls/personal protection

Control parameters

The mixture contains substances for which occupational exposure limits are set.

Amines, C10-C14-tert-alkyl

| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source | | |
|---------------------------------------|-------------------|------------|-----------------------|------------------------|--------|--|--|
| Consumers | Oral | 0.35 mg/kg | Chronic effects local | | | | |
| Amines C16-18 and C16-18-unsatd alkyl | | | | | | | |

| Workers / consumers | Route of exposure | Value | Effect | Value determination | Source |
|---------------------|-------------------|---------------------------|--------------------------|------------------------|--------|
| Workers | Dermal | 0.09 mg/kg | Chronic effects local | | |
| Consumers | Oral | 0.04 mg/kg | Chronic effects local | | |
| Workers | Inhalation | 0.38 mg/m ³ | Chronic effects systemic | | |
| Workers | Dermal | 0.06 % | Chronic effects local | | |

PNEC

Amines, C10-C14-tert-alkyl

| Route of exposure | Value | Value determination | Source |
|-------------------|------------|---------------------|--------|
| Drinking water | 0.001 mg/l | | |

Amines, C16-18 and C16-18-unsatd. alkyl

| Route of exposure | Value | Value determination | Source |
|------------------------------------|---------------|---------------------|--------|
| Drinking water | 0.00026 mg/l | | |
| Marine water | 0.000026 mg/l | | |
| Water (intermittent release) | 0.0016 mg/l | | |
| Microorganisms in sewage treatment | 0.55 mg/l | | |
| Freshwater sediment | 0.1794 mg/kg | | |
| Sea sediments | 0.01794 mg/kg | | |
| Soil (agricultural) | 10 mg/kg | | |
| Oral | 0.22 mg/kg | | |

8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour data not available
Odour data not available
Melting point/freezing point data not available
Boiling point or initial boiling point and boiling range data not available
Flammability data not available

Lower and upper explosion limit data not available Flash point 210 °C

Auto-ignition temperature data not available
Decomposition temperature data not available
pH data not available
Kinematic viscosity 100 mm²/s at 40 °C
Solubility in water data not available

Solubility in water data not available
Partition coefficient n-octanol/water (log value) data not available
Vapour pressure data not available

Density and/or relative density

Density 0,870-0,880 g/cm³ at 15 °C

Relative vapour density

Particle characteristics

data not available

data not available

form

data not available

1,3,4-Thiadiazolidine-2,5-dithione, reaction products

with hydrogen peroxide and tert-nonanethiol (CAS: 91648 liquid

-65-6)

Amines, C16-18 and C16-18-unsatd. alkyl (CAS: 1213789-63-9)

Distillates (petroleum), solvent-dewaxed heavy

paraffinic (CAS: 64742-65-0) liquid

Methyl-1H-benzotriazole (CAS: 29385-43-1) solid: bulk
Methyl-1H-benzotriazole (CAS: 29385-43-1) solid: particulate/powder

Phosphoric acid, mono- and bis(branched and linear ...,

liquid

pentyl) esters (CAS: 84418-71-3)

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Amines, C10-C14-tert-alkyl

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
|-------------------|------------------|----------|------------|---------------|----------------------------|-----|
| Inhalation | LC50 | OECD 403 | 1.19 mg/ml | 4 hours | Rat (Rattus norvegicus) | |
| Dermal | LD50 | OECD 402 | 251 mg/kg | | Rat (Rattus norvegicus) | |
| Oral | LD ₅₀ | OECD 401 | 612 mg/kg | | Rat (Rattus norvegicus) | |

Amines, C16-18 and C16-18-unsatd. alkyl

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|----------|---------------|---------------|----------------------------|-----|
| Oral | LD50 | OECD 401 | 1689 mg/kg | | Rat (Rattus norvegicus) | |
| Inhalation | LC50 | OECD 433 | >22 mg/l | 1 hour | Rat (Rattus norvegicus) | |
| Dermal | LD50 | OECD 434 | 5000 mg/kg | 1 hour | Rabbit | |
| Oral | LD50 | OECD 420 | >3000 mg/kg | | Rat (Rattus norvegicus) | |
| Oral | ATE | | 1689 mg/kg bw | | | |

Distillates (petroleum), hydrotreated heavy paraffinic

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
|-------------------|------------------|----------|------------|---------------|----------------------------|-----|
| Inhalation | LC50 | OECD 403 | 5.53 mg/l | 4 hours | Rat (Rattus norvegicus) | |
| Skin | LD ₅₀ | OECD 402 | 5000 mg/kg | | Rabbit | |
| Oral | LD50 | OECD 401 | 5000 mg/kg | | Rat (Rattus norvegicus) | |
| Inhalation | LC50 | OECD 403 | 5.53 mg/l | 4 hours | Rat (Rattus norvegicus) | |
| Skin | LD ₅₀ | OECD 402 | 5000 mg/kg | | Rabbit | |
| Oral | LD50 | OECD 401 | 5000 mg/kg | | Rat (Rattus norvegicus) | |

Distillates (petroleum), hydrotreated light paraffinic

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|----------|-------------|---------------|----------------------------|-----|
| Inhalation | LC50 | OECD 403 | >5.53 mg/l | 4 hours | Rat (Rattus norvegicus) | |
| Dermal | LD50 | OECD 402 | >5000 mg/kg | | Rabbit | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated light paraffinic

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|----------|-------------|---------------|----------------------------|-----|
| Oral | LD50 | OECD 401 | >5000 mg/kg | | Rat (Rattus norvegicus) | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Sex |
|-------------------|------------------|----------|-------------|---------------|----------------------------|-----|
| Inhalation | LC50 | OECD 403 | 5.53 mg/l | 4 hours | Rat (Rattus norvegicus) | |
| Dermal | LD50 | OECD 402 | >5000 mg/kg | | Rabbit | |
| Oral | LD ₅₀ | OECD 401 | >5000 mg/kg | | Rat (Rattus norvegicus) | |

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Amines, C16-18 and C16-18-unsatd. alkyl

| Route of exposure | Result | Method | Exposure time | Species |
|-------------------|------------|----------|---------------|---------|
| Skin | Irritating | OECD 404 | | Rabbit |

Distillates (petroleum), hydrotreated heavy paraffinic

| Route of exposure | Result | Method | Exposure time | Species |
|-------------------|----------------|----------|---------------|---------|
| Dermal | Not irritating | OECD 404 | | Rabbit |
| Eye | Not irritating | OECD 405 | | Rabbit |
| Dermal | Not irritating | OECD 404 | | Rabbit |
| Eye | Not irritating | OECD 405 | | Rabbit |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Route of exposure | Result | Method | Exposure time | Species |
|-------------------|----------------|----------|---------------|---------|
| Dermal | Not irritating | OECD 404 | | Rabbit |
| Eye | Not irritating | OECD 405 | | Rabbit |

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Sensitization

Amines, C10-C14-tert-alkyl

| Route of exposure | Result | Method | Exposure time | Species | Sex |
|-------------------|-------------|--------|---------------|--|-----|
| Skin | Sensitizing | | | Guinea-pig (Cavia aperea f. porcellus) | |

Distillates (petroleum), hydrotreated heavy paraffinic

| Route of exposure | Result | Method | Exposure time | Species | Sex |
|-------------------|-----------------|----------|---------------|--|-----|
| Dermal | Not sensitizing | OECD 406 | | Guinea-pig (Cavia aperea f. porcellus) | |
| Dermal | Not sensitizing | OECD 406 | | Guinea-pig (Cavia aperea f. porcellus) | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Route of exposure | Result | Method | Exposure time | Species | Sex |
|-------------------|-----------------|----------|---------------|--|-----|
| Skin | Not sensitizing | OECD 406 | | Guinea-pig (Cavia aperea f. porcellus) | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Mutagenicity

Amines, C10-C14-tert-alkyl

| Result | Method | Exposure time | Specific target organ | Species | Sex |
|----------|----------|---------------|-----------------------|---|-----|
| Negative | OECD 471 | | | Bacteria (Salmonella typhimurium) | |

Distillates (petroleum), hydrotreated heavy paraffinic

| Result | Method | Exposure time | Specific target organ | Species | Sex |
|----------|----------|---------------|-----------------------|---|-----|
| Negative | OECD 471 | | | Bacteria (Salmonella typhimurium) | |
| Negative | OECD 473 | | | | |
| Negative | OECD 476 | | | | |
| Negative | OECD 474 | | | | |
| Negative | OECD 471 | | | Bacteria (Salmonella typhimurium) | |
| Negative | OECD 473 | | | | |
| Negative | OECD 476 | | | | |
| Negative | OECD 474 | | | | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Result | Method | Exposure time | Specific target organ | Species | Sex |
|---------------------------|----------|---------------|-----------------------|---|-----|
| Negative, Not sensitizing | OECD 471 | | | Bacteria (Salmonella typhimurium) | |
| Negative | OECD 473 | | | | |

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

| Route of exposure | Parameter | Method | Value | Exposure time | Specific target organ | Result | Species | Sex |
|-------------------|-----------|----------|-------|---------------|-----------------------|----------|---------|-----|
| | NOAEL | OECD 451 | | 78 weeks | Skin | Negative | Mouse | |
| | NOAEL | OECD 451 | | 78 weeks | Skin | Negative | Mouse | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Route of exposure | Parameter | Method | Value | Exposure time | Specific target organ | Result | Species | Sex |
|-------------------|-----------|----------|-------|---------------|-----------------------|----------|---------|-----|
| | NOAEL | OECD 451 | | 78 weeks | | Negative | Mouse | |

Reproductive toxicity

Based on available data the classification criteria are not met.

Amines, C10-C14-tert-alkyl

| Effect | Parameter | Method | Value | Result | Species | Sex |
|--------|-----------|----------|-------|-------------------|----------------------------|-----|
| | | OECD 415 | | Maternal toxicity | Rat (Rattus norvegicus) | |

Amines, C16-18 and C16-18-unsatd. alkyl

| Effect | Parameter | Method | Value | Result | Species | Sex |
|----------------------|-----------|----------|-------|-------------------|----------------------------|-----|
| Effects on fertility | | OECD 421 | | Maternal toxicity | Rat (Rattus norvegicus) | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated heavy paraffinic

| Effect | Parameter | Method | Value | Result | Species | Sex |
|------------------------|-----------|----------|-------|----------|----------------------------|-----|
| Developmental toxicity | | OECD 421 | | Negative | Rat (Rattus norvegicus) | |
| Effects on fertility | | OECD 421 | | Negative | Rat (Rattus norvegicus) | |
| Developmental toxicity | | OECD 414 | | Negative | Rat (Rattus norvegicus) | |
| Developmental toxicity | | OECD 421 | | Negative | Rat (Rattus norvegicus) | |
| Effects on fertility | | OECD 421 | | Negative | Rat (Rattus norvegicus) | |
| Developmental toxicity | | OECD 414 | | Negative | Rat (Rattus norvegicus) | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Effect | Parameter | Method | Value | Result | Species | Sex |
|------------------------|-----------|----------|-------|----------|----------------------------|-----|
| | | OECD 421 | | Negative | Rat (Rattus norvegicus) | |
| | | OECD 421 | | Negative | Rat (Rattus norvegicus) | |
| Developmental toxicity | | OECD 414 | | Negative | Rat (Rattus norvegicus) | |

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

Amines, C10-C14-tert-alkyl

| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|--------|-------------|----------|---------------|----------------------------|-----|
| Oral | NOAEL | | OECD 410 | 20 mg/kg | 21/28 days | Rat (Rattus norvegicus) | |
| Inhalation | NOAEL | | OECD 412 | 19 mg/kg | 28 days | Rat (Rattus norvegicus) | |

Distillates (petroleum), hydrotreated heavy paraffinic

| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|--------|-------------|------------|---------------|----------------------------|-----|
| Oral | LOAEL | | OECD 408 | 125 mg/kg | 90 days | Rat (Rattus norvegicus) | |
| Dermal | NOAEL | | OECD 411 | 30 mg/kg | | Rat (Rattus norvegicus) | |
| Dermal | NOAEL | | OECD 410 | 1000 mg/kg | | Rabbit | |
| Inhalation | NOAEL | | | 0.22 mg/l | 4 weeks | Rat (Rattus norvegicus) | |
| Inhalation | NOAEL | | | 0.15 mg/l | 13 weeks | Rat (Rattus norvegicus) | |
| Oral | LOAEL | | OECD 408 | 125 mg/kg | 90 days | Rat (Rattus norvegicus) | |
| Dermal | NOAEL | | OECD 411 | 30 mg/kg | | Rat (Rattus norvegicus) | |
| Dermal | NOAEL | | OECD 410 | 1000 mg/kg | | Rabbit | |
| Inhalation | NOAEL | | | 0.22 mg/l | 4 weeks | Rat (Rattus norvegicus) | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated heavy paraffinic

| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|--------|--------|-----------|---------------|----------------------------|-----|
| Inhalation | NOAEL | | | 0.15 mg/l | 13 weeks | Rat (Rattus norvegicus) | |

Distillates (petroleum), hydrotreated light paraffinic

| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex |
|---------------------------|-----------|--------|-------------|------------|---------------|----------------------------|-----|
| Oral | NOAEL | | OECD 408 | 125 mg/kg | 90 days | Rat (Rattus norvegicus) | |
| Skin | NOAEL | | OECD 411 | 30 mg/kg | 90 days | Rat (Rattus norvegicus) | |
| Skin | NOAEL | | OECD 410 | 1000 mg/kg | 21/28 days | Rabbit | |
| Inhalation (dust/mist) | NOAEL | | | 0.15 mg/l | 13 weeks | Rat (Rattus norvegicus) | |
| Inhalation (dust/mist) | NOAEL | | | 0.22 mg/l | 4 weeks | Rat (Rattus norvegicus) | |
| Inhalation (dust/mist) | NOAEL | | OECD 412 | 0.05 mg/l | 28 days | Rat (Rattus norvegicus) | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Route of exposure | Parameter | Result | Method | Value | Exposure time | Species | Sex |
|-------------------|-----------|--------|-------------|------------|---------------|----------------------------|-----|
| Skin | NOAEL | | OECD 410 | 1000 mg/kg | | Rabbit | |
| Inhalation | NOAEL | | | 0.05 mg/l | 13 weeks | Rat (Rattus norvegicus) | |

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.

Amines, C10-C14-tert-alkyl

| Parameter | Method | Value | Exposure time | Species | Environmen t |
|-----------|--------|------------|---------------|---|-----------------|
| EL 50 | | 0.44 mg/l | 72 hours | Algae and other aquatic plants (Pseudokirchneriella subcapitata) | |
| EL 50 | | 2.5 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| EL 50 | | 63.5 mg/l | 30 minutes | Microorganisms (Photobacterium phosphoreum) | |
| LL 50 | | 1.3 mg/l | 96 hours | Fish (Oncorhynchus mykiss) | |
| NOAEC | | 0.078 mg/l | 96 days | Fish (Oncorhynchus mykiss) | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Amines, C16-18 and C16-18-unsatd. alkyl

| Parameter | Method | Value | Exposure time | Species | Environmen t |
|-----------|----------|----------------|---------------|-----------------------------------|-----------------|
| EL 50 | | 0.04 mg/l | 96 hours | Algae and other aquatic plants | |
| EL 50 | | 0.011 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| EL 50 | | 222.5 mg/l | 3 hours | Daphnia (Daphnia magna) | |
| LC50 | OECD 203 | >0.01-0.1 mg/l | 96 hours | Fish (Pimephales promelas) | |
| EC50 | OECD 202 | >0.01-0.1 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| EC50 | OECD 201 | >0.01-0.1 mg/l | 72 hours | Algae (Selenastrum capricornutum) | |
| BCF | | >500 | | | |

Distillates (petroleum), hydrotreated heavy paraffinic

| Parameter | Method | Value | Exposure time | Species | Environmen t |
|-----------|--------|-------------|---------------|----------------------------|-----------------|
| EL 50 | | >10000 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| LL 50 | | >100 mg/l | 96 hours | Fish (Pimephales promelas) | |
| EL 50 | | >10000 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| LL 50 | | >100 mg/l | 96 hours | Fish (Pimephales promelas) | |

Distillates (petroleum), hydrotreated light paraffinic

| Parameter | Method | Value | Exposure time | Species | Environmen t |
|-----------|--------|-------------|---------------|----------------------------|-----------------|
| EL 50 | | >10000 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| LL 50 | | >100 mg/l | 96 hours | Fish (Pimephales promelas) | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Parameter | Method | Value | Exposure time | Species | Environmen t |
|-----------|--------|-------------|---------------|----------------------------|-----------------|
| EL 50 | | >10000 mg/l | 48 hours | Daphnia (Daphnia magna) | |
| LL 50 | | >100 mg/l | 96 hours | Fish (Oncorhynchus mykiss) | |

Chronic toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

| Parameter | Value | Exposure time | Species | Environment |
|-----------|-----------|---------------|--|-------------|
| NOEL | ≥100 mg/l | 72 hours | Algae and other aquatic plants (Pseudokirchneriella subcapitata) | |
| NOEL | 10 mg/l | 21 days | Daphnia (Daphnia magna) | |
| NOEL | 1000 mg/l | 14 days | Fish (Oncorhynchus mykiss) | |
| NOEL | ≥100 mg/l | 72 hours | Algae and other aquatic plants (Pseudokirchneriella subcapitata) | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated heavy paraffinic

| Parameter | Value | Exposure time | Species | Environment |
|-----------|-----------|---------------|----------------------------|-------------|
| NOEL | 10 mg/l | 21 days | Daphnia (Daphnia magna) | |
| NOEL | 1000 mg/l | 14 days | Fish (Oncorhynchus mykiss) | |

Distillates (petroleum), hydrotreated light paraffinic

| Parameter | Value | Exposure time | Species | Environment |
|-----------|------------|---------------|--|-------------|
| NOEL | ≥100 mg/l | 72 hours | Algae and other aquatic plants (Pseudokirchneriella subcapitata) | |
| NOEL | 10 mg/l | 21 days | Daphnia (Daphnia magna) | |
| NOEL | ≥1000 mg/l | 14 days | Fish (Oncorhynchus mykiss) | |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Parameter | Value | Exposure time | Species | Environment |
|-----------|-----------|---------------|--|-------------|
| NOEL | >100 mg/l | 72 hours | Algae and other aquatic plants (Pseudokirchneriella subcapitata) | |
| NOEL | 10 mg/l | 21 days | Daphnia (Daphnia magna) | |
| NOEL | 1000 mg/l | 14 days | Fish (Oncorhynchus mykiss) | |

12.2. Persistence and degradability

Biodegradability

Amines, C10-C14-tert-alkyl

| Parameter | Method | Value | Exposure time | Environment | Result | | |
|---|-----------|--------|---------------|-------------|----------------------|--|--|
| | OECD 301D | 21.8 % | 28 days | | Hardly biodegradable | | |
| Distillator (notural cum) budusturated bonus nourffinia | | | | | | | |

Distillates (petroleum), hydrotreated heavy paraffinic

| Parameter | Method | Value | Exposure time | Environment | Result |
|-----------|-----------|-------|---------------|-------------|----------------------|
| | OECD 301F | 31 % | 28 days | | Hardly biodegradable |
| | OECD 301F | 31 % | 28 days | | Hardly biodegradable |

Distillates (petroleum), hydrotreated light paraffinic

| Parameter | Method | Value | Exposure time | Environment | Result |
|-----------|-----------|-------|---------------|-------------|----------------------|
| | OECD 301F | 31 % | 28 days | | Hardly biodegradable |

Distillates (petroleum), solvent-dewaxed heavy paraffinic

| Parameter | Method | Value | Exposure time | Environment | Result |
|-----------|-----------|-------|---------------|-------------|----------------------|
| | OECD 301F | 31 % | 28 days | | Hardly biodegradable |

not available

12.3. Bioaccumulative potential

Amines, C10-C14-tert-alkyl

| Parameter | Method | Value | Exposure time | Species | Environment | Temperature [°C] |
|-----------|--------|-------|---------------|---------|-------------|------------------|
| Log Pow | | 2.9 | | | | |



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

Amines, C16-18 and C16-18-unsatd. alkyl

| Parameter | Method | Value | Exposure time | Species | Environment | Temperature [°C] |
|-----------|-----------|-------|---------------|---------|-------------|------------------|
| | OECD 301B | 66 % | 28 days | | | |

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P261 Avoid breathing vapours.
P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container to in accordance with national regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EL₅₀ Effective Loading for 50% of the tested organisms

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals



according to Commission Regulation (EU) 2020/878 as amended

Hipospec GL-4 75W/90 semisynthetic

Creation date 10th March 2023

Revision date Version 1.0

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LL50 Lethal Loading for 50% of tested organisms
LOAEL Lowest observed adverse effect level
log Kow Octanol-water partition coefficient
NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level

NOEL No observed effect level OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox. Aspiration hazard
Eye Dam. Serious eye damage
Skin Corr. Skin corrosion
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.