	according to Regul	ation (EC) No 1907/2006 (REACH) as amended
		TRUCK CLEAN
	on date 10th August 2000	
	on date 18th May 2021	Version 2.0
		mixture and of the company/undertaking
1.1.	Product identifier	TRUCK CLEAN
_	Substance / mixture	mixture
l. <b>2</b> .		ance or mixture and uses advised against
	Mixture's intended use	
		product, designed for washing trucks, special purpose vehicles, agricultural
	have contact with food.	with high contamination level, resistant to alkaline substances that doesn't
	Mixture uses advised against	
	not available	
L.3.	Details of the supplier of the safety of	lata sheet
	Manufacturer	
	Name or trade name	TENZI Sp. z o.o.
	Address	Skarbimierzyce 20, Dołuje, 72-002
		Poland
	VAT Reg No	PL8512583405
	Phone	+48 91 3119777
	E-mail	info@tenzi.pl
	Web address	www.tenzi.pl
	Competent person responsible for th	e safety data sheet
	Name	technolog@tenzi.pl
ι.4.	Emergency telephone number	
L.4.	European emergency number: 112	

The mixture is classified as dangerous.

Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse effects on human health and the environment

Causes serious eye damage. Causes severe skin burns and eye damage.

# 2.2. Label elements

# Hazard pictogram



Signal word Danger

Hazardous substancesodium hydroxideHazard statementsH314Causes severe skin burns and eye damage.Precautionary statementsP280Wear protective gloves/protective clothing/eye protection/face protection.P301+P330+P331IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006 (REACH) as amended

TRUCK CLEAN							
Creation date	10th August 2000						
Revision date	18th May 2021	Version	2.0				
P303+P361+P353	IF ON SKIN (or hair): Take water or shower.	off immediately all contam	inated clothing. Rinse skin w	vith			
P305+P351+P338	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense present and easy to do. Continue rinsing.			es, if			
P310	Immediately call a POISON	I CENTER/doctor.					
P405	Store locked up.						

### Supplemental information

5-<15 % non-ionic surfactants, <5 % phosphonates

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

#### **Mixtures** 3.2.

### **Chemical characterization**

Mixture of substances and additives specified below.

### Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27- XXXX	sodium hydroxide	<12	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Eye Irrit. 2, H319: $0,5 \% \le C < 2 \%$ Skin Irrit. 2, H315: $0,5 \% \le C < 2 \%$	
CAS: 68439-54-3 Registration number: polimer	Alcohols, C11-13-branched, ethoxylated	<11	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 2809-21-4 EC: 220-552-8 Registration number: 01-2119510391-53- XXXX	1-hydroxyethylidene-1,1-diphosphonic acid	<5	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

#### 4.1. **Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

## If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours. If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# TRUCK CLEAN

Creation date	10th August 2000							
Revision date	18th May 2021	Version	2.0					
Tf in succes								

#### If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

## If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances. DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling vapours can cause corrosion of the breathing system.

# If on skin

Causes severe skin burns.

# If in eyes

Causes serious eye damage.

## If swallowed

Corrosion of the digestion system can occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

# **SECTION 5: Firefighting measures**

#### 5.1. **Extinguishing media**

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

# Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

#### 6.2. **Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. **Reference to other sections** See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **TRUCK CLEAN**

Creation date	10th August 2000					
Revision date	18th May 2021	Version	2.0			
SECTION 7. Handling and starsge						

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition. min 5 °C, max 35 °C

Storage temperature

#### 7.3. Specific end use(s)

not available

# SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

The mixture contains substances for which occupational exposure limits are set. DNEL

sodium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	1.0 mg/m <sup>3</sup>	Local chronic effects	
Consumers	Inhalation	1.0 mg/m <sup>3</sup>	Local chronic effects	

#### 8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Thermal hazard**

Data not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1.

Physical state	liquid
Color	data not available
Odour	Characteristic for the materials used
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	14 (undiluted at 20 °C)
Kinematic viscosity	data not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

	TRUCK CLEAN								
Creation d	ate	10th August 2000							
Revision d	Revision date 18th May 2021		Version	2.0					
So	lubility in water		soluble						
Partition coefficient n-octanol/water (log value)			data not availabl	e					
Va	Vapour pressure		data not availabl	e					
De	ensity and/or relativ	e density							
	Density		data not availabl	e					
	Relative density		1,097 g/cm3 (+-	) 0,020					
9.2. Ot	her information								
no	t available								

# **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
- not available

# 10.2. Chemical stability

- The product is stable under normal conditions.
- 10.3. Possibility of hazardous reactions
  - Unknown.

# 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

# 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

# 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## Acute toxicity

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50	3200 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta charakter ystyki
Inhalation	LD50	3000 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta charakter ystyki

## Alcohols, C11-13-branched, ethoxylated

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50	>300-2000 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta charakter ystyki
Dermal	LD50	>2000 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta charakter ystyki

### sodium hydroxide

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Intraperitoneally	LD 50	40 mg/kg		Mouse			SDS
Oral	LDL0	500 mg/kg		Rabbit			SDS



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **TRUCK CLEAN**

Creation date	10th August 2000			
Revision date	18th May 2021	Version	2.0	

sodium hydroxide

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	TDLo	44 mg/kg		Rat (Rattus norvegicus)			SDS

# Skin corrosion/irritation

Causes severe skin burns and eye damage.

1_h	drov	voth	didong	_1 1.	dinh	ocnho	nic	bize
T-11	yuiux	yeun	ylidene	:-T'T.	-uipii	ospiic	лпс	aciu

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Irritating			Based on evidence	karta charakterys tyki

Alcohols, C11-13-branched, ethoxylated

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Not irritating		Rabbit	Based on evidence	katra charakterys tyki

# Serious eye damage/irritation

Causes serious eye damage.

# 1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Serious eye damage			Based on evidence	karta charakterys tyki

# Alcohols, C11-13-branched, ethoxylated

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Irritating, Serious eye damage		Rabbit	Based on evidence	karta charakterys tyki

## **Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

# 1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
	No effect				Based on evidence	karta charaktery styki

# Alcohols, C11-13-branched, ethoxylated

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
	No effect		Guinea-pig (Cavia aperea f. porcellus)		Based on evidence	karta charaktery styki



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **TRUCK CLEAN**

Creation date	10th August 2000			
Revision date	18th May 2021	Version	2.0	

# Mutagenicity

1-hydroxyethylidene-1,1-diphosphonic acid

Result	Time of exposure	Specific target organ	Species	Sex	Determining method	Source
Negative					Based on evidence	karta charakter ystyki

# Germ cell mutagenicity

Based on available data the classification criteria are not met.

Alcohols, C11-13-branched, ethoxylated

Result	Time of exposure	Specific target organ	Species	Sex	Determining method	Source
No effect					Based on evidence	karta charakter ystyki

# Carcinogenicity

Based on available data the classification criteria are not met.

Route of exposure	Parameter	Value	Result	Species	Sex	Determining method	Source
			Not carcinogenic			Based on evidence	karta charaktery styki

# **Reproductive toxicity**

Based on available data the classification criteria are not met.

# Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Parameter	Value	Result	Species	Sex	Determining method	Source
			Negative			Based on evidence	karta charaktery styki

# Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

# **Repeated dose toxicity**

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Parameter	Result	Value	Time of exposure	Species	Sex	Determinin g method	Source
		Negative					Based on evidence	karta charakter ystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **TRUCK CLEAN**

Creation date	10th August 2000			
Revision date	18th May 2021	Version	2.0	

# Aspiration hazard

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
	Negative				Based on evidence	karta charaktery styki

# 11.2. Information on other hazards

not available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# Acute toxicity

Data for the mixture are not available.

1-hydroxyethylidene-1,1-diphosphonic acid

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LC50		350 mg/l	96 hour			Based on evidence	karta charakte rystyki

# Alcohols, C11-13-branched, ethoxylated

71001015, 01	= == =:=::=:===========================	,					
Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LC₅o	OECD 203	>1-10 mg/kg	96 hour	Fishes (Oncorhynchus mykiss)		Based on evidence	karta charakte rystyki
EC₅o	OECD 202	>1-10 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
EC₅o	OECD 201	>1-10 mg/l	72 hour	Algae (Desmodesmus subspicatus)		Based on evidence	karta charakte rystyki

sodium hydroxide

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC₅o		40.4 mg/l	48 hour	Aquatic invertebrates (Ceriodaphnia dubia)			SDS
EC₅o		22 mg/l	15 min	Microorganisms (Photobacteriu m phosphoreum)			SDS

# Chronic toxicity

1-hydroxyethylidene-1,1-diphosphonic acid

Parameter	Value	Time of exposure	Species	Environme nt	Determining method	Source
EC50	229 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakter ystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **TRUCK CLEAN**

Creation date Revision date 10th August 2000 18th May 2021

Version

12.2. Persistence and degradability

# **Biodegradability**

Alcohols, C11-13-branched, ethoxylated

Parameter	Method	Value	Time of exposure	Environmen t	Determining method	Result	Source
	OECD 301A	>70 %	28 day		Based on evidence	Easily biodegradable	karta charakte rystyki
	OECD 301B	>60 %	28 day		Based on evidence	Easily biodegradable	karta charakte rystyki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

# 12.3. Bioaccumulative potential

Data not available.

# 12.4. Mobility in soil

Data not available.

# 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

- not available
- 12.7. Other adverse effects

Data not available.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

# Waste type code

other organic solvents, washing liquids and mother liquors \* 07 06 04

## Packaging waste type code

#### 15 01 02 plastic packaging

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## **SECTION 14: Transport information**

- 14.1. UN number or ID number
  - UN 1719
- 14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

# 14.3. Transport hazard class(es)

8 Corrosive substances

# 14.4. Packing group

II - substances presenting medium danger

# 14.5. Environmental hazards

No



according to Regulation (EC) No 1907/2006 (REACH) as amended

	TRUCK CLEAN							
Creatio	on date	10th August 2000						
Revisio	Revision date 18th May 2021		Version	2.0				
14.6.	Special precaut	ions for user						
	Reference in the	Sections 4 to 8.						
14.7.	Maritime transp	port in bulk according to I	MO instruments					
	not available							
	Additional information							
	Hazard ident	tification No.						
	UN number		1719					
	Safety signs		8					
			8					

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

# 15.2. Chemical safety assessment

For mixture: A Chemical Safety Assessment has not been carried out. For the following substances, mixtures: Sodium hydroxide: the manufacturer has performed a chemical safety assessment Editronic acid: the manufacturer has not performed a chemical safety assessment Alcohols, C11-13-branched, ethoxylated: no data available

# **SECTION 16: Other information**

#### A list of standard risk phrases used in the safety data sheet H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. Guidelines for safe handling used in the safety data sheet P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

# Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road



according to Regulation (EC) No 1907/2006 (REACH) as amended

	TRUCK CLEAN
Creation date	10th August 2000
Revision date	18th May 2021 Version 2.0
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and
	mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous
	Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the
2030	population
LD 50	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
	Parts per million
ppm	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Training guide	lines
	onnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited
	restrictions of use
not available	

not available

Information about data sources used to compile the Safety Data Sheet



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **TRUCK CLEAN**

Creation date		10th August	2000							
Revision date	:	18th May 20	21		Version			2.0		
REGULATION	(EC) No.	1907/2006	OF THE	EUROPEAN	PARLIAMENT	AND (	OF THE	COUNCIL	(REACH)	as amende

REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

### More information

Classification procedure - calculation method.

# Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

