		SAFETY I	DATA SHEET	•	
	according to Commission Regulation (EU) 2020/878 as amended				
		CLINEX EXPE	RT + PLASTIC	CAR	
Creation date26th March 2015Revision date19th November 2021Version5.0					
SECTI 1.1.	ON 1: Identification of the Product identifier	e substance/mixture a	nd of the company/	-	
	Substance / mixture		mixture		
	Number		M-21082017		
	UFI		XK4X-E65T-199G-CWHG		
1.2.	Relevant identified uses	of the substance or m	xture and uses advi	sed against	
	Mixture's intended use				
	Universal cleaner.				
	Main intended use				
	PC-CLN-OTH	51	e and maintenance pro	ducts (excludes biocidal products)	
	Mixture uses advised ag The product should not be		hose referred in Section	n 1	
1.3.	Details of the supplier of				
	Manufacturer	surery and sheet			
	Name or trade name		AMTRA Sp. z o. o. Schonów 3, Sosnowiec, 41-200 Poland PL6250009241 +48 32 294 41 00		
	Address				
	VAT Reg No				
	Phone				
	E-mail		amtra@amtra.pl		
	Competent person responsible for the safety data sheet				
	Name       AMTRA Sp. z o. o.         E-mail       amtra@amtra.pl         4. Emergency telephone number				
				DI	
1.4.					
1.4. SECT	European emergency numb	ber: 112			
SECT	European emergency numb	ber: 112 ion stance or mixture ture in accordance wit	h Regulation (EC) No	o 1272/2008	
SECT	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315	ber: 112 ion stance or mixture ture in accordance wit	h Regulation (EC) No	o 1272/2008	
SECT	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as	ber: 112 ion stance or mixture ture in accordance wit dangerous.			
SECT	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effections and the serious adverse effection of the sub- Clauses serious eye damaged	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effication Causes serious eye damage Label elements	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effections and the serious adverse effection of the sub- Clauses serious eye damaged	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effication Causes serious eye damage Label elements	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effication Causes serious eye damage Label elements	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effication Causes serious eye damage Label elements	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effication Causes serious eye damage Label elements	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effections Causes serious eye damage Label elements Hazard pictogram	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effication Causes serious eye damage Label elements	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
5ECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effections Causes serious eye damage Label elements Hazard pictogram Signal word	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health			
5ECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effection Causes serious eye damage Label elements Hazard pictogram Signal word Danger	ion stance or mixture ture in accordance wit a dangerous. fects on human health e. Causes skin irritation.			
5ECTI 2.1.	European emergency numb ION 2: Hazards identificati Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse eff Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances	ion stance or mixture ture in accordance wit a dangerous. fects on human health e. Causes skin irritation.			
SECTI 2.1.	European emergency numb ION 2: Hazards identificati Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse eff Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances Sulfonic acids, C14-17-sec- Hazard statements H315	ber: 112 ion stance or mixture ture in accordance wit a dangerous. fects on human health e. Causes skin irritation. -alkane, sodium salts Causes skin irritatio	<b>and the environmen</b>		
5ECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effection Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances Sulfonic acids, C14-17-section Hazard statements	ober: 112 ion stance or mixture ture in accordance wit a dangerous. fects on human health e. Causes skin irritation.	<b>and the environmen</b>		
SECTI 2.1.	European emergency numb ION 2: Hazards identificati Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse eff Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances Sulfonic acids, C14-17-sect Hazard statements H315 H318 Precautionary statemen	ber: 112 ion stance or mixture ture in accordance wit a dangerous. fects on human health e. Causes skin irritation. -alkane, sodium salts Causes skin irritatio Causes serious eye ts	and the environmen	t	
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effection Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances Sulfonic acids, C14-17-section Hazard statements H315 H318 Precautionary statement P280	ber: 112 ion stance or mixture ture in accordance wit a dangerous. fects on human health e. Causes skin irritation. -alkane, sodium salts Causes skin irritatio Causes serious eye ts Wear protective glo	and the environmen n. damage. ves/protective clothing	t /eye protection/face protection.	
SECTI 2.1.	European emergency numb ION 2: Hazards identificati Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse eff Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances Sulfonic acids, C14-17-sect Hazard statements H315 H318 Precautionary statemen	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health e. Causes skin irritationalkane, sodium salts Causes skin irritatio Causes serious eye ts Wear protective glo IF IN EYES: Rinse c	and the environmen n. damage. ves/protective clothing autiously with water fo	t /eye protection/face protection. r several minutes. Remove contact	
SECTI 2.1.	European emergency numb ION 2: Hazards identification Classification of the sub Classification of the mix The mixture is classified as Skin Irrit. 2, H315 Eye Dam. 1, H318 Most serious adverse effection Causes serious eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances Sulfonic acids, C14-17-section Hazard statements H315 H318 Precautionary statement P280	ber: 112 ion stance or mixture ture in accordance wit dangerous. fects on human health e. Causes skin irritationalkane, sodium salts Causes skin irritatio Causes serious eye ts Wear protective glo IF IN EYES: Rinse c lenses, if present ar	and the environmen n. damage. ves/protective clothing	t /eye protection/face protection. r several minutes. Remove contact	

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date 26th March 2015 Revision date 19th November 2021

Version

5.0

P332+P313

If skin irritation occurs: Get medical advice/attention.

# Supplemental information

5-<15 % anionic surfactants, <5 % non-ionic surfactants, perfumes, Bronopol, 2-oktylo-2H-izotiazol-3on, Hexyl cinnamal

# 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 97489-15-1 EC: 307-055-2 Registration number: 01-2119489924-20-	Sulfonic acids, C14-17-sec-alkane, sodium salts	3-6	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
CAS: 308061-30-5	oxyethoxylated fatty alcohol	1-7	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 160875-66-1	2-Propylheptanol ethoxylate	1-4	Eye Dam. 1, H318	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5	sodium hydroxide	1-2	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Eye Irrit. 2, H319: $0.5 \% \le C < 2 \%$ Skin Irrit. 2, H315: $0.5 \% \le C < 2 \%$	

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

# If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

## If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

# If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

## If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date Revision date

4.2.

26th March 2015 19th November 2021

Version

5.0

# Most important symptoms and effects, both acute and delayed

## If inhaled

Inhaling vapours can cause corrosion of the breathing system. **If on skin** Causes skin irritation. **If in eyes** Causes serious eye damage.

## If swallowed

Corrosion of the digestion system can occur.

# 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

# Unsuitable extinguishing media

Water - full jet.

# 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

# 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

# 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

# 6.4. Reference to other sections

See the Section 7, 8 and 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.
7.2. Conditions for safe storage, including any incompatibilities

- Recommended storage temperature is from +5 °C to +30 °C. Protect against frost. Protect from sunlight. Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.
- 7.3. Specific end use(s) not available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date	26th March 2015		
Revision date	19th November 2021	Version	5.0

# 8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

# Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

# Skin protection

#### Hand protection:

Chemical resistant gloves should be worn whenever working with chemical products when a risk assessment indicates this is necessary. The selected protective gloves must meet the requirements of the EN 374-1 standard. Recommended for long-term contact: Material for protective gloves: nitrile rubber Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6 Recommended for momentary contact: Material for protective gloves: nitrile rubber Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6 Recommended for momentary contact: Material for protective gloves: nitrile rubber Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6 Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

Mask with a filter in a poorly ventilated environment.

Thermal hazard

Not available.

# **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	13 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.03 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available
Other information	

# 9.2. Other information not available

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date Revision date 26th March 2015 19th November 2021

Version

5.0

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

- not available
- 10.2. Chemical stability

The product is stable under normal conditions.

# **10.3.** Possibility of hazardous reactions Unknown.

# 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

# 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

# **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## Acute toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

## Serious eye damage/irritation

Causes serious eye damage. Data for the components of the mixture are not available.

## **Respiratory or skin sensitisation**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## **Reproductive toxicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date Revision date

Version

5.0

## **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

# 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

# 12.2. Persistence and degradability

No data are available for either the mixture or the components. The mixture is biodegradable.

## 12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

26th March 2015

19th November 2021

## 12.4. Mobility in soil

No data are available for either the mixture or the components.

# 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## **SECTION 14: Transport information**

14.1. UN number or ID number

not subject to transport regulations

- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date Revision date 26th March 2015 19th November 2021

Version

5.0

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

A list of standard risk phras	ses used in the safety data sheet			
H290	May be corrosive to metals.			
H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H412	Harmful to aquatic life with long lasting effects.			
Guidelines for safe handling	g used in the safety data sheet			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a POISON CENTER/doctor.			
P332+P313	If skin irritation occurs: Get medical advice/attention.			
Other important informatio	n about human health protection			
The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.				
Key to abbreviations and ac	cronyms used in the safety data sheet			
ADR	European agreement concerning the international carriage of dangerous goods by road			
BCF	Bioconcentration Factor			
CAS	Chemical Abstracts Service			
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures			
EC	Identification code for each substance listed in EINECS			
EINECS	European Inventory of Existing Commercial Chemical Substances			
EmS	Emergency plan			
EU	European Union			
EuPCS	European Product Categorisation System			
IATA	International Air Transport Association			
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals			
ICAO	International Civil Aviation Organization			
IMDG	International Maritime Dangerous Goods			
IMO	International Maritime Organization			
INCI	International Nomenclature of Cosmetic Ingredients			
ISO	International Organization for Standardization			
IUPAC	International Union of Pure and Applied Chemistry			
log Kow	Octanol-water partition coefficient			

according to Commission Regulation (EU) 2020/878 as amended

# **CLINEX EXPERT + PLASTICAR**

Creation date26th March 2015Revision date19th November 2021Version5.0

OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

# **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.