

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **PRISMA ZX SAE 75W/90**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

### Application of the substance / the mixture

Gear Oil

Only for proper handling.

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

MOTOREX AG

Bern–Zürich–Strasse 31, Postfach

CH–4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

Further information obtainable from: [msds@motorex.com](mailto:msds@motorex.com)

### 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Carc. 1B H350 May cause cancer.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

#### Hazard pictograms



GHS08

#### Signal word Danger

#### Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light paraffinic

Distillates (petroleum), solvent-refined heavy paraffinic

#### Hazard statements

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)

# Safety data sheet

## according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 1)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:**

255881-94-8 Alkyl dithiophosphate

vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	25-50%
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	2.5-7.5%
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	≥0≤7.5%
CAS: 64742-65-0 EINECS: 265-169-7 Index number: 649-474-00-6 Reg.nr.: 01-2119471299-27	Distillates (petroleum), solvent-dewaxed heavy paraffinic Asp. Tox. 1, H304	≥0.1≤7.5%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil (petroleum) Asp. Tox. 1, H304	≥0≤7.5%
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304	≥0≤7.5%
CAS: 64742-56-9 EINECS: 265-159-2 Index number: 649-469-00-9 Reg.nr.: 01-2119480132-48	Distillates (petroleum), solvent-dewaxed light paraffinic Asp. Tox. 1, H304	≥0≤7.5%
CAS: 255881-94-8 EINECS: 401-850-9 Reg.nr.: 01-2119945343-39	Alkyl dithiophosphate Repr. 2, H361; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10) PBT	≥0.25≤1%
EC number: 627-034-4	C16-18-(even numbered, saturated and unsaturated)-alkylamines STOT RE 2, H373; Asp. Tox. 1, H304; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302; STOT SE 3, H335	≥0.1<0.25%

**Additional information:**

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.

(Contd. on page 3)

# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

Trade name: PRISMA ZX SAE 75W/90

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Remove residues with soap and water.  
Remove contaminated clothing immediately.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Do not induce vomiting. Do not take in resorption stimulating agents.  
Consult a physician who will decide on need and method of emptying the stomach.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire carbon, sulphur and nitrogen oxides can be formed.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about fire - and explosion protection:**  
Do not heat above flash point.  
Keep respiratory protective device available.

(Contd. on page 4)

# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

Trade name: PRISMA ZX SAE 75W/90

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
The recommended storage temperature is (deg.C): ≤50°C  
Store containers closed and protect against rain, dust, heat and other atmospheric influences.  
Keep container tightly sealed.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · DNELs

#### 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m <sup>3</sup> /8h (worker)
	DNEL/general population/Local effects/Long-term	1.2 mg/m <sup>3</sup> /24h (consumer)

#### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Dermal	DNEL / Workers / Local Effects / Long-term	1 mg/kg/8h (worker)
Inhalative	DNEL	2.7-5.4 mg/m <sup>3</sup> /8h (worker)
	DNEL	1.2 mg/m <sup>3</sup> /24h (consumer)

#### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Dermal	DNEL / Workers / Local Effects / Long-term	1 mg/kg/8h (worker)
Inhalative	DNEL	2.7-5.4 mg/m <sup>3</sup> /8h (worker)
	DNEL	1.2 mg/m <sup>3</sup> /24h (consumer)

#### 64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic

Inhalative	DNEL	5.4 mg/m <sup>3</sup> /8h (worker)
	DNEL	1.2 mg/m <sup>3</sup> /24h (consumer)

#### 8042-47-5 White mineral oil (petroleum)

Dermal	DNEL / Workers / Systemic effects / Long-term	220 mg/kg/24h (worker)
Inhalative	DNEL / Workers / Systemic effects / Long-term	160 mg/m <sup>3</sup> (worker)

#### 64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic

Dermal	DNEL / Workers / Systemic Effects / Long-term	1 mg/kg/8h (worker)
Inhalative	DNEL / Workers / Systemic Effects / Long-term	2.7 mg/m <sup>3</sup> /8h (worker)

### · PNECs

#### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral	PNEC / Predators / Secondary poisoning	9.33 mg/kg food (secondary poisoning (predators))
------	----------------------------------------	---------------------------------------------------

#### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral	PNEC / Predators / Secondary poisoning	9.33 mg/kg food (secondary poisoning (predators))
------	----------------------------------------	---------------------------------------------------

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

## Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 4)

*Wash hands before breaks and at the end of work.**Store protective clothing separately.**Do not inhale gases / fumes / aerosols.***· Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.***· Hand protection**

Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***· Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***· Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***· Eye/face protection**

safety goggles

**· Body protection: Protective work clothing**

### SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Yellow

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

Undetermined.

**· Boiling point or initial boiling point and boiling range**

Undetermined.

**· Flammability**

Not applicable.

**· Lower and upper explosion limit****· Lower:**

Not determined.

**· Upper:**

Not determined.

**· Flash point:**

&gt;200 °C

**· Auto-ignition temperature:**

&gt;260 °C (DIN 51794)

**· Decomposition temperature:**

Not determined.

**· pH**

Not determined.

**· Viscosity:****· Kinematic viscosity**87 mm<sup>2</sup>/s @ 40 °C (DIN 51562-1)**· Consistency****· Dynamic:**

Not determined.

(Contd. on page 6)

## Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 5)

· <b>Solubility</b>	
· <b>water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Heat Capacity</b>	
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.873 g/cm <sup>3</sup> (ASTM D 4052)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

GB

(Contd. on page 7)



# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

Trade name: PRISMA ZX SAE 75W/90

(Contd. of page 6)

## SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

#### 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m3 (rat)
	NOEC	220 mg/m3 (rat)

#### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)

#### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)

#### 64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic

Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)

(Contd. on page 8)

# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 7)

	NOEL	220 mg/m <sup>3</sup> (rat)
	NOAEL	980 mg/m <sup>3</sup> (rat)
<b>8042-47-5 White mineral oil (petroleum)</b>		
Oral	LD50	5,000 mg/kg (rat)
	NOEL	20-20,000 ppm (rat)
	NOAEL	1,200 mg/kg/24h (rat)
	NOAEL	20,000 ppm (rat)
	LOEL	20-2,000 ppm (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
	NOAEL	125-2,000 mg/kg/24h (rat)
Inhalative		1,000 mg/kg/24h (rabbit)
	LC50 / 4h	5 mg/l (rat)
	NOEL	50 mg/m <sup>3</sup> (rat)
	LOEL	210 mg/m <sup>3</sup> (rat)
<b>64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic</b>		
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m <sup>3</sup> (rat)
	NOAEL	980 mg/m <sup>3</sup> (rat)
<b>64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic</b>		
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
Inhalative	LOAEL	100 mg/kg/24h (mouse)
	NOEL	220 mg/m <sup>3</sup> (rat)
	NOAEL	980 mg/m <sup>3</sup> (rat)

· **Carcinogenicity** May cause cancer.· **11.2 Information on other hazards**· **Endocrine disrupting properties**

74499-35-7 phenol, 2-dodecyl-, branched

List I

## SECTION 12: Ecological information

· **12.1 Toxicity**· **Aquatic toxicity:****72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

LL50 10,000 mg/l/96h (aquatic invertebrates)

(Contd. on page 9)

GB



# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 8)

	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
<b>64742-55-8 Distillates (petroleum), hydrotreated light paraffinic</b>	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	>100 mg/l/96h (Pimephales promelas) (OECD 203)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
NOEL	>100 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201)
<b>64742-55-8 Distillates (petroleum), hydrotreated light paraffinic</b>	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
	>100 mg/l/96h (Pimephales promelas) (OECD 203)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
NOEL	>100 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201)
<b>64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic</b>	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
<b>8042-47-5 White mineral oil (petroleum)</b>	
LL50	100 mg/l/48h (aquatic invertebrates)
<b>64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic</b>	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
<b>64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic</b>	
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)

· **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 10)

GB

# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

Trade name: PRISMA ZX SAE 75W/90

(Contd. of page 9)

## 12.3 Bioaccumulative potential

### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Partition coefficient &gt;3.5 [---] (log Kow) (Bioaccumulation)

### 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic

Partition coefficient &gt;3.5 [---] (log Kow) (Bioaccumulation)

### 64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic

Partition coefficient &gt;6 [---] (log Kow) (Bioaccumulation)

### 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Partition coefficient &gt;6 [---] (log Kow) (Bioaccumulation)

### 64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic

Partition coefficient &gt;3.5 [---] (log Kow) (Bioaccumulation)

## 12.4 Mobility in soil No further relevant information available.

## 12.5 Results of PBT and vPvB assessment

### PBT:

255881-94-8 Alkyl dithiophosphate

### vPvB: Not applicable.

## 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

## 12.7 Other adverse effects

**Remark:** Harmful to fish

### Additional ecological information:

### General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA

Not classified as hazardous for transport

### 14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA

Not classified as hazardous for transport

### 14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class

Not classified as hazardous for transport

(Contd. on page 11)

GB

## Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

Trade name: PRISMA ZX SAE 75W/90

(Contd. of page 10)

- |                                                                                                                            |                                                  |
|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR/RID/ADN, IMDG, IATA</b></li> </ul>    | <p>Not classified as hazardous for transport</p> |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul> | <p>No</p>                                        |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> </ul>                               | <p>Not applicable.</p>                           |
| <ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>    | <p>Not applicable.</p>                           |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>                                          | <p>Not classified as hazardous for transport</p> |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Poisons Act**
- |                                                                                             |                                           |
|---------------------------------------------------------------------------------------------|-------------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>Regulated explosives precursors</b></li> </ul>  | <p>None of the ingredients is listed.</p> |
| <ul style="list-style-type: none"> <li>· <b>Regulated poisons</b></li> </ul>                | <p>None of the ingredients is listed.</p> |
| <ul style="list-style-type: none"> <li>· <b>Reportable explosives precursors</b></li> </ul> | <p>None of the ingredients is listed.</p> |
| <ul style="list-style-type: none"> <li>· <b>Reportable poisons</b></li> </ul>               | <p>None of the ingredients is listed.</p> |
- **Directive 2012/18/EU**
  - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
  - **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)**
  - **Information about limitation of use:**  
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
  - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008. No special training instructions to ensure protection of human health and environment are required.

- **purity requirement**
  - **Relevant phrases**
- H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 12)

# Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 11)

- **Department issuing SDS:** Abteilung Produktsicherheit
- **Abbreviations and acronyms:**
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Carc. 1B: Carcinogenicity – Category 1B
  - Repr. 2: Reproductive toxicity – Category 2
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
  - STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
  - Asp. Tox. 1: Aspiration hazard – Category 1
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
  - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- **\* Data compared to the previous version altered.**

## Annex: Exposure scenario 1

- **Short title of the exposure scenario**  
Industrial use of lubricants and greases in vehicles or machinery
- **Sector of Use**  
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Product category**
  - PC16 Heat transfer fluids
  - PC17 Hydraulic fluids
  - PC24 Lubricants, greases, release products
- **Process category**
  - PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
  - PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
  - PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
  - PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- **Environmental release category**
  - ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
  - ERC7 Use of functional fluid at industrial site
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**  
Disposal must be made according to official regulations.

(Contd. on page 13)

## Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

**Trade name: PRISMA ZX SAE 75W/90**

(Contd. of page 12)

- Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

### Annex: Exposure scenario 2

- **Short title of the exposure scenario**  
Professional use of lubricants and greases in vehicles or machines
- **Sector of Use**  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category**  
PC16 Heat transfer fluids  
PC17 Hydraulic fluids  
PC24 Lubricants, greases, release products
- **Process category**  
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.  
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions  
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities  
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities  
PROC20 Use of functional fluids in small devices
- **Environmental release category**  
ERC9a Widespread use of functional fluid (indoor)  
ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**  
Disposal must be made according to official regulations.  
Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.

(Contd. on page 14)



## Safety data sheet according to UK REACH



Printing date 11.11.2024

Version number 3.0 (replaces version 2.3)

Revision: 11.11.2024

Trade name: PRISMA ZX SAE 75W/90

(Contd. of page 13)

· **Guidance for downstream users** No further relevant information available.

### Annex: Exposure scenario 3

- **Short title of the exposure scenario** Private use of lubricants and greases in vehicles or machines
- **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
- **Product category** PC24 Lubricants, greases, release products
- **Environmental release category**
  - ERC9a Widespread use of functional fluid (indoor)
  - ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**  
Disposal must be made according to official regulations.  
Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB