

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2023

Version: 1.00

Revision: 08.09.2023

Printing date 18.10.2023	Version: 1.00	Revision: 08.09.2023
SECTION 1: Identification o	f the substance/mixture and o	of the company/undertaking
1.1 Product identifier		
Trade name: <u>SONAX Clear View 1</u>	:100 Concentrate Lemon Rocks	
Application of the substance / the Car care product Detergents Consumer uses: Private households Professional uses		vised against
1.3 Details of the supplier of the s Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0	-	
<i>Further information obtainable fro</i> <i>Product safety</i> <i>E-mail: erp@sonax.de</i> <i>Phone: + +49 (0) 8431 53 217</i> <i>United Kingdom:</i> <i>Anglo American Oil Company Ltd</i> <i>58 Holton Road, Holton Heath Tradi</i> <i>Telephone: (+44) 01929 551557</i> <i>Email: info@aaoil.co.uk</i>	ing Park, Poole, Dorset, BH16 6LT	
1.4 Emergency telephone number <u>European Union:</u> +49 (0) 89 19240 <u>United Kingdom:</u> 0344 892 0111 (Members of Public in England, Scot In Northern Ireland, contact your loc) (Poison Centre Munich) 'UK NPIS) land and Wales can contact NHS 111/	/NHS 24 by dialling 111
SECTION 2: Hazards identif	lication	
2.1 Classification of the substanc Classification according to Regul Skin Sens. 1 H317 May cause an a	e or mixture ation (EC) No 1272/2008	
2.2 Label elements Labelling according to Regulation		
Signal word Warning Hazard-determining components 2-methylisothiazol-3(2H)-one linalool Hazard statements H317 May cause an allergic skin rea Precautionary statements P101 If medical advice is nee P102 Keep out of reach of ch P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with	action. ded, have product container or label a ildren.	at hand. (Contd. on page 2)
		GB —

SONAX®

Printing date 18.10.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 1.00

Revision: 08.09.2023

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

(Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

Dangerous components:		
	Aliphatic alcohol, ethoxylated, sulfated, sodium salt	5-<10%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 68515-73-1	Alkyl polyglycoside C8-10	1-<3%
NLP: 500-220-1	📀 Eye Dam. 1, H318	
Reg.nr.: 01-2119488530-36-xxxx	Specific concentration limits:	
	Eye Dam. 1; H318: C ≥ 10%	
	Eye Irrit. 2; H319: 10 % ≤ C < 10 %	
CAS: 78-70-6	linalool	<1%
EINECS: 201-134-4	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B,	
Reg.nr.: 01-2119474016-42-xxxx	H317	
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one	>0.0015-<0.01%
EINECS: 220-239-6	line Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.	
Reg.nr.: 01-2120764690-50-xxxx	2, H330; 💫 Skin Corr. 1B, H314; Eye Dam. 1, H318;	
	♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,	
	H410 (M=1); 🚸 Skin Sens. 1A, H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥	
	0.0015 %	
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	<0.01%
EINECS: 223-296-5	♦ Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT RE 1, H372; ♦ Aquatic Acute 1, H400 (M=100); Aquatic	
Reg.nr.: 01-2119493385-28-xxxx	RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic	
	Chronic 2, H411; 🔿 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants		≥5 - <15%
non-ionic surfactants		<5%
	L, CITRAL, LIMONENE, CITRONELLOL),	
methylisothiazolinone, sodium pyr	ithione, benzisothiazolinone	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: No special measures required


After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

(Contd. on page 3)

⁻ GB



according to 1907/2006/EC, Article 31

Revision: 08.09.2023

(Contd. of page 2)

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. *After swallowing:*

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

sensitization

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility:

Store away from foodstuffs. Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Printing date 18.10.2023

Version: 1.00

SONAX[®]

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2023

Version: 1.00

Revision: 08.09.2023

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

(Contd. of page 3)

0.1 00	ntrol para	amotors	
		n limit values that require monitoring at the workplace:	
The pro	oduct does	s not contain any relevant quantities of materials with critical values that have to be r	nonito
at the w	workplace.		
DNELs	S		
CAS: 6	6 8515-73- 1	1 Alkyl polyglycoside C8-10	
Oral	DNEL	35.7 mg/kg (consumer) (longterm exposure - systemic effects)	
Derma	I DNEL	357,000 mg/kg (consumer) (longterm exposure - systemic effects)	
	DNEL	595,000 mg/kg (worker) (longterm exposure - systemic effects)	
Inhalat	ive DNEL	124 mg/m³ (consumer) (longterm exposure - systemic effects)	
		420 mg/m ³ (worker) (longterm exposure - systemic effects)	
PNECs	s I	1	
CAS: 6	68515-73-1	1 Alkyl polyglycoside C8-10	
		l (sporadic release)	
	560 mg/l		
		// (water (fresh water))	
	-	ig/l (water (sea water))	
PNEC		g/kg (oral (secondary poisoning))	
	0.654 mg		
	-	//kg (sediment (fresh water))	
	-	//kg (sediment (sea water))	
Individ Genera The us Keep a	al protecti ual precau away from	<i>mation:</i> The lists valid during the making were used as basis. <i>Introls</i> <i>iction measures, such as personal protective equipment</i> <i>ive and hygienic measures:</i> <i>utionary measures are to be adhered to when handling chemicals.</i> <i>foodstuffs, beverages and feed.</i> <i>ore breaks and at the end of work.</i>	
Individ General The us Keep a Wash I Respir Not rec Ensure Hand p Materia Nitrile I Recom [EN 37 Penetr Value 1 The de conditio	Jual protection al protection away from the start away from the start away from the start and start and the start and start and start and start and start ator the period the start ator the period start ator the period start ator the period start ator the period start ator the start ator	ontrols action measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases otilation/exhaustion at the workplace. or Protective gloves es	
Individ Genera The us Keep a Wash I Respir Not rec Ensure Hand µ Materia Nitrile I Recom [EN 37 Penetr Value 1 The de condition recom Eye/fa	Jual protection al protection away from hands before thands before atory protection al of glove rubber, NB mended the tration time for the peri- termined pe	ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases titlation/exhaustion at the workplace. or Protective gloves es 3R hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) penetration times according to EN 16523-1:2015 are not performed under practical efore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases	
Individ Genera The us Keep a Wash I Respir Not rec Ensure Hand µ Materia Nitrile n Recom [EN 37 Penetr Value 1 The de condition recom Eye/fa	tual protection al protection away from the series thands before the good ven protection al of glove rubber, NB mended the peri- tetermined pe	ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases ntilation/exhaustion at the workplace. Protective gloves es 3R hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) penetration times according to EN 16523-1:2015 are not performed under practical efore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases Physical and chemical properties	
Individ Genera The us Keep a Wash I Respir Not rec Ensure Hand µ Materia Nitrile I Recom [EN 37 Penetr Value 1 The de condition recom Eye/fac SEC1 9.1 Infe	tual protection al protection away from hands before ratory protection aurotection al of glove rubber, NB mended the ration time for the peri- termined p for the peri- termined p ons. The peri- termined p for the peri- te	ontrols ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases titlation/exhaustion at the workplace. Protective gloves es BR hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) benetration times according to EN 16523-1:2015 are not performed under practical efore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases Physical and chemical properties on basic physical and chemical properties	
Individ Genera The us Keep a Wash I Respir Not rec Ensure Hand p Materia Nitrile r Recom [EN 37 Penetr Value t The de condition recom Eye/fa SECT 9.1 Info Genera	Jual protection al protection away from the series thands before the good ven protection al of glove trubber, NB the series the series for the peri- termined p for the peri- termined p termined p to the peri- termined p to	ontrols ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases titlation/exhaustion at the workplace. o Protective gloves es BR hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) penetration times according to EN 16523-1:2015 are not performed under practical efore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases Physical and chemical properties ation	
Individ Genera The us Keep a Wash I Respir Not rec Ensure Hand p Materia Nitrile r Recom [EN 37 Penetr Value t The de condition recom Eye/fa SECT 9.1 Info Genera Physic	Jual protection al protection away from the second bands before a good ven protection al of glove rubber, NB mended the ration time for the peri- termined p for the peri-	ontrols ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases titlation/exhaustion at the workplace. Protective gloves es BR hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) benetration times according to EN 16523-1:2015 are not performed under practical efore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases Physical and chemical properties on basic physical and chemical properties	
Individ General The us Keep a Wash I Respir Not rec Ensure Hand p Material Nitrile r Recom [EN 37 Penetr Value t The de condition recom Eye/fa SECT 9.1 Info General Physic Colour Odour	dual protection al protection away from the second bands before a good ven protection al of glove rubber, NB mended the ration time for the peri- termined p for the peri-	ontrols ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. foodstuffs, beverages and feed. ore breaks and at the end of work. tection: ormal cases titilation/exhaustion at the workplace. n Protective gloves es 3R hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) penetration times according to EN 16523-1:2015 are not performed under practical afore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases Physical and chemical properties on basic physical and chemical properties ation Fluid Yellow Citrus	
Individ General The us Keep a Wash I Respir Not rec Ensure Hand p Material Nitrile r Recom [EN 37 Penetr Value t The de condition recom Eye/fa SECT 9.1 Info General Physic Colour Melting	Jual protection al protection away from the second bands before a good ven protection al of glove rubber, NB mended the ration time for the peri- termined p for the peri-	ontrols ction measures, such as personal protective equipment ive and hygienic measures: utionary measures are to be adhered to when handling chemicals. foodstuffs, beverages and feed. foodstuffs, beverages and at the end of work. tection: ormal cases es BR hickness of the material: ≥ 0.4 mm e of glove material meation: Level 6 (≥480min) penetration times according to EN 16523-1:2015 are not performed under practical efore a maximum wearing time, which corresponds to 50% of the penetration time, is tion Not required in normal cases Physical and chemical properties ontion<	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2023

Version: 1.00

Revision: 08.09.2023

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

	(Contd. of page 4)
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	9-10
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	
Density at 20 °C:	1.02-1.04 q/cm ³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	1
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

- **10.2 Chemical stability** Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

GB

SONAX®

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2023

Version: 1.00

Revision: 08.09.2023

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

(Contd. of page 5)

	formation on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicity Based on available data, the classification criteria are not met.
LD/LC5	0 values relevant for classification:
CAS: 7	8-70-6 linalool
Oral	LD50 2,790 mg/kg (rat)
Dermal	LD50 5,610 mg/kg (rabbit)
Skin co	prrosion/irritation Based on available data, the classification criteria are not met.
Seriou	s eye damage/irritation Based on available data, the classification criteria are not met.
Respira	atory or skin sensitisation May cause an allergic skin reaction.
Germ c	ell mutagenicity Based on available data, the classification criteria are not met.
Carcine	ogenicity Based on available data, the classification criteria are not met.
Reproc	luctive toxicity Based on available data, the classification criteria are not met.
STOT-s	ingle exposure Based on available data, the classification criteria are not met.
STOT-r	epeated exposure Based on available data, the classification criteria are not met.
11.2 Int Endoci Accordi	tion hazard Based on available data, the classification criteria are not met. Formation on other hazards Fine disrupting properties Ing to the current state of scientific knowledge, there is no data for the product regarding endocr Ing properties with health effects.

SECTION 12: Ecological information

12.1 Toxicity Product is considered to be harmful to aquatic organisms. May have long-term harmful effects in aquatic environments.

Aquatic toxic	ity:	
CAS: 2682-20	-4 2-methylisothiazol-3(2H)-one	
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
EC50/3h	EC50/3h 34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))	
CAS: 3811-73	-2 pyridine-2-thiol 1-oxide, sodium salt	
LC50 / 96h	0.00767 mg/l (Zebrabärbling)	
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)	
EC50/3h	1.81 mg/l (KS) (OECD 209)	
EC50 / 48h	0.022 mg/l (daphnia)	
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)	
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)	
(EC/648/2004	ctive substances contained in the product meet the requirement of the EU Detregent Regulation () for ultimate biodegradability for surfactants in detergents.	
Aliphatic alco	ohol, ethoxylated, sulfated,sodium salt	
Biodegradatio	n >60 % (OECD 301B)	
CAS: 3811-73	-2 pyridine-2-thiol 1-oxide, sodium salt	
Biodegradatio	n >70 % (activated sludge) (OECD 301 B)	
12.3 Bioaccu	mulative potential	
CAS: 2682-20	-4 2-methylisothiazol-3(2H)-one	
BCF 3.16		
log Kow ≤0.3	2	
	(Contd. on pag	

(Contd. of page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 Version: 1.00

Revision: 08.09.2023

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt

log Kow <-1.09 ((n-Octanol/Wasser) OECD 107)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging HP14 Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	

(Contd. on page 8)



Printing date 18.10.2023

/ (

Safety data sheet

according to 1907/2006/EC, Article 31

Version: 1.00

Revision: 08.09.2023

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 1.15 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

- LC = letal Concentration EC50 = half maximal effective concentration
- log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord rela^tif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values



Printing date 18.10.2023

GB



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 08.09.2023

Printing date 18.10.2023

Version: 1.00

Trade name: SONAX Clear View 1:100 Concentrate Lemon Rocks

(Contd. of page 8) Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2