

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22/5/2018 Revision date: 29/3/2024 Supersedes version of: 14/4/2023 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	Mixture
Trade name	RIDEX PLUS AE 5W-30 C2/C3
Product code	99.00.70
Product group	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	Industrial use, professional use, consumer use
Use of the substance/mixture	Engine oil
Function or use category	Lubricants and additives

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

RIDEX GmbH Josef-Orlopp-Straße 55 10365 Berlin, Germany www.ridex.eu +49 302 202 72 34 info@ridex.de

1.4. Emergency telephone number



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country/area	Organisation/company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (healthcare professionals, 24/7) +353 1 809 2166 (public, 8 a.m10 p.m., 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified.

Adverse physicochemical, human health, and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practices.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH statements	EUH208 – contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts, alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction. EUH210 – safety data sheet available on request.
----------------	---

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list made in accordance with Article 59(1) of REACH for having endocrine-disrupting properties, nor does it have any substance(s) identified as having endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %.

SECTION 3: Composition/information on ingredients



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.1. Substances

Not applicable.

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	25-50	Asp. Tox. 1, H304
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	0.1–1	Skin Sens. 1B, H317
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0	0.1–1	Skin Sens. 1B, H317 Repr. 2, H361d

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	(2 ≤ C < 100) Skin Sens. 1B, H317
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0	(2 ≤ C < 100) Skin Sens. 1B, H317 (17.15 ≤ C < 100) Repr. 2, H361d

Comments	The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.
	extract, according to IP346.

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3% of dimethyl sulphoxide extract using method IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene-free petroleum fractions – dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall also be performed for that hazard class.

Full text of H and EUH statements: see Section 16.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First-aid measures

4.1. Description of first-aid measures

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water.
First-aid measures after eye contact	Rinse eyes with water as a precaution.
First-aid measures after ingestion	Call a poison centre or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Water spray, dry powder, foam, carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	Combustible liquid.
Hazardous decomposition products in case of fire	Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide, and other toxic gases.

5.3. Advice for firefighters



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting	Do not attempt to take action without suitable protective equipment. Use a self-contained breathing apparatus and complete protective clothing.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment, and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	Ventilate spillage area.
----------------------	--------------------------

6.1.2. For emergency responders

equipment. For further information refer to Section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Take up liquid spill into absorbent material.
Other information	Dispose of materials or solid residues at an authorised site.

6.4. Reference to other sections

For further information refer to Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautions for safe handling	Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	0-40°C

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

RIDEX PLUS AE 5W-30 C2/C3	
EU - Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols occur, the following is recommended.	5 mg/m³ – ACGIH TLV (inhalable fraction).

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

No additional information available.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses.

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	Clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing.

Hand protection:

Protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0.35		EN ISO 374



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Brown
Odour	Characteristic
Odour threshold	Not available
Melting point	Not applicable
Freezing point	-36°C - ASTM D5950 (pour point)
Boiling point	Not available
Flammability	Not applicable
Explosive properties	Presents no particular fire or explosion hazard.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	226°C - ASTM D92 (COC)
Auto-ignition temperature	Not available



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Decomposition temperature	Not available
рН	Not available
Viscosity, kinematic	72 mm ² /s (40°C) – ASTM D7042
Solubility	Water: Insoluble/slightly miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	0.852 kg/l (15°C) - ASTM D4052
Relative density	Not available
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

VOC content	0%	
-------------	----	--

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage, and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidisers.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

None under recommended storage and handling conditions (see Section 7).

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Oral LD ₅₀ (rat)	> 5000 mg/kg
Dermal LD ₅₀ (rabbit)	> 2000 mg/kg
Inhalation LC ₅₀ (rat)	> 5.53 mg/l/4h

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

RIDEX PLUS AE 5W-30 C2/C3	
Viscosity, kinematic	72 mm ² /s (40°C) – ASTM D7042

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Viscosity, kinematic	< 20.5 mm ² /s	
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes	

11.2. Information on other hazards

No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology – General	The product is not considered harmful to aquatic organisms, nor does it long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term (acute)	Not classified	
Hazardous to the aquatic environment, long-term (chronic)	Not classified	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC ₅₀ – fish [1]	> 100 mg/l (Pimephales promelas, 96 h) (OECD 203 method)	
EC ₅₀ – crustacea [1] > 10,000 mg/l (Gammarus pulex, 48 h) (OECD 202 m		
EC ₅₀ – algae [1]	> 100 mg/l (72 h)	
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72 h) (OECD 201 method)	
Chronic NOEC (crustacea)	10 mg/l (Daphnia magna, 21 d) (OECD 211 method)	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

RIDEX PLUS AE 5W-30 C2/C3

Persistence and degradability

Not rapidly degradable

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Persistence and degradability

Not rapidly degradable

Biodegradation

31% (28 d) (OECD 301F method)

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts (722503-68-6)

Persistence and degradability

Not rapidly degradable

Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated

Persistence and degradability

Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Endocrine-disrupting properties

No additional information available.

12.7. Other adverse effects

No additional information available.

SECTION 13: Disposal considerations



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

13.1. Waste treatment methods

Waste treatment methods	Do not allow into drains or watercourses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW, EC 2000/532)	13 02 05* – mineral-based non-chlorinated engine, gear, and lubricating oils.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID.

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
Not regulated for transport.						
14.2. UN proper	14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport h	14.3. Transport hazard class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing gr	oup					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information available.						

14.6. Special precautions for user



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Overland transport	Transport by sea	Air transport	Inland waterway transport	Rail transport
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation (EU) 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

 $Contains \ no \ substance (s) \ listed \ on \ the \ POP \ list \ (Regulation \ (EU) \ 2019/1021 \ on \ persistent \ organic \ pollutants).$

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation (EU) 1005/2009 on substances that deplete the ozone layer).

Dual-Use Regulation (428/2009)

Contains no substance subject to Council Regulation (EC) No. 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering, and transit of dual-use items.

VOC Directive (2004/42)

VOC content: 0%.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation (EU) 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation (EC) 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Indication of changes	ication of changes			
Section Changed item		Change	Comments	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration Factor	
BLV	Biological Limit Value	
BOD	Biochemical Oxygen Demand	
COD	Chemical Oxygen Demand	
DMEL	Derived Minimal Effect Level	
DNEL	Derived-No Effect Level	
EC-No.	European Community Number	
EC ₅₀	Median Effective Concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC ₅₀	Median Lethal Concentration	
LD ₅₀	Median Lethal Dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage Treatment Plant	
ThOD	Theoretical Oxygen Demand	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service Number	
NOS	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine Disruptor	

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts, alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H361d	Suspected of damaging the unborn child.	
Repr. 2	Reproductive toxicity, Category 2.	
Skin Sens. 1B	Skin sensitisation, Category 1B.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.