

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 17/05/2018 Revision date: 27/09/2023 Supersedes version of: 30/11/2022 Version: 1.7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form	Mixture
Trade name	RIDEX PLUS AD 5W-40 Diesel
Product code	99.00.71
Product group	Trade product

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category	Industrial use, professional use, consumer use
Use of the substance/mixture	Engine oil
Function or use category	Lubricants and additives

**1.2.2. Uses advised against**

No additional information available.

**1.3. Details of the supplier of the safety data sheet**

RIDEX GmbH  
Josef-Orlopp-Straße 55  
10365 Berlin, Germany  
[www.ridex.eu](http://www.ridex.eu)  
+49 302 202 72 34  
[info@ridex.de](mailto:info@ridex.de)

**1.4. Emergency telephone number**

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country/area	Organisation/company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (healthcare professionals, 24/7) +353 1 809 2166 (public, 8 a.m.–10 p.m., 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified.

**Adverse physicochemical, human health, and environmental effects**

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practices.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

EUH statements	EUH210 – safety data sheet available on request.
----------------	--

**2.3. Other hazards**Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII.

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list made in accordance with Article 59(1) of REACH for having endocrine-disrupting properties, nor does it have any substance(s) identified as having endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %.

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable.

**3.2. Mixtures**

Comments	Highly refined mineral oils and additives.
----------	--

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	25-50	Asp. Tox. 1, H304
Blend of mineral oils* (Note L)	–	2.5-10	Asp. Tox. 1, H304
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	CAS-No.: 125643-61-0 EC-No.: 406-040-9 EC Index-No.: 607-530-00-7 REACH-no: 01-0000015551-76	0.3-2.5	Aquatic Chronic 4, H413

Comments	The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.
----------	---

\*: contains one or more of the following CAS-numbers (REACH registration numbers):  
64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01-2119487081-40),  
64741-96-4 (01-2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21),  
64742-52-5 (01-2119467170-45), 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25),  
64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-57-0 (01-2119489287-22),  
64742-62-7 (01-2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-2119485040-48),  
72623-85-9 (01-2119555262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13),  
74869-22-0 (01-2119495601-36)

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3% of dimethyl sulphoxide extract using method IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene-free petroleum fractions – dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall also be performed for that hazard class.

Full text of H and EUH-statements: see Section 16.

**SECTION 4: First-aid measures****4.1. Description of first-aid measures**

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water.
First-aid measures after eye contact	Rinse eyes with water as a precaution.
First-aid measures after ingestion	Call a poison centre or a doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects	No additional information available.
------------------	--------------------------------------

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media	Water spray, dry powder, foam, carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.

**5.2. Special hazards arising from the substance or mixture**

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Fire hazard	Combustible liquid.
Hazardous decomposition products in case of fire	Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide, and other toxic gases.

### 5.3. Advice for firefighters

Protection during firefighting	Do not attempt to take action without suitable protective equipment. Use a self-contained breathing apparatus and complete protective clothing.
--------------------------------	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment, and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	Ventilate spillage area.
----------------------	--------------------------

#### 6.1.2. For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to Section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Take up liquid spill into absorbent material.
Other information	Dispose of materials or solid residues at an authorised site.

### 6.4. Reference to other sections

For further information refer to Section 13.

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Precautions for safe handling	Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking, and when leaving work.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions	Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	0–40°C

**7.3. Specific end use(s)**

No additional information available.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.1.1. National occupational exposure and biological limit values**

RIDEX PLUS AD 5W-40 Diesel	
EU – Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols occur, the following is recommended.	5 mg/m <sup>3</sup> – ACGIH TLV (inhalable fraction).

**8.1.2. Recommended monitoring procedures**

No additional information available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

No additional information available.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:  
Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:  
Safety glasses.

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	Clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:  
Wear suitable protective clothing.

Hand protection:  
Protective gloves.

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Hand protection**

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0.35		EN ISO 374

**Other skin protection****Materials for protective clothing:**

Wear suitable protective clothing.

**8.2.2.3. Respiratory protection****Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment.

**8.2.2.4. Thermal hazards**

No additional information available.

**8.2.3. Environmental exposure controls****Environmental exposure controls:**

Avoid release to the environment.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Colour	Brown
Odour	Characteristic
Odour threshold	Not available
Melting point	Not applicable
Freezing point	-36°C – ASTM D5950 (pour point)
Boiling point	Not available
Flammability	Not applicable



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive properties	Presents no particular fire or explosion hazard.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	220°C – ASTM D92 (COC)
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	Not available
Viscosity, kinematic	75.8 mm <sup>2</sup> /s (40°C) – ASTM D7042
Solubility	Water: Insoluble/slightly miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	0.853 kg/l (15°C) – ASTM D4052
Relative density	Not available
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available.

### 9.2.2. Other safety characteristics

VOC content	0%
-------------	----

## SECTION 10: Stability and reactivity

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage, and transport.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidisers.

**10.4. Conditions to avoid**

None under the recommended storage and handling conditions (see Section 7).

**10.5. Incompatible materials**

No additional information available.

**10.6. Hazardous decomposition products**

No decomposition if stored normally.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008**

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

**Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)**

Oral LD <sub>50</sub> (rat)	> 5000 mg/kg
Dermal LD <sub>50</sub> (rabbit)	> 2000 mg/kg
Inhalation LC <sub>50</sub> (rat)	> 5.53 mg/l/4h

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Blend of mineral oils*	
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg. Data from similar product
Dermal LD <sub>50</sub> (rabbit)	> 5000 mg/kg. Data from similar product
Inhalation LC <sub>50</sub> (rat) dust/mist	> 5 mg/l/4h. Data from similar product

Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Oral LD <sub>50</sub> (rat)	> 2000 mg/kg (OECD 401 method)
Dermal LD <sub>50</sub> (rat)	> 2000 mg/kg (OECD 402 method)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

RIDEX PLUS AD 5W-40 Diesel	
Viscosity, kinematic	75.8 mm <sup>2</sup> /s (40°C) – ASTM D7042

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s
Aliphatic, alicyclic or aromatic hydrocarbon	Yes

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Blend of mineral oils\*

Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s
Aliphatic, alicyclic or aromatic hydrocarbon	Yes

## Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Viscosity, kinematic	6.2 mm <sup>2</sup> /s
----------------------	------------------------

## 11.2. Information on other hazards

No additional information available.

## SECTION 12: Ecological information

## 12.1. Toxicity

Ecology – General	The product is not considered harmful to aquatic organisms, nor does it cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

## Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

LC <sub>50</sub> – fish [1]	> 100 mg/l (Pimephales promelas, 96 h) (OECD 203 method)
EC <sub>50</sub> – crustacea [1]	> 10,000 mg/l (Gammarus pulex, 48 h) (OECD 202 method)
EC <sub>50</sub> – algae [1]	> 100 mg/l (72 h)
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72 h) (OECD 201 method)
Chronic NOEC (crustacea)	10 mg/l (Daphnia magna, 21 d) (OECD 211 method)

## Blend of mineral oils\*

LC <sub>50</sub> – fish [1]	> 100 mg/l. Data from similar product
-----------------------------	---------------------------------------

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Blend of mineral oils*	
EC <sub>50</sub> – crustacea [1]	> 10,000 mg/l. Data from similar product
EC <sub>50</sub> – algae [1]	> 100 mg/l (72 h). Data from similar product
Chronic NOEC (crustacea)	> 10 mg/l
Chronic NOEC (algae)	> 10 mg/l (water flea (Daphnia magna), 21 d)

Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
LC <sub>50</sub> – fish [1]	> 74 mg/l Brachydanio rerio (zebra-fish) – (OECD 203 method)
EC <sub>50</sub> – crustacea [1]	> 100 mg/l Daphnia magna (water flea) – (OECD 202 method)
EC <sub>50</sub> – algae [1]	> 3 mg/l (Desmodesmus subspicatus, 72h) – (OECD 201 method)
NOEC (acute)	≥ 3 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method)

## 12.2. Persistence and degradability

RIDEX PLUS AD 5W-40 Diesel	
Persistence and degradability	Not rapidly degradable

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Persistence and degradability	Not rapidly degradable
Biodegradation	31% (28 d) (OECD 301F method)

Blend of mineral oils*	
Persistence and degradability	Not rapidly degradable

Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)	
Persistence and degradability	Not readily biodegradable.

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**12.3. Bioaccumulative potential****Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)**

Bioconcentration factor (BCF REACH)	260 (Oncorhynchus mykiss, 35 d) (OECD 305 method)
Partition coefficient n-octanol/water (Log Pow)	9.2

**12.4. Mobility in soil****Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)**

Ecology – Soil	Product adsorbs little onto the soil.
----------------	---------------------------------------

**12.5. Results of PBT and vPvB assessment****Component**

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

**12.6. Endocrine-disrupting properties**

No additional information available.

**12.7. Other adverse effects**

No additional information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Waste treatment methods	Do not allow into drains or watercourses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW, EC 2000/532)	13 02 05* – mineral-based non-chlorinated engine, gear, and lubricating oils.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport.				
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available.				

## 14.6. Special precautions for user

Overland transport	Transport by sea	Air transport	Inland waterway transport	Rail transport
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations****REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List.

**PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation (EU) 649/2012 concerning the export and import of hazardous chemicals).

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation (EU) 2019/1021 on persistent organic pollutants).

**Ozone Regulation (1005/2009)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation (EU) 1005/2009 on substances that deplete the ozone layer).

**Dual-Use Regulation (428/2009)**

Contains no substance subject to Council Regulation (EC) No. 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering, and transit of dual-use items.

**VOC Directive (2004/42)**

VOC content: 0%.

**Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation (EU) 2019/1148 on the marketing and use of explosives precursors).

**Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation (EC) 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

**15.1.2. National regulations**

No additional information available.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
1.1	Trade name	Modified	
1.1	Name	Modified	
3	Composition/information on ingredients	Modified	
9.1	Density	Modified	

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BLV	Biological Limit Value
BOD	Biochemical Oxygen Demand (BOD)
COD	Chemical Oxygen Demand (COD)
DMEL	Derived Minimal Effect Level
DNEL	Derived-No Effect Level
EC-No.	European Community Number
EC <sub>50</sub>	Median Effective Concentration
EN	European Standard
IARC	International Agency for Research on Cancer

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>50</sub>	Median Lethal Concentration
LD <sub>50</sub>	Median Lethal Dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
ThOD	Theoretical Oxygen Demand
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
NOS	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine Disruptor

### Full text of H- and EUH-statements:

Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4.
-------------------	--

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1.
EUH210	Safety data sheet available on request.
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.