

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 22/5/2018 Revision date: 29/3/2024 Supersedes version of: 4/5/2023 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	Mixture
Trade name	RIDEX PLUS LV 0W-30 LL FE
Product code	99.00.77
Product group	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	Industrial use, professional use, consumer use
Use of the substance/mixture	Engine oil
Function or use category	Lubricants and additives

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

RIDEX GmbH
Josef-Orlopp-Straße 55
10365 Berlin, Germany
www.ridex.eu
+49 302 202 72 34
info@ridex.de

1.4. Emergency telephone number

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country/area	Organisation/company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (healthcare professionals, 24/7) +353 1 809 2166 (public, 8 a.m.–10 p.m., 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified.

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practices.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH statements	EUH208 – contains C14-16-18 Alkyl phenol. May produce an allergic reaction. EUH210 – safety data sheet available on request.
----------------	---

2.3. Other hazards

 Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1), lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1), lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

The mixture does not contain substance(s) included in the list made in accordance with Article 59(1) of REACH for having endocrine-disrupting properties, nor does it have any substance(s) identified as having endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %.

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable.

3.2. Mixtures

Comments

Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	25-50	Asp. Tox. 1, H304
Dec-1-ene, trimers, hydrogenated	CAS-No.: 157707-86-3 EC-No.: 500-393-3 REACH-no: 01-2119493949-12	25-50	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889-13	5-10	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30,, hydrotreated neutral oil-based (Note L)	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878-16	5-10	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed light paraffinic substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132-48	0.1-2.5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299-27	0.1-2.5	Asp. Tox. 1, H304
Paraffin oils (petroleum), catalytic dewaxed heavy (Note L)	CAS-No.: 64742-70-7 EC-No.: 265-174-4 REACH-no: 01-2119487080-42	0.1-2.5	Asp. Tox. 1, H304
C14-16-18 alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288-19	< 0.3	Skin Sens. 1B, H317 STOT RE 2, H373

Comments	The highly refined mineral oil contains <3% (w/w) DMSO extract according to IP346.
----------	--

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3% of dimethyl sulphoxide extract using method IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene-free petroleum fractions – dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall also be performed for that hazard class.

Full text of H and EUH statements: see Section 16.

SECTION 4: First-aid measures

4.1. Description of first-aid measures

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water.
First-aid measures after eye contact	Rinse eyes with water as a precaution.
First-aid measures after ingestion	Call a poison centre or a doctor if you feel unwell.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	No additional information available.
------------------	--------------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media

Suitable extinguishing media	Water spray, dry powder, foam, carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	Combustible liquid.
Hazardous decomposition products in case of fire	Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide, and other toxic gases.

5.3. Advice for firefighters

Protection during firefighting	Do not attempt to take action without suitable protective equipment. Use a self-contained breathing apparatus and complete protective clothing.
--------------------------------	---

SECTION 6: Accidental release measures
6.1. Personal precautions, protective equipment, and emergency procedures
6.1.1. For non-emergency personnel

Emergency procedures	Ventilate spillage area.
----------------------	--------------------------

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to Section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Take up liquid spill into absorbent material.
Other information	Dispose of materials or solid residues at an authorised site.

6.4. Reference to other sections

For further information refer to Section 13.

SECTION 7: Handling and storage
7.1. Precautions for safe handling

Precautions for safe handling	Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking, and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	0–40°C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

RIDEX PLUS LV 0W-30 LL FE	
EU – Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols occur, the following is recommended.	5 mg/m ³ – ACGIH TLV (inhalable fraction).

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
EU – Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m ³

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

No additional information available.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:
Safety glasses.

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	Clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing.

Hand protection:
Protective gloves.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0.35		EN ISO 374

Other skin protection

Materials for protective clothing:
Wear suitable protective clothing.

8.2.2.3. Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Colour	Brown
Odour	Characteristic
Odour threshold	Not available
Melting point	Not applicable
Freezing point	-51°C – ASTM D5950 (pour point)
Boiling point	Not available
Flammability	Not applicable
Explosive properties	Presents no particular fire or explosion hazard.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	195°C – ASTM D92 (COC)
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	Not available
Viscosity, kinematic	64 mm ² /s (40°C) – ASTM D7042
Solubility	Water: Insoluble/slightly miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50°C	Not available
Density	0.842 kg/l (15°C) – ASTM D4052
Relative density	Not available
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

No additional information available.

9.2.2. Other safety characteristics

VOC content	0%
-------------	----

SECTION 10: Stability and reactivity**10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage, and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidisers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see Section 7).

10.5. Incompatible materials

No additional information available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Dec-1-ene, trimers, hydrogenated (157707-86-3)

Oral LD ₅₀ (rat)	> 2000 mg/kg body weight
Dermal LD ₅₀ (rabbit)	> 2000 mg/kg body weight

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Oral LD ₅₀ (rat)	> 5000 mg/kg
Dermal LD ₅₀ (rabbit)	> 2000 mg/kg
Inhalation LC ₅₀ (rat)	> 5.53 mg/l/4h

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Oral LD ₅₀ (rat)	> 5000 mg/kg body weight. Animal: rat. Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Dermal LD ₅₀ (rabbit)	> 2000 mg/kg (OECD 402 method)
Inhalation LC ₅₀ (rat)	5.53 mg/l/4h (OECD 403 method)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Oral LD ₅₀ (rat)	> 5000 mg/kg (OECD 401 method)
Dermal LD ₅₀ (rabbit)	> 2000 mg/kg (OECD 402 method)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Inhalation LC ₅₀ (rat)	> 5.53 mg/l (OECD 403 method)
-----------------------------------	-------------------------------

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Oral LD ₅₀ (rat)	> 5000 mg/kg
-----------------------------	--------------

Dermal LD ₅₀ (rabbit)	> 5000 mg/kg
----------------------------------	--------------

Inhalation LC ₅₀ (rat) dust/mist	5.53 mg/l/4h
---	--------------

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Oral LD ₅₀ (rat)	> 5000 mg/kg body weight. Animal: rat. Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
-----------------------------	---

C14-16-18 Alkyl phenol

Oral LD ₅₀ (rat)	> 2000 mg/kg body weight. Animal: rat. Animal sex: female. Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other.
-----------------------------	---

Dermal LD ₅₀ (rat)	> 2000 mg/kg body weight. Animal: rat. OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other.
-------------------------------	---

Skin corrosion/irritation	Not classified
---------------------------	----------------

Serious eye damage/irritation	Not classified
-------------------------------	----------------

Respiratory or skin sensitisation	Not classified
-----------------------------------	----------------

Germ cell mutagenicity	Not classified
------------------------	----------------

Carcinogenicity	Not classified
-----------------	----------------

Reproductive toxicity	Not classified
-----------------------	----------------

STOT-single exposure	Not classified
----------------------	----------------

STOT-repeated exposure	Not classified
------------------------	----------------

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

LOAEL (oral, rat, 90 days)	125 mg/kg body weight. Animal: rat. Animal sex: male. Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
----------------------------	--

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

LOAEL (oral, rat, 90 days)	125 mg/kg body weight/day
NOAEL (subchronic, oral, animal/male, 90 days)	≥ 2000 mg/kg body weight
NOAEL (subchronic, oral, animal/female, 90 days)	≥ 2000 mg/kg body weight

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

LOAEL (oral, rat, 90 days)	125 mg/kg body weight. Animal: rat. Animal sex: male. Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg body weight. Animal: rabbit. Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

C14-16-18 Alkyl phenol

STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure.
------------------------	--

Aspiration hazard	Not classified
-------------------	----------------

RIDEX PLUS LV 0W-30 LL FE

Viscosity, kinematic	64 mm ² /s (40°C) – ASTM D7042
----------------------	---

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Viscosity, kinematic	< 20.5 mm ² /s
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Viscosity, kinematic	< 20.5 mm ² /s (40°C) – ASTM D7042
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Viscosity, kinematic	< 20.5 mm ² /s (40°C) – ASTM D7042
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Viscosity, kinematic	< 20.5 mm ² /s
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Viscosity, kinematic	< 20.5 mm ² /s (40°C)
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)

Viscosity, kinematic	< 20.5 mm ² /s
Hydrocarbon	Yes
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

C14-16-18 alkyl phenol

Viscosity, kinematic	52 mm ² /s (40°C) 5.4 mm ² /s (100°C) [ASTM D445]
----------------------	---

11.2. Information on other hazards

No additional information available.

SECTION 12: Ecological information

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.1. Toxicity

Ecology – General	The product is not considered harmful to aquatic organisms, nor does it cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

Dec-1-ene, trimers, hydrogenated (157707-86-3)

LC ₅₀ – fish [1]	> 1000 mg/l
EC ₅₀ – crustacea [1]	> 1000 mg/l

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

LC ₅₀ – fish [1]	> 100 mg/l (Pimephales promelas, 96 h) (OECD 203 method)
EC ₅₀ – crustacea [1]	> 10,000 mg/l (Gammarus pulex, 48 h) (OECD 202 method)
EC ₅₀ – algae [1]	> 100 mg/l (72 h)
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72 h) (OECD 201 method)
Chronic NOEC (crustacea)	10 mg/l (Daphnia magna, 21 d) (OECD 211 method)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

LC ₅₀ – fish [1]	> 100 mg/l (Pimephales promelas, 96 h) (OECD 203 method)
LC ₅₀ – other aquatic organisms [1]	> 10,000 mg/l (Gammarus pulex, 48 h) (OECD 202 method)
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72 h) (OECD 201 method)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

LC ₅₀ – fish [1]	> 100 mg/l
EC ₅₀ – crustacea [1]	> 10,000 mg/l
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72 h) (OECD 211 method)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Chronic NOEC (fish)	> 1000 mg/l
Chronic NOEC (crustacea)	> 10 mg/l (Daphnia magna, 21 d) (OECD 211 method)
Chronic NOEC (algae)	≥ 100 mg/l

C14-16-18 Alkyl phenol

LC ₅₀ – fish [1]	> 100 mg/l
EC ₅₀ – crustacea [1]	> 100 mg/l, test organisms (species): Daphnia magna
EC ₅₀ – algae [1]	≥ 100 mg/l (72 h)

12.2. Persistence and degradability
RIDEX PLUS LV 0W-30 LL FE

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Dec-1-ene, trimers, hydrogenated (157707-86-3)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Persistence and degradability	Not rapidly degradable
Biodegradation	31% (28 d) (OECD 301F method)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Persistence and degradability	Not rapidly degradable
Biodegradation	31% (28 d) (OECD 301F method)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Persistence and degradability	Not readily biodegradable
Biodegradation	31% (28 d) (OECD 301F method)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Persistence and degradability	Potentially biodegradable.
-------------------------------	----------------------------

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

C14-16-18 Alkyl phenol

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential**Dec-1-ene, trimers, hydrogenated (157707-86-3)**

Partition coefficient n-octanol/water (Log Pow)	5 (20°C)
---	----------

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Partition coefficient n-octanol/water (Log Kow)	> 6
Bioaccumulative potential	Bioaccumulative potential.

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Partition coefficient n-octanol/water (Log Pow)	> 3
---	-----

C14-16-18 Alkyl phenol

Partition coefficient n-octanol/water (Log Pow)	> 7.2
---	-------

12.4. Mobility in soil

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Mobility in soil

Product adsorbs onto the soil.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Ecology – Soil

Insoluble in water.

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Ecology – Soil

Insoluble in water.

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1), lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1), lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0), distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

12.6. Endocrine-disrupting properties

No additional information available.

12.7. Other adverse effects

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Do not allow into drains or watercourses. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Product/packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW, EC 2000/532)	13 02 05* – mineral-based non-chlorinated engine, gear, and lubricating oils.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport.				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available.				

14.6. Special precautions for user

Overland transport	Transport by sea	Air transport	Inland waterway transport	Rail transport
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information**15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations****REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation (EU) 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation (EU) 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation (EU) 1005/2009 on substances that deplete the ozone layer).

Dual-Use Regulation (428/2009)

Contains no substance subject to Council Regulation (EC) No. 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content: 0%.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation (EU) 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation (EC) 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

For the following substances of this mixture a chemical safety assessment has been carried out:

Distillates (petroleum), solvent-dewaxed light paraffinic.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information
Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BLV	Biological Limit Value
BOD	Biochemical Oxygen Demand (BOD)
COD	Chemical Oxygen Demand (COD)
DMEL	Derived Minimal Effect Level
DNEL	Derived-No Effect Level
EC-No.	European Community Number
EC ₅₀	Median Effective Concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC ₅₀	Median Lethal Concentration
LD ₅₀	Median Lethal Dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
ThOD	Theoretical Oxygen Demand
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service Number
NOS	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine Disruptor

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1.
EUH208	Contains C14-16-18 alkyl phenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Sens. 1B	Skin sensitisation, Category 1B.
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.