MOTIP DUPLI

Page 1/9

\*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

	,
Trade name: <u>PREST</u>	O® AIRCO REFRESHER LAVENDER 150 ML
No further relevant in Sector of Use SU21 Consumer use SU22 Professional u Product category PC. Process category PROC7 Industrial sp PROC11 Non indust	and uses of the substance or mixture and uses advised against offormation available. The service households / general public / consumers uses: Public domain (administration, education, entertainment, services, craftsmen) 3 Air care products braying
Manufacturer/Suppli MOTIP DUPLI B.V. Wolfraamweg 2 NL- 8471 XC Wolveg The Netherlands Tel: +31 (0)561 6944	a
	411 dupli.com <b>obtainable from:</b> Department Product Safety
e-mail info@nl.motip Further information 1.4 Emergency teleph	411 dupli.com <b>obtainable from:</b> Department Product Safety <b>hone number:</b> +31 (0)561-694400 (09:00h - 17:00h)
e-mail info@nl.motip Further information 1.4 Emergency teleph	411 dupli.com <b>obtainable from:</b> Department Product Safety
e-mail info@nl.motip Further information 1.4 Emergency teleph SECTION 2: Haz 2.1 Classification of t	411 dupli.com obtainable from: Department Product Safety hone number: +31 (0)561-694400 (09:00h - 17:00h) cards identification the substance or mixture
e-mail info@nl.motip Further information 1.4 Emergency teleph SECTION 2: Haz 2.1 Classification of t	411 dupli.com obtainable from: Department Product Safety hone number: +31 (0)561-694400 (09:00h - 17:00h) cards identification the substance or mixture ling to Regulation (EC) No 1272/2008
e-mail info@nl.motip Further information 1.4 Emergency teleph SECTION 2: Haz 2.1 Classification of the Classification accord GHS02 flat	411 dupli.com obtainable from: Department Product Safety hone number: +31 (0)561-694400 (09:00h - 17:00h) cards identification the substance or mixture ling to Regulation (EC) No 1272/2008
e-mail info@nl.motip Further information 1.4 Emergency teleph SECTION 2: Haz 2.1 Classification of the Classification accord GHS02 flat	411 dupli.com obtainable from: Department Product Safety hone number: +31 (0)561-694400 (09:00h - 17:00h) cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 me
e-mail info@nl.motip Further information 1.4 Emergency teleph SECTION 2: Haz 2.1 Classification of the Classification accord GHS02 flan Aerosol 1 H222-H2	411 dupli.com obtainable from: Department Product Safety hone number: +31 (0)561-694400 (09:00h - 17:00h) cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 me
e-mail info@nl.motip Further information 1.4 Emergency teleph SECTION 2: Haz 2.1 Classification of to Classification accord GHS02 flan Aerosol 1 H222-H2 GHS07	411 dupli.com obtainable from: Department Product Safety hone number: +31 (0)561-694400 (09:00h - 17:00h) cards identification cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 me 29 Extremely flammable aerosol. Pressurised container: May burst if heated.

GB

Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

(Contd. of page 1)

# Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

## propan-2-ol

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents / container in accordance with regional regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37	dimethyl ether	🚸 Flam. Gas 1, H220 Press. Gas C, H280	50-<75%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25		<ul> <li>♦ Flam. Liq. 2, H225</li> <li>♦ Eye Irrit. 2, H319; STOT SE 3, H336</li> </ul>	25-<50%
· Additional information · For	the wording of the listed ha	zard phrases refer to section 16.	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB

Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

# Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 2)

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- $\cdot$  5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• Ingredients with limit values that	require monitoring at the workplace:
--------------------------------------	--------------------------------------

115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m<sup>3</sup>, 500 ppm

Long-term value: 766 mg/m<sup>3</sup>, 400 ppm

# 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm

Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

(Contd. on page 4)

GB

Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

# Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 3) • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Avoid contact with the eyes. • Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles

9.1 Information on basic physical a General Information	nd chemical properties	
Appearance: Form:	Aerosol	
Colour:	Colourless	
Odour:	Aromatic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	<b>inge:</b> Not applicable, as aerosol.	
Flash point:	<0 °C (<32 °F)	
1	Not applicable, as aerosol.	

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

#### Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

	(Contd. of pag
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	240 °C (464 °F)
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· Explosion limits:	
Lower:	2 Vol %
Upper:	26.2 Vol %
· Vapour pressure at 20 °C (68 °F):	4 hPa (3 mm Hg)
• Density at 20 •C (68 •F):	0.71 g/cm <sup>3</sup> (5.92 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.5 %
· EU-VOC:	707.6 g/l
• EU-VOC in %:	99.53 %
$\cdot$ VOC (EC)	
	707.6 g/l
· VOC-EU%	99.53 %
Solids content:	0.0 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

# 67-63-0 propan-2-ol

#### *Oral LD50 5,840 mg/kg (rat)*

(Contd. on page 6)

GB

Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

#### Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

		(Contd. of page 5)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50	>25 mg/l (rat)
		LC 50: 6h
· Primary ir	ritant e	ffect:
· Skin corro	sion/ir	ritation Based on available data, the classification criteria are not met.
		ge/irritation
Causes ser	ious ey	e irritation.
	~	in sensitisation Based on available data, the classification criteria are not met.
	,	cinogenity, mutagenicity and toxicity for reproduction)
	0	e <b>nicity</b> Based on available data, the classification criteria are not met.
0	•	Based on available data, the classification criteria are not met.
-		icity Based on available data, the classification criteria are not met.
· STOT-sing		
÷		iness or dizziness.
· STOT-rep	eated e.	<b>xposure</b> Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

# · 12.1 Toxicity

· Aquatic toxicity:

115-10-6 dimethyl ether

EC50/96 h 155 mg/l (algae)

LC50/48 h >4,000 mg/l (daphnia magna)

LC50 / 96 h >4,000 mg/l (fish)

### 67-63-0 propan-2-ol

LC50/96h 9,640 mg/l (pimephales promelas; 96h)

LC50 / 24 h 9,714 mg/l (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

 $\cdot$  Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.

 $\cdot$  12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

# · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 13\* solvents

15 01 04 metallic packaging

(Contd. on page 7)

Page 7/9

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

(Contd. of page 6)

# Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

· Uncleaned packaging:

• Recommendation: Non contaminated packagings may be recycled.

SECTION 14: Transport information	
14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
ΙΑΤΑ	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre
	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clear
Segregation Code	of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre
Segreguion Coue	Segregation as for class 9. Stow "separated from" class 1
	except for division 1.4. For AEROSOLS with a capacity
	above 1 litre: Segregation as for the appropriate
	subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Anne	x II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity Code: E0

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

#### Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

	(Contd. of page
	Not permitted as Excepted Quantity
· Transport category	2
Tunnel restriction code	D
- IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

#### · Department issuing SDS: R&D legislation and regulatory advisor

· Contact: Mr. K. Smedeman

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2018

Version number 64

Revision: 04.12.2017

#### Trade name: PRESTO® AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 8)

GB

vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas C: Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* Data compared to the previous version altered.