

Page 1/9

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

1.1 Product id	
	entifier
Trade name: I	PRESTO COPPER SPRAY 400 ML
No further rele Sector of Use SU21 Consum SU22 Profess Product catego PROC7 Indus PROC11 Nom	dentified uses of the substance or mixture and uses advised against want information available. ner uses: Private households / general public / consumers ional uses: Public domain (administration, education, entertainment, services, craftsmen) ory Other coatings and paints ry
Manufacturer, European Aero Wolfraamweg NL-8471 XC W The Netherland Tel: +31 (0)50	osols B.V.* 2 Yolvega ds
*Formerly kno	wn as Motip Dupli B.V.
1.4 Emergency	nation obtainable from: Department Product Safety v telephone number: 4400 (09:00h - 17:00h)
+31(0)301-69	
	ional Poisons Information Centre Tel: +44 0344 892 0111
	ional Poisons Information Centre Tel: +44 0344 892 0111
UK: NPIS Nat	ional Poisons Information Centre Tel: +44 0344 892 0111 : Hazards identification
UK: NPIS Nati SECTION 2 2.1 Classificat Classification	
UK: NPIS Nati SECTION 2 2.1 Classificat	: Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008
UK: NPIS Nati SECTION 2 2.1 Classificat Classification	: Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008
UK: NPIS Nation	: Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008 e
UK: NPIS Nation	: Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008 e H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. ronment

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

Trade name: PRESTO COPPER SPRAY 400 ML



SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

*

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 109-66-0	pentane	25-<50%
EINECS: 203-692-4 Index number: 601-006-00-1 Reg.nr.: 01-2119459286-30	 Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336 EUH066 	
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	12.5-<20%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas IA, H220 Press. Gas (Comp.), H280	10-<12.5%

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

Trade name: PRESTO COPPER SPRAY 400 ML

EINECS: 200-857-2	isobutane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas 1A, H220 Press. Gas (Comp.), H280	Contd. of page 2) 10-<12.5%
CAS: 7440-50-8 EINECS: 231-159-6 Reg.nr.: 01-2119480154-42-xxxx	copper Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute Tox. 4, H302	2.5-<5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Keep away from ignition sources.
 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- SECTION 7: Handling and storage
- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

(Contd. on page 4)

GB

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

(Contd. of page 3)

Trade name: PRESTO COPPER SPRAY 400 ML

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

*

- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 109-66-0 pentane

WEL Long-term value: 1800 mg/m³, 600 ppm

106-97-8 butane (containing < 0,1 % butadiene (203-450-8))

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
- Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

- *Hand protection* Not required.
- · Material of gloves Not required.
- **Penetration time of glove material** Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state
- · Colour:
- · Odour:
- Odour threshold:
- · Melting point/freezing point:
- · Boiling point or initial boiling point and boiling range
- · Flammability
- \cdot Lower and upper explosion limit
- · Lower:

Aerosol Copper coloured Solvent-like Not determined. Undetermined.

Not applicable, as aerosol. Not applicable.

1.4 Vol %(109-66-0 pentane)

(Contd. on page 5)

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

Trade name: PRESTO COPPER SPRAY 400 ML

	(Contd. of page
· Upper:	10.9 Vol %(74-98-6 propane)
Flash point:	Not applicable, as aerosol.
Ignition temperature:	285 °C (545 °F)
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C (68 °F):	3500 hPa (2625.2 mm Hg)
Density and/or relative density	
Density at 20 °C (68 °F):	0.8 g/cm ³ (6.7 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health and	d
environment, and on safety.	
Explosive properties:	Not determined.
Solvent content:	
Organic solvents:	71.3 %
VOC (EC)	
	574.0 g/l
VOC-EU%	71.25 %
Solids content:	13.8 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard classe	S
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	ч оти
•	Void
gases in contact with water	Void Void
Oxidising liquids	
Oxidising solids	Void
	Void
Organic peroxides	x7 · 1
Corganic peroxides Corrosive to metals Desensitised explosives	Void Void

SECTION 10: Stability and reactivity

*

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

GB

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

Trade name: PRESTO COPPER SPRAY 400 ML

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- $\cdot \ \textbf{10.6 Hazardous decomposition products:} \ \textit{No dangerous decomposition products known}.$

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50	values	relevant fo	r classification:
-----------	--------	-------------	-------------------

109-66-0 pentane

		>5000 mg/kg (rat)
Inhalative	LC50 / 4h	25.3 mg/l (rat)

7440-50-8 copper

LC50 / 48 h 0.34 mg/l (crustacean (water flea))

LC50 / 96 h 21 mg/l (fish)

- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- STOT-single exposure May cause drowsiness or dizziness.
- \cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

109-66-0 pentane

EC50 / 48 h 9.7 mg/l (daphnia magna)

EC50 / 96 h 4.26 mg/l (fish)

LC50 / 96 h 4.26 mg/l (fish)

7440-50-8 copper

EC50 / 48 h 0.34 mg/l (crustacean (water flea))

EC50 / 72 h 0.91 mg/l (algae)

EC50 / 96 h 21 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- **Remark:** Toxic for fish
- · Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

(Contd. on page 7)

(Contd. of page 5)

GB

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

Trade name: PRESTO COPPER SPRAY 400 ML

(Contd. of page 6) Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

SECTION 14: Transport inform	ation
14.1 UN number or ID number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG IATA	AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
Class	2.1 Gases.
Label	2.1
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	not regulated

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

Trade name: PRESTO COPPER SPRAY 400 ML

	(Contd. of page
14.5 Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F- D , S - U
Stowage Code	SW1 Protected from sources of heat.
-	SW22 For AEROSOLS with a maximum capacity of 1
	litre: Category A. For AEROSOLS with a capacity
	above 1 litre: Category B. For WASTE AEROSOLS:
	Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1
0.0	litre:
	Segregation as for class 9. Stow "separated from" clas
	1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of clas
	2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class
	2.
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
Encopiou quantates (EQ)	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
	ν
IMDG	17
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY
0	

*

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

(Contd. on page 9)

GB

Printing date 30.05.2022

Version number 142 (replaces version 141)

Revision: 30.03.2022

(Contd. of page 8)

Trade name: PRESTO COPPER SPRAY 400 ML

- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- *H400 Very toxic to aquatic life.*
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Department issuing SDS: R&D legislation and regulatory advisor
- · Contact: e-mail: sds-nl@european-aerosols.com
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

- ICAO: International Civil Aviation Organisation
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
- International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1A: Flammable gases Category 1A Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure Compressed gas
- Flam. Liq. 2: Flammable liquids Category 2
- Acute Tox. 4: Acute toxicity Category 4
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- Asp. Tox. 1: Aspiration hazard Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2
- * Data compared to the previous version altered.

GB