Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
Product name	Castrol Magnatec 0W-20 FE			
Product code	470910-BE02			
SDS #	470910			
Product type	Liquid.			
1.2 Relevant identified uses	s of the substance or mixture and uses advised against			
Use of the substance/ mixtureEngine Oils.For specific application advice see appropriate Technical Data Sheet or consult ou representative.				
1.3 Details of the supplier of	of the safety data sheet			
Supplier	Lubricants UK Limited, Chertsey Road, Sunbury On Thames, Middlesex, TW16 7BP			
E-mail address	+44 (0)345 600 8125 MSDSadvice@bp.com			

 1.4 Emergency telephone number

 EMERGENCY
 Carechem: +44 (0) 1235 239 670 (24/7)

 TELEPHONE NUMBER

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture

 Product definition
 Mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Not classified.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements

2.2 Laber elements					
Signal word	No signal word.				
Hazard statements	No known significant effects or critic	al hazar	ds.		
Precautionary statements					
Prevention	Not applicable.				
Response	Not applicable.				
Storage	Not applicable.				
Disposal	Not applicable.				
Hazardous ingredients	Not applicable.				
Supplemental label elements	Contains 1-(N,N-bis(2-ethylhexyl)amino-methyl)tolutriazole and C14-16-18 Alkyl phenol. May produce an allergic reaction. Safety data sheet available on request.				
EU Regulation (EC) No. 1907/	<u>2006 (REACH)</u>				
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.				
Special packaging requirement	<u>nts</u>				
Product name Castrol Magnated	: 0W-20 FE		Product code	470910-BE02	Page: 1/12
Version 1 Date of issue 2	2 March 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous issue N	lo previous validation.		(United Kingdo	om)	

SECTION 2: Hazards identification

Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product definition Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Synthetic base stock. Proprietary performance additives.

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 UK (GB) REACH #: UK-01-1759217276-5 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥50 - ≤75	Asp. Tox. 1, H304	-	[1]
Dec-1-ene, trimers, hydrogenated	REACH #: 01-2119493949-12 EC: 500-393-3 CAS: 157707-86-3	≥10 - ≤25	Asp. Tox. 1, H304	-	[1]
Distillates (petroleum), solvent- dewaxed heavy paraffinic	REACH #: 01-2119471299-27 UK (GB) REACH #: UK-01-0119695008-1 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6	≤3	Asp. Tox. 1, H304	-	[1]
Distillates (petroleum), hydrotreated light paraffinic	REACH #: 01-2119487077-29 EC: 265-158-7 CAS: 64742-55-8 Index: 649-468-00-3	≤3	Asp. Tox. 1, H304	-	[1]
Distillates (petroleum), solvent- dewaxed light paraffinic		≤3	Asp. Tox. 1, H304	-	[1]
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	REACH #: 01-2119493635-27 UK (GB) REACH #: UK-01-0036152048-9 EC: 224-235-5 CAS: 4259-15-8	<2.5	Eye Dam. 1, H318 Aquatic Chronic 2, H411	Eye Dam. 1, H318: C ≥ 50%	[1]
1-(N,N-bis(2-ethylhexyl)amino- methyl)tolutriazole		≤0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	M [Acute] = 1	[1]
C14-16-18 Alkyl phenol	REACH #: 01-2119498288-19 EC: 931-468-2	≤0.3	Skin Sens. 1B, H317 STOT RE 2, H373	-	[1]
Product name Castrol Magnate	c 0W-20 FE		Product code 470	910-BE02 Page:	2/12
Version 1 Date of issue 2	22 March 2024		Format United Kingdom (UK)	Language ENGL	ISH
Date of previous issue	No previous validation.		(United Kingdom)		

SECTION 3: Composition/information on ingredients

CAS: -

See Section 16 for the full text of the H statements declared above.

[1] Substance classified with a health or environmental hazard

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Potential acute health effects	
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	No known significant effects or critical hazards.
Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Eye contact	No known significant effects or critical hazards.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physicianTreatment should in general be symptomatic and directed to relieving any effects.
In case of inhalation of decomposition products in a fire, symptoms may be delayed.
The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media							
Suitable extinguishing media	In case of fire, use foam, dry	chemical or carbon dioxide extingu	isher or spray.				
Unsuitable extinguishing media	Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.						
5.2 Special hazards arising from	om the substance or mixture						
Hazards from the substance or mixture	In a fire or if heated, a pressu	ire increase will occur and the cont	ainer may burst.				
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) phosphorus oxides sulphur oxides (SO, SO ₂ , etc.)						
5.3 Advice for firefighters							
Special precautions for fire-fighters		lving any personal risk or without s g all persons from the vicinity of the	0 1 3				
Product name Castrol Magnate	ec 0W-20 FE	Product code 470	910-BE02 Page: 3/12				
Version 1 Date of issue	22 March 2024	Format United Kingdom (UK)	Language ENGLISH				
Date of previous issue	No previous validation.	(United Kingdom)					

• • • • • • • •		4005/0000				• · · •			
Conforms to Regulation (E	EC) NO	. 1907/2006 ((REACH)	. Annex II.	as amended by	Commission Re	gulation	(EU)	2020/878

SECTION 5: Firefighting measures

OLOTION 0. Thengha					
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fighters (including helmets, protective boots and gloves) conforming to European standard 469 will provide a basic level of protection for chemical incidents.				
SECTION 6: Accident	al release measures				
6.1 Personal precautions, prot	tective equipment and emergency procedures				
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.				
For emergency responders	Entry into a confined space or poorly ventilated area contaminated with vapour, mist or fume is extremely hazardous without the correct respiratory protective equipment and a safe system of work. Wear self-contained breathing apparatus. Wear a suitable chemical protective suit. Chemical resistant boots. See also the information in "For non-emergency personnel".				
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).				
6.3 Methods and material for c	containment and cleaning up				
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.				
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.				
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.				

SECTION 7: Handling and storage

7.1 Precautions for safe har	ndling
Protective measures	Put on appropriate personal protective equipment.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.
Not suitable	Prolonged exposure to elevated temperature
7.3 Specific end use(s)	
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Product name Castrol Magnatec 0W-20 FE			Product code 470910-BE02		Page: 4/12
Version 1 E	S issue No previous validation.	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH

SECTION 8: Exposure controls/personal protection

Date of previous issue

No previous validation.

Recommended monitoring procedures	Reference should be made to monitorin EN 689 (Workplace atmospheres - Guid chemical agents for comparison with lim Standard EN 14042 (Workplace atmosp for the assessment of exposure to chem (Workplace atmospheres - General req measurement of chemical agents) Refe the determination of hazardous substar	Jance for the assessment o nit values and measuremen oheres - Guide for the appli- nical and biological agents) uirements for the performar erence to national guidance	of exposure by inhalation to t strategy) European cation and use of procedures European Standard EN 482 nee of procedures for the
Derived No Effect Level No DNELs/DMELs available.			
Predicted No Effect Concentre No PNECs available			
8.2 Exposure controls			
Appropriate engineering controls	Provide exhaust ventilation or other eng concentrations below their respective of All activities involving chemicals should exposures are adequately controlled. Pu after other forms of control measures (e Personal protective equipment should of kept in good condition and properly mai Your supplier of personal protective equ appropriate standards. For further infor The final choice of protective equipment ensure that all items of personal protective	ccupational exposure limits. be assessed for their risks ersonal protective equipment of a spineering controls) has onform to appropriate stand ntained. upment should be consulted mation contact your nationa t will depend upon a risk as	to health, to ensure nt should only be considered ave been suitably evaluated. dards, be suitable for use, be d for advice on selection and al organisation for standards. sessment. It is important to
Individual protection measur			
Hygiene measures	Wash hands, forearms and face thorou smoking and using the lavatory and at t stations and safety showers are close to	he end of the working perio	
Respiratory protection	In case of insufficient ventilation, wear s The correct choice of respiratory protec conditions of work and use, and the cor should be developed for each intended therefore be chosen in consultation with of the working conditions.	tion depends upon the cher idition of the respiratory equ application. Respiratory pro	micals being handled, the uipment. Safety procedures otection equipment should
Eye/face protection Skin protection	Safety glasses with side shields.		
Hand protection	General Information:		
	Because specific work environments ar should be developed for each intended depends upon the chemicals being han provide protection for only a limited time best chemically resistant gloves will bre	application. The correct che dled, and the conditions of before they must be disca	oice of protective gloves work and use. Most gloves rded and replaced (even the
	Gloves should be chosen in consultatio a full assessment of the working conditi		cturer and taking account of
	Recommended: Nitrile gloves. Breakthrough time:		
	Breakthrough time data are generated t and represent how long a glove can be is important when following breakthroug conditions are taken into account. Alwa technical information on breakthrough ti Our recommendations on the selection	expected to provide effective h time recommendations the ys consult with your glove s mes for the recommended	ve permeation resistance. It nat actual workplace supplier for up-to-date
	Continuous contact:		
	Gloves with a minimum breakthrough til can be obtained. If suitable gloves are not available to of breakthrough times may be acceptable replacement regimes are determined ar	fer that level of protection, g as long as appropriate glov	gloves with shorter
Product name Castrol Magnate	0W-20 FE	Product code 470910	D-BE02 Page: 5/12
Version 1 Date of issue 2	22 March 2024 Fo	rmat United Kingdom (UK) (United Kingdom)	Language ENGLISH

SECTION 8: Exposure controls/personal protection

Short-term / splash protection:

	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.
	Glove Thickness:
	For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Amber. [Light]
Odour	Unfragranced
Odour threshold	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flammability	Not available.

Product name	Castrol Magnatec 0W-20 FE		Product code 470910-I	3E02	Page: 6/12
Version 1	Date of issue 22 March 2024	Format	Kingdom (UK)	Language	ENGLISH
Date of previo	Dus issue No previous validation.		(United Kingdom)		

Ş

Lower and upper explosion	Not available.						
limit							
Flash point	Closed cup: 201°C	(393.8°F	⁻) [Pensk	y-Martens AS	TM D	93]	
Auto-ignition temperature	Ingredient name		°C	°F		Method	
	Dec-1-ene, homopolym hydrogenated Dec-1-en hydrogenated		343 to ers,	369 649.4 to	696.2	ASTM D 21	59
	bis(nonylphenyl)amine		440	824		EU A.15	
Decomposition temperature	Not available.						
рН	Not applicable.						
Kinematic viscosity	Kinematic: 41.59 mm²/s (41.59 cSt) at 40°C Kinematic: 6.9 to 9.3 mm²/s (6.9 to 9.3 cSt) at 100°C						
Solubility							
	Media		Result				
	water	N	ot soluble	e			
Partition coefficient n-octanol/ water (log value)	Not applicable.						
Vapour pressure	Vapour Pressure at 20°C Vapour pressure				sure at 50°C		
	Ingredient name	mm Hç	kPa	Method	mm Hg	kPa	Method
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated light paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed light paraffinic	<0.08	<0.011	ASTM D 5191			
Density and/or Relative density	<1000 kg/m³ (<1 g/	cm³) at 1	5°C				
Relative vapour density	Not available.						
Particle characteristics							
Median particle size	Not applicable.						
9.2 Other information							
Evaporation rate	Not available.						
Evaporation rate Explosive properties	Not available. Not available.						

SECTION 10: Stability and reactivity

Not available.

-45 °C

Oxidising properties

Pour point

10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
10.2 Chemical stability	The product is stable.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
Product name Castrol Magnate	

Product name	Castrol Magnat	ec 0W-20 FE		Product code 47	70910-BE02	Page: 7/12
Version 1	Date of issue	22 March 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previo	ous issue	No previous validation.		(United Kingdom)	

SECTION 10: Stability and reactivity

 10.6 Hazardous
 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity estimates

Product/ingredient name		Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Zinc bis[O,O-bis(2-ethylhe: 1H-Benzotriazole-1-metha (2-ethylhexyl)-ar-methyl-		2500 2500	N/A N/A	N/A N/A	N/A N/A	N/A N/A
nformation on likely outes of exposure	Routes of entry antic	ipated: Derm	al, Inhalation	, Eyes.		
Potential acute health effect	<u>ts</u>					
Inhalation	Exposure to decompo delayed following exp	•	cts may caus	se a health ha	zard. Seriou	is effects may be
Ingestion	No known significant	effects or cri	tical hazards			
Skin contact	Defatting to the skin.	May cause s	skin dryness	and irritation.		
Eye contact	No known significant	effects or cri	tical hazards	i.		
Symptoms related to the ph	nysical, chemical and to	xicological o	<u>haracteristi</u>	<u>cs</u>		
Inhalation	No specific data.					
Ingestion	No specific data.					
Skin contact	Adverse symptoms n irritation dryness cracking	nay include th	ne following:			
Eye contact	No specific data.					
Delayed and immediate effe	•	ffects from	short and lo	ong-term exp	<u>osure</u>	
Inhalation	Overexposure to the respiratory tract.	inhalation of	airborne dro	plets or aeros	ols may caus	se irritation of the
Ingestion	Ingestion of large qua	antities may o	cause nausea	a and diarrho	ea.	
Skin contact	Prolonged or repeate	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.				
Eye contact	Potential risk of trans	Potential risk of transient stinging or redness if accidental eye contact occurs.				
Potential chronic health eff	<u>ects</u>					
General	USED ENGINE OILS Combustion products engine oils during us potential to cause ski engine oil must there	resulting fro e. Used engi n cancer. Fr	ine oil may c equent or pro	ontain hazard olonged conta	ous compon act with all typ	ents which have th bes and makes of
Carcinogenicity	No known significant	effects or cri	tical hazards	i.		
Mutagenicity	No known significant	effects or cri	tical hazards	i.		
Developmental effects	No known significant	effects or cri	tical hazards	i.		
Fertility effects	No known significant	effects or cri	tical hazards	i.		
11.2 Information on other h	azarde					
11.2.1 Endocrine disruptir						
Not available.	ig hi ohei ries					

Not available.

Remarks - Endocrine
disruptor - Health
11.2.2 Other information
Not available.

Product name	Castrol Magnatec 0W-20 FE		Product code 470910-E	3E02	Page: 8/12
Version 1	Date of issue 22 March 2024	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH
Date of previo	No previous validation.		(Onited Kingdoin)		

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards Not classified

Not classified as dangerous

12.2 Persistence and degradability

Not expected to be rapidly degradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties	Not available.
Remarks - Endocrine disruptor - Environment	Not available.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Hazardous waste	Yes.
European waste catalogue (E	EWC)

Waste code	Waste designation
13 02 08*	other engine, gear and lubricating oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Empty containers represent a fire hazard as they may contain flammable product residues and vapour. Never weld, solder or braze empty containers. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
References	Commission 2014/955/EU Directive 2008/98/EC

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
Product name Castrol Magnatec 0W-20 FE			Product code 470910-BE	02 Page: 9/12
Version 1 Dat	e of issue 22 March 2024	Format	United L Kingdom (UK)	anguage ENGLISH
Date of previous i	No previous validation.		(United Kingdom)	

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SECTION 14: Transport information

14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for Not available. **user**

14.7 Maritime transport in
bulk according to IMO
instrumentsNot available.

SECTION 15: Regulatory information

OF CLOTION 10: Megula	iory milormation					
15.1 Safety, health and enviro	nmental regulations/legislation spe	cific for t	the substance	or mixtu	re	
EU Regulation (EC) No. 1907	//2006 (REACH)					
Annex XIV - List of substan	ces subject to authorisation					
Annex XIV						
None of the components are	e listed.					
Substances of very high c	oncern					
None of the components a	are listed.					
EU Regulation (EC) No. 1907	7/2006 (REACH)					
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.					
Other regulations						
REACH Status	The company, as identified in Sec current requirements of REACH.	tion 1, sell	s this product i	n the EU i	n compliand	e with the
United States inventory (TSCA 8b)	All components are active or exen	npted.				
Australia inventory (AIIC)	All components are listed or exempted.					
Canada inventory	All components are listed or exem	pted.				
China inventory (IECSC)	At least one component is not liste	ed.				
Japan inventory (CSCL)	All components are listed or exem	pted.				
Korea inventory (KECI)	All components are listed or exempted.					
Philippines inventory (PICCS)	At least one component is not liste	ed.				
Taiwan Chemical Substances Inventory (TCSI)	Not determined.					
Ozone depleting substance Not listed.	es (1005/2009/EU)					
Prior Informed Consent (PI Not listed.	C) (649/2012/EU)					
Persistent Organic Pollutar Not listed.	<u>its</u>					
EU - Water framework direct None of the components are						
Seveso Directive	ileteta.					
This product is not controlled u	under the Seveso Directive.					
Product name Castrol Magnate	ec 0W-20 FE		Product code	470910-E	3E02	Page: 10/12
Version 1 Date of issue	22 March 2024	Format	United Kingdom (UK)		Language	ENGLISH

(United Kingdom)

Date of previous issue No previous validation.

SECTION 15: Regulatory information

15.2 Chemical safety	A Chemical Safety Assessment has been carried out for one or more of the substances within
assessment	this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.

SECTION 16: Other information

Abbreviations and acronyms	ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
	ADR = The European Agreement concerning the International Carriage of Dangerous Goods b
	Road
	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	CAS = Chemical Abstracts Service
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
	CSA = Chemical Safety Assessment
	CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EINECS = European Inventory of Existing Commercial chemical Substances
	ES = Exposure Scenario
	EUH statement = CLP-specific Hazard statement
	EWC = European Waste Catalogue
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978. ("Marpol" = marine pollution)
	OECD = Organisation for Economic Co-operation and Development
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	[Regulation (EC) No. 1907/2006]
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
	RRN = REACH Registration Number
	SADT = Self-Accelerating Decomposition Temperature
	SVHC = Substances of Very High Concern
	STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
	STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average
	UN = United Nations
	UVCB = Complex hydrocarbon substance
	VOC = Volatile Organic Compound
	vPvB = Very Persistent and Very Bioaccumulative
	Varies = may contain one or more of the following 64741-88-4 / RRN 01-2119488706-23,
	64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RF
	01-2119483621-38, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN
	01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN
	01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN
	01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN
	01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8,
	64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 /
	RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN
	01-2119474889-13
rocedure used to derive the c	lassification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Not classified.		
Full text of abbreviated H statements	H304 H318 H411	May be fatal if swallowed and enters airways. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]	Aquatic Chronic 2 Asp. Tox. 1 Eye Dam. 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 ASPIRATION HAZARD - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1

History

Product name Cast	trol Magnatec 0W-20 FE		Product code 470910-E	3E02	Page: 11/12
Version 1 Dat	issue No previous validation.	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH

SECTION 16: Other information

Date of issue/ Date of revision	22/03/2024.
Date of previous issue	No previous validation.
Prepared by	Product Stewardship

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Castrol Magnatec 0W-20 FE			Product code 470910-BE02		Page: 12/12		
Version 1	Date of issue	22 March 2024	Format	Kingdom (UK)	Language	ENGLISH	
Date of previo	ous issue	No previous validation.		(United Kingdom)			