SAFETY DATA SHEET						
	according to Regulation (EC) No 1907/2006 (REACH) as amended					
		INSENTI \	NOOD NEW CAR			
Creat	ion date	20th May 2019				
Revisi	on date	10th March 2022	Version	2.0		
SECT	ION 1: Identification	of the substance/mixture	and of the company/ur	ndertaking		
1.1.	Product identifier		INSENTI WOOD	-		
	Substance / mixture		mixture			
	Number		M-19092019			
	UFI		Y3RD-6S2W-G61	.F-HT9Q		
1.2.	Relevant identified uses of the substance or mixture and uses advised against					
	Mixture's intended	use				
	Car freshener.					
	Main intended use					
	PC-TEC-6	Fragrances				
	Mixture uses advis	-				
	The product should not be used in ways other then those referred in Section 1.					
1.3.	Details of the supplier of the safety data sheet					
	Manufacturer					
	Name or trade	name	AMTRA Sp. z o. c			
	Address		Schonów 3, Sosr Poland	iowiec, 41-200		
	VAT Reg No		Pl6250009241			
	Phone		+48 32 294 41 0	0		
	E-mail		amtra@amtra.pl			
		responsible for the safety				
	Name	responsible for the safety	AMTRA Sp. z o. c			
	E-mail		amtra@amtra.pl			
1.4.	Emergency telepho	one number	and again dup			
	European emergency number: 112					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Hazardous substances linalool (R)-p-mentha-1,8-diene coumarin Hazard statements H317

May cause an allergic skin reaction.

1/8

Made in SBLCore 2022 (22.4.36) www.sblcore.com

according to Regulation (EC) No 1907/2006 (REACH) as amended

INSENTI WOOD NEW CAR

Creation date Revision date

Version

2.0

Precautionary statements

P102 P332+P313 Keep out of reach of children.

If skin irritation occurs: Get medical advice/attention.

Supplemental information

perfumes, Hydroxyisohexyl 3-cyclohexene carboxaldehyde, Linalool, Benzyl benzoate, Hexyl cinnamal, Limonene, alpha-Isomethyl ionone

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

20th May 2019

10th March 2022

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6	ethanol	<40	Flam. Liq. 2, H225	
CAS: 56539-66-3 EC: 260-252-4	3-methoxy-3-methylbutan-1-ol	17-25,5	Eye Irrit. 2, H319	
Index: 603-235-00-2 CAS: 78-70-6 EC: 201-134-4	linalool	<2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	
Index: 601-029-00-7 CAS: 5989-27-5 EC: 227-813-5	(R)-p-mentha-1,8-diene	<0,4	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	1
CAS: 91-64-5 EC: 202-086-7	coumarin	<0,4	Acute Tox. 4, H302 Skin Sens. 1B, H317	

Notes

1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

according to Regulation (EC) No 1907/2006 (REACH) as amended

INSENTI WOOD NEW CAR

Creation date	20th May 2019
Revision date	10th March 2022

Version

2.0

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed If inhaled Not expected.
If on skin May cause an allergic skin reaction.
If in eyes Causes serious eye irritation.
If swallowed Irritation, nausea.
4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media**

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature is from +5 °C to +30 °C. Protect against frost. Protect from sunlight. Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s) not available

according to Regulation (EC) No 1907/2006 (REACH) as amended

INSENTI WOOD NEW CAR

Creation date Revision date 20th May 2019 10th March 2022

Version

2.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,866 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available
2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl- (CAS: 470-82-6)	liquid
Benzenepropanal, 2-methyl-4-(2-methylpropyl)- (CAS: 1637294-12-2)	liquid
Benzoic acid, phenylmethyl ester (CAS: 120-51-4)	liquid
Benzoic acid, phenylmethyl ester (CAS: 120-51-4)	solid: particulate/powder
Cyclopropanecarboxylic acid, 2-[1-(3,3-	liquid
dimethylcyclohexyl)ethoxy]-2-methylpropyl ester (CAS: 477218-42-1)	
Lavender, Lavandula hybrida abrial, ext. (CAS: 93455-96-0)	liquid
Pine, Pinus mugo pumilio, ext. (CAS: 90082-73-8)	liquid
Reaction mass of allyl (2-methylbutoxy)acetate and allyl (3-methylbutoxy)acetate (CAS: 67634-00-8)	liquid
Other information	

9.2.

according to Regulation (EC) No 1907/2006 (REACH) as amended

INSENTI WOOD NEW CAR

Creation date Revision date 20th May 2019 10th March 2022

Version

2.0

not available

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - not available
- 10.2. Chemical stability
- The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met. **Carcinogenicity**

Deced on evaluable det

Based on available data the classification criteria are not met. **Reproductive toxicity**

Based on available data the classification criteria are not met. **Toxicity for specific target organ - single exposure**

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.

- **12.2.** Persistence and degradability The mixture is biodegradable.
- **12.3. Bioaccumulative potential** Data not available.

according to Regulation (EC) No 1907/2006 (REACH) as amended

INSENTI WOOD NEW CAR

Creation date Revision date 20th May 2019 10th March 2022

Version

2.0

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- **14.1.** UN number or ID number not subject to transport regulations
- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

15.2. Chemical safety assessment

not available

	according to Regulation (EC					
	_	WOOD NEW CAP	2			
Creation date Revision date	20th May 2019 10th March 2022	Version	2.0			
SECTION 16: Other in	formation					
A list of stand	ard risk phrases used in the sa	fety data sheet				
H225	Highly flammable	e liquid and vapour.				
H226	Flammable liquid	and vapour.				
H302	Harmful if swallo					
H304	May be fatal if sw	vallowed and enters airway	/S.			
H315	Causes skin irrita					
H317		ergic skin reaction.				
H319	Causes serious e					
H400	Very toxic to aqu					
H410		atic life with long lasting e				
H411 Guidelines for	safe handling used in the safe	ife with long lasting effects	5.			
P102	_	-				
P102 P332+P313	Keep out of reach	occurs: Get medical advice	(attention			
-	nt information about human h	-	or/importor - used for purposes other than			
as per the Secti	The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.					
	iations and acronyms used in t	-				
ADR	road	ient concerning the interna	ational carriage of dangerous goods by			
BCF	Bioconcentration	Factor				
CAS	Chemical Abstrac					
CLP		No 1272/2008 on classification	ation, labelling and packaging of			
EINECS	European Invento	ory of Existing Commercial	l Chemical Substances			
EmS	Emergency plan	, 0				
EuPCS	European Produc	t Categorisation System				
IATA	International Air	Transport Association				
IBC	International Coc Dangerous Chem		nd Equipment of Ships Carrying			
ICAO	International Civi	l Aviation Organization				
IMDG	International Mar	itime Dangerous Goods				
INCI		nenclature of Cosmetic Ing	-			
ISO	-	anization for Standardizat				
IUPAC		on of Pure and Applied Che	emistry			
log Kow	Octanol-water pa					
LZO	Volatile organic c					
MARPOL		vention for the Prevention	n of Pollution from Ships			
OEL	Occupational Exp					
PBT		cumulative and Toxic				
ppm	Parts per million	lustion Authonization and	Destriction of Chamierla			
REACH	_	luation, Authorisation and				
RID	5	e transport of dangerous g	Joods by Fall			
UE UN			ostance or article taken from the UN			
UVCB	Model Regulation Substances of un biological materia	known or variable compos	ition, complex reaction products or			
vPvB	5	nd very Bioaccumulative				
WE		le for each substance listed	d in EINECS			

according to Regulation (EC) No 1907/2006 (REACH) as amended

INSENTI WOOD NEW CAR

Creation date	20th May 2019			
Revision date	10th March 2022	Version	2.0	
Eye Irrit.	Eye irritation			
Flam. Liq.	Flammable liquid			

Flam. Liq.Flammable liquidSkin Irrit.Skin irritationSkin Sens.Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.