

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/5/2018 Revision date: 20/9/2023 Supersedes version of: 27/9/2022 Version: 1.4

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product form	Mixture
Trade name	RIDEX PLUS AE 5W-30 FE
Product code	99.00.74
Product group	Trade product

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category	Industrial use, professional use, consumer use
Use of the substance/mixture	Engine oil
Function or use category	Lubricants and additives

### 1.2.2. Uses advised against

No additional information available.

# 1.3. Details of the supplier of the safety data sheet

RIDEX GmbH Josef-Orlopp-Straße 55 10365 Berlin, Germany www.ridex.eu +49 302 202 72 34 info@ridex.de

# 1.4. Emergency telephone number



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country/area	Organisation/company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (healthcare professionals, 24/7) +353 1 809 2166 (public, 8 a.m.–10 p.m., 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professional

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified.

### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practices.

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH statements	EUH208 – contains C14-16-18 Alkyl phenol. May produce an allergic reaction. EUH210 – safety data data sheet available on request.

# 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4), distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9), distillates (petroleum), hydrotreated light paraffinic (64742-55-8)



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4), distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9), distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

The mixture does not contain substance(s) included in the list made in accordance with Article 59(1) of REACH for having endocrine-disrupting properties, nor does it have any substance(s) identified as having endocrine-disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 %.

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable.

# 3.2. Mixtures

Comments	Highly refined mineral oils and additives.	

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	≥ 80	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed light paraffinic substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132-48	0.1–2.5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299-27	0.1–2.5	Asp. Tox. 1, H304
Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726-33	0.3-2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

(10 ≤ C < 100) Skin Sens. 1B, H317



### **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288-19	0.1–25	Skin Sens. 1B, H317 STOT RE 2, H373
Paraffin oils (petroleum), catalytic dewaxed heavy (Note L)	CAS-No.: 64742-70-7 EC-No.: 265-174-4 REACH-no: 01-2119487080-42	0.1-2.5	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-29	0.3-2.5	Asp. Tox. 1, H304
Distillates (petroleum), solvent-refined light paraffinic (Note L)	CAS-No.: 64741-89-5 EC-No.: 265-091-3 EC Index-No.: 649-455-00-2 REACH-no: 01-2119487067-30	0.3-2.5	Asp. Tox. 1, H304

Specific concentration limits:		
Product identifier	Specific concentration limits (%)	
CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726-33	$(6.25 \le C \le 100)$ Skin Irrit. 2, H315 $(10 \le C < 12.5)$ Eye Irrit. 2, H319 $(12,5 \le C \le 100)$ Eye Dam. 1, H318	
	Product identifier  CAS-No.: 93819-94-4 EC-No.: 298-577-9	

EC-No.: 931-468-2

REACH-no: 01-2119498288-19

Comments	The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.
----------	---

Note L:

C14-16-18 Alkyl phenol

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3% of dimethyl sulphoxide extract using method IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene-free petroleum fractions – dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall also be performed for that hazard class.

Full text of H and EUH statements: see Section 16.

# **SECTION 4: First-aid measures**

# 4.1. Description of first-aid measures



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water.
First-aid measures after eye contact	Rinse eyes with water as a precaution.
First-aid measures after ingestion	Call a poison centre or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	No additional information available.	
.,		

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

	Suitable extinguishing media	Water spray, dry powder, foam, carbon dioxide.	
Unsuitable extinguishing media		Do not use a heavy water stream.	

# 5.2. Special hazards arising from the substance or mixture

Fire hazard	Combustible liquid.
Hazardous decomposition products in case of fire	Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

# 5.3. Advice for firefighters



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment, and emergency procedures

# 6.1.1. For non-emergency personnel

	Emergency procedures	Ventilate spillage area.	
--	----------------------	--------------------------	--

### 6.1.2. For emergency responders

|--|

# 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Take up liquid spill into absorbent material.	
Other information	Dispose of materials or solid residues at an authorised site.	

# 6.4. Reference to other sections

For further information refer to Section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling	Provide good ventilation in process area to prevent formation of vapour.	
Hygiene measures	Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking, and when leaving work.	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.	
Storage temperature	0-40°C	

# 7.3. Specific end use(s)

No additional information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1. National occupational exposure and biological limit values

RIDEX PLUS AE 5W-30 FE	
EU - Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols occur, the following is recommended.	5 mg/m³ – ACGIH TLV (inhalable fraction).

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
EU – Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³

### 8.1.2. Recommended monitoring procedures

No additional information available.

### 8.1.3. Air contaminants formed

No additional information available.

### 8.1.4. DNEL and PNEC

No additional information available.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.5. Control banding

No additional information available.

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







# 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses.

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	Clear	EN 166

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing.

### Hand protection:

Protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0.35		EN ISO 374



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Other skin protection

### Materials for protective clothing:

Wear suitable protective clothing.

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

### 8.2.2.4. Thermal hazards

No additional information available.

### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical, and chemical properties

Physical state	Liquid
Colour	Light brown
Odour	Characteristic
Odour threshold	Not available
Melting point	Not applicable
Freezing point	-39°C - ASTM D5950 (pour point)
Boiling point	Not available
Flammability	Not applicable
Explosive properties	Presents no particular fire or explosion hazard.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	220°C - ASTM D92 (COC)



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	Not available
Viscosity, kinematic	54.5 mm <sup>2</sup> /s (40°C) – ASTM D7042
Solubility	Water: Insoluble/slightly miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	0.845 kg/l (15°C) - ASTM D4052
Relative density	Not available
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable

# 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available.

# 9.2.2. Other safety characteristics

VOC content	0%	

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage, and transport.

# 10.2. Chemical stability

Stable under normal conditions.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidisers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see Section 7).

# 10.5. Incompatible materials

No additional information available.

# 10.6. Hazardous decomposition products

No decomposition if stored normally.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)	
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg body weight. Animal: rat. Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Dermal LD <sub>50</sub> (rabbit)	> 2000 mg/kg body weight
Inhalation LC <sub>50</sub> (rat)	> 5000 mg/m <sup>3</sup>

Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	
Oral LD <sub>50</sub> (rat)	2600 mg/kg body weight. Animal: rat, Animal sex: male, Remarks on results: other.



Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	
Dermal LD <sub>50</sub> (rabbit)	> 3160 mg/kg body weight. Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other.
Inhalation LC <sub>50</sub> (rat)	> 2 mg/l (1 h) - OECD403

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg
Dermal LD <sub>50</sub> (rabbit)	> 2000 mg/kg
Inhalation LC <sub>50</sub> (rat)	> 5.53 mg/l/4h

C14-16-18 Alkyl phenol	
Oral LD <sub>50</sub> (rat)	> 2000 mg/kg body weight. Animal: rat. Animal sex: female. Guideline: 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other.
Dermal LD <sub>50</sub> (rat)	> 2000 mg/kg body weight. Animal: rat. Guideline: 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other.

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg
Dermal LD <sub>50</sub> (rabbit)	> 5000 mg/kg
Inhalation LC <sub>50</sub> (rat) dust/mist	5.53 mg/l/4h

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg body weight. Animal: rat. Guideline: 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)



Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Oral LD <sub>50</sub> (rat)	> 5000 mg/kg
Dermal LD <sub>50</sub> (rabbit)	> 2000 mg/kg
Inhalation LC <sub>50</sub> (rat) dust/mist	5.53 mg/l/4h

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight. Animal: rat. Animal sex: male. Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

C14-16-18 Alkyl phenol	
STOT-repeated exposure	May cause damage to organs (liver) through prolonged or repeated exposure.

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight/day
NOAEL (subchronic, oral, animal/male, 90 days)	≥ 2000 mg/kg body weight
NOAEL (subchronic, oral, animal/female, 90 days)	≥ 2000 mg/kg body weight



Distillates (petroleum), solvent-dewaxed	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
LOAEL (oral, rat, 90 days)	125 mg/kg body weight. Animal: rat. Animal sex: male. Guideline: 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)		
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg body weight. Animal: rabbit. Guideline: 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)		
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)			
LOAEL (oral, rat, 90 days)	125 mg/kg body weight. Animal: rabbit. Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)		
Aspiration hazard	Not classified		
RIDEX PLUS AE 5W-30 FE			
Viscosity, kinematic	54.5 mm <sup>2</sup> /s (40°C) – ASTM D7042		
Distillates (petroleum), solvent-refined li	ght paraffinic (64741-89-5)		
Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s (40°C) – ASTM D7042		

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Viscosity, kinematic	< 20.5 mm²/s
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

C14-16-18 Alkyl phenol	
Viscosity, kinematic	52 mm <sup>2</sup> /s (40°C)   5.4 mm <sup>2</sup> /s (100°C) [ASTM D445]

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	
Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s (40°C)
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)	
Viscosity, kinematic	< 20.5 mm <sup>2</sup> /s
Hydrocarbon	Yes
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Viscosity, kinematic	< 20.5 mm²/s
Aliphatic, alicyclic, or aromatic hydrocarbon	Yes

# 11.2. Information on other hazards

No additional information available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology – General	The product is not considered harmful to aquatic organisms, nor does it cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	
LC <sub>50</sub> – fish [1]	4.5 mg/l (Oncorhynchus mykiss, 96 h) [OECD 203]
EC <sub>50</sub> – crustacea [1]	5.4 mg/l; test organisms (species): Daphnia magna
EC <sub>50</sub> – algae [1]	2.1 mg/l (72 h); test organisms (species): other



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	
EC <sub>50</sub> – algae [2]	2 mg/l (72 h); test organisms (species): other
EC <sub>50</sub> – algae [1]	2.1 mg/l (96 h); test organisms (species): other
EC <sub>50</sub> – algae [2]	2 mg/l (96 h); test organisms (species): other
ErC <sub>50</sub> – algae	2.1 mg/l (Selenastrum capricornutum, 96 h) [OECD 201]

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LC <sub>50</sub> – fish [1]	> 100 mg/l (Pimephales promelas, 96 h) (OECD 203 method)
EC <sub>50</sub> – crustacea [1]	> 10,000 mg/l (Gammarus pulex, 48 h) (OECD 202 method)
EC <sub>50</sub> – algae [1]	> 100 mg/l (72 h)
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72 h) (OECD 201 method)
Chronic NOEC (crustacea)	10 mg/l (Daphnia magna, 21 d) (OECD 211 method)

C14-16-18 Alkyl phenol	
EC <sub>50</sub> – crustacea [1]	> 100 mg/l; test organisms (species): Daphnia magna

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
LC <sub>50</sub> – fish [1]	> 100 mg/l (96 h)
EC <sub>50</sub> – crustacea [1]	> 10,000 mg/l
EC <sub>50</sub> – algae [1]	≥ 100 mg/l (72 h)
Chronic NOEC (crustacea)	10 mg/l (21 d)

# 12.2. Persistence and degradability

RIDEX PLUS AE 5W-30 FE	
Persistence and degradability	Not rapidly degradable



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-refined light paraffinic (64741-89-5)	
Persistence and degradability	Not rapidly degradable

Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	
Persistence and degradability	Not readily biodegradable
Biodegradation	1.5% (28 d) - 10mg/I [OECD 301 B]

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Persistence and degradability	Not readily biodegradable
Biodegradation	31% (28 d) (OECD 301F method)

C14-16-18 Alkyl phenol	
Persistence and degradability	Not rapidly degradable

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	
Persistence and degradability	Potentially biodegradable

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	
Persistence and degradability	Not rapidly degradable

Paraffin oils (petroleum), catalytic dewaxed heavy (64742-70-7)	
Persistence and degradability	Not rapidly degradable

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Persistence and degradability	Not established
Biodegradation	31% (OECD 301F method)

# 12.3. Bioaccumulative potential



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)
---

Partition coefficient n-octanol/water (Log Pow) 0.9 (23°C)

C14-16-18 Alkyl phenol

Partition coefficient n-octanol/water (Log Pow) > 7.2

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Partition coefficient n-octanol/water (Log Pow) > 3

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

Partition coefficient n-octanol/water (Log Pow) > 6

Bioaccumulative potential Not established

# 12.4. Mobility in soil

### Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Ecology – Soil Insoluble in water

### 12.5. Results of PBT and vPvB assessment

# Component Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII

(petroleum), hydrotreated light paraffinic (64742-55-8)

# 12.6. Endocrine-disrupting properties

No additional information available.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 12.7. Other adverse effects

No additional information available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods	Do not allow into drains or watercourses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW, EC 2000/532)	13 02 05* – mineral-based non-chlorinated engine, gear and lubricating oils.
HP Code	HP4 – "Irritant - skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number	14.1. UN number or ID number				
Not regulated for transpo	ort.				
14.2. UN proper	shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport l	14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.5. Environmen	ntal hazards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available.				

# 14.6. Special precautions for user

Overland transport	Transport by sea	Air transport	Inland waterway transport	Rail transport
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List.

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation (EU) 649/2012 concerning the export and import of hazardous chemicals).

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation (EU) 2019/1021 on persistent organic pollutants).

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation (EU) 1005/2009 on substances that deplete the ozone layer).



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Dual-Use Regulation (428/2009)

Contains no substance subject to Council Regulation (EC) No. 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering, and transit of dual-use items.

### VOC Directive (2004/42)

VOC content: 0%.

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation (EU) 2019/1148 on the marketing and use of explosives precursors).

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation (EC) 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

### 15.1.2. National regulations

No additional information available.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

For the following substances of this mixture a chemical safety assessment has been carried out:

Distillates (petroleum), solvent-dewaxed light paraffinic.

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate



Abbreviations and acronyms:		
BCF	Bioconcentration Factor	
BLV	Biological Limit Value	
BOD	Biochemical Oxygen Demand (BOD)	
COD	Chemical Oxygen Demand (COD)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived-No Effect Level	
EC-No.	European Community Number	
EC <sub>50</sub>	Median Effective Concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC <sub>50</sub>	Median Lethal Concentration	
LD <sub>50</sub>	Median Lethal Dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	



Abbreviations and acronyms:		
STP	Sewage Treatment Plant	
ThOD	Theoretical Oxygen Demand	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service Number	
NOS	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine Disruptor	

Full text of H- and EUH-s	ull text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2.	
Asp. Tox. 1	Aspiration hazard, Category 1.	
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2.	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1B	Skin sensitisation, Category 1B.
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2.

# Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.