



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.
Product Reference code: S1637756080
Issue date: 4/26/2024 Version: 1.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Antifreeze concentrate
Product code : S1637756080
Synonyms : Frostschutzmittel konzentrat / Antigel moteur concentré / Antifreeze concentrate
Product group : Anti-freezing agents

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Professional use, Consumer use
Use of the substance/mixture : Used in the automobile industry

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of product safety information sheet

Name : Stellantis Auto SAS
2-10 bd de l'Europe
78300 Poissy

Inquiry office

IFZ Ingenieurbüro und Consulting GmbH
E-mail : OPEL-helpdesk@ifz-berlin.de
Telephone : +49 30 / 2904897-10

1.4. Emergency telephone number

Emergency number : +49 61 31 19240
United Kingdom +44 870 600 626 / 0870 600 6266

Further information

Apply safety data sheet to the following products:

Part-No.	Catalogue-No.	amount
1637756080	-	1 L
1637756180	-	20 L
1637756280	-	210 L



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4 H302
Specific target organ toxicity – Repeated exposure, Category 2 H373
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS07

GHS08

Signal word (GB CLP)

: Warning

Contains

: ethanediol; ethylene glycol

Hazard statements (GB CLP)

: H302 - Harmful if swallowed.
H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure.
P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P260 - Do not breathe dust, fume, gas, mist, vapours or spray.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P330+P331+P310 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Immediately call a POISON CENTER or doctor.
P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and international regulations.

Precautionary statements (GB CLP)

2.3. Other hazards

Other hazards which do not result in classification : At high temperatures, vapours can form in concentrations which can be hazardous to health.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with UK REACH Annex XIII

Component

ethanediol; ethylene glycol (107-21-1)

The product does not meet the PBT and vPvB classification criteria

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
ethanediol; ethylene glycol	CAS-No.: 107-21-1 EC-No.: 203-473-3	80 – 98	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. Not classified (Inhalation:vapour) STOT RE 2, H373

Comments

: Contains bitters

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice (show the label where possible). In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet to the doctor in attendance. Do not administer liquids to the unconscious person and avoid vomiting. Protection is needed for the First Aider. Use personal protective equipment. Protection is needed for the First Aider (Protective gloves, chemical-resistant; Safety glasses). Eye wash fountains and safety showers must be easily accessible.

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Lay the affected person down, and keep her or him warm and calm. Call a physician immediately. In case of irregular breathing or respiratory arrest: Give oxygen or artificial respiration if necessary.

First-aid measures after skin contact

: Remove contaminated clothing and shoes. Wash skin with soap and water. If skin irritation continues, consult a doctor. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking, tears or redness persist. A suitable eye shower is available in the working area.

First-aid measures after ingestion

: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. The same applies if the patient suffers cramps. If swallowed or in the event of vomiting, risk of product entering the lungs. In the event of spontaneous nausea and unconsciousness, keep the head back and bring the patient into the recovery position. Immediate medical attention.



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation of vapours in high concentration may cause irritation of respiratory tract. irritation of mucous membranes. Cough. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: Prolonged skin contact can lead to defatting of the skin or to irritation. May cause inflammation of the skin. May cause: Skin rash/inflammation, itching.
Symptoms/effects after eye contact	: May cause slight irritation. May cause: Redness, pain.
Symptoms/effects after ingestion	: Harmful if swallowed. Ethanediol (CAS 107-21-1): Toxic if swallowed. Ingestion may cause nausea and vomiting. Accelerated heart action. Coordination disorders. May cause: Slurred speech, respiratory difficulties, blurred vision. If swallowed there is a risk of blindness. Decreased renal function. Circulatory collapse. Nervous system disorders. Symptoms may be delayed. Aspiration of the liquid while swallowing incorrectly or vomiting can lead to serious pneumonia caused by chemicals. Liver and kidney injuries.
Chronic symptoms	: Repeated excessive exposure can adversely affect an existing kidney disease.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination and vital functions). Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours. Victim to lie down in the recovery position, cover and keep him warm. After swallowing: Possible administration of ethanol. Ethylene glycol is metabolized to oxalic acid. Symptoms of poisoning can be delayed by administering ethanol (in the form of a 5% solution in a physiological salt solution, to maintain a blood level of 1 - 2 mg/ml). This treatment is only effective when it is begun within 6 hours after exposure. In the case of emergency the effect of the simultaneously administered dosis of ethandiol and ethanol must be checked according to each individual case. Call a physician or Poison Control Centre immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO ₂), chemical fire extinguisher, sprayed water stream, alcohol-resistant foam.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: When heated or in the case of a fire, the formation of poisonous gases is possible. Can form dangerous decomposition products when exposed to high temperatures.
Hazardous decomposition products in case of fire	: Thermal decomposition generates : smoke, carbon oxides (CO, CO ₂), organic compounds (low molecular weight). The inhalation of hazardous decomposition products may cause serious health damage.

5.3. Advice for firefighters

Firefighting instructions	: Remove intact containers immediately from the dangerous area and/or cool them with water. Reduce vapour with fog or fine water spray. Prevent fire fighting water from entering the environment.
---------------------------	--



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. In the event of fire, wear self-contained breathing apparatus. Complete protection suit and compressed air breathing apparatus. Clothing for firefighters which comply with the European norm EN 469 (including helmet, protective boots, protective gloves) provide a basic protection for accident with chemicals. Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus.
Other information	: The combustion gases are partially condensed with the water used to extinguish the fire and end up as a contaminant in this water. Prevent fire fighting water from entering the environment. Collect contaminated fire fighting water separately. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep public away from danger area. Keep away from ignition sources (including static discharges). Ensure adequate ventilation, especially in confined areas. Do not breathe in vapours and mist. Higher exposure: Use personal protective equipment as required. Self-contained breathing apparatus. Handle in accordance with good industrial hygiene and safety practice. Equip cleanup crew with proper protection.
------------------	--

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Should not be released into the environment. Stop leak without risks if possible. Entry into rivers or surface water is to be prevented by the erection of barriers made of sand or earth or by other suitable barriers. Prevent product from entering drains. Do not allow material to contaminate ground water system. Contact the responsible authority immediately if the product ends up in the soil, a body of water, or the sewer system.

6.3. Methods and material for containment and cleaning up

For containment	: Prevent further leakage or spillage if safe to do so. Contain the product immediately by taking suitable action. Articles impregnated with the product are to be disposed of immediately (cloth, paper, absorbent material).
Methods for cleaning up	: Ventilate well. Spilled or leaking material is to be soaked up with non-flammable absorbent materials (sand, soil, diatomaceous earth) and put in containers. Dispose of the material collected according to regulations. Do not use unlabelled containers. Clean contaminated surfaces with an excess of water. Dispose of rinse water in accordance with local and national regulations.
Other information	: Even small quantities must be disposed of as per regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : Disposal considerations" .



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Keep product and empty container away from heat and sources of ignition. Avoid emptying into the drains.
Precautions for safe handling	: When handling the product, follow hygiene and safety precautions. Ensure adequate ventilation, especially in confined areas. Do not breathe in vapours and mist. Keep away from heat. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Take notice of the directions of use on the label. Avoid emptying into the drains.
Hygiene measures	: A high standard of personal hygiene is required. Avoid contact with skin, eyes and clothing. When using, do not eat, drink, or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Eye wash fountains and safety showers must be easily accessible.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Take all necessary technical measures to avoid or minimize the release of the product on the workplace.
Storage conditions	: Store in compliance with the local regulations. Store in original container. Keep containers tightly closed in a dry, cool, and well-ventilated place. Protect from heat and direct sunlight. Avoid contamination with incompatible materials. See also section 10.
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.
Storage area	: Smoking in the storage rooms is forbidden. Store in compliance with the local regulations.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ethanediol; ethylene glycol (107-21-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (OEL TWA)	10 mg/m ³ particulate
	52 mg/m ³ vapour
	20 ppm vapour
WEL STEL (OEL STEL)	104 mg/m ³ vapour
	40 ppm vapour
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide adequate ventilation and/or exhaust ventilation. Follow the maximum workplace concentration values. If necessary: Local exhaust. Respiratory protection measures are required when large amounts of the product are used, when the product is used in enclosed spaces or under any other circumstances, in which the explosion limit concentration is approached or even surpassed.

8.2.2. Personal protection equipment

Personal protective equipment - Report preview:

Personal protection equipment should comply with the relevant standards, be suitable for purpose, in good condition and maintained as specified.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection - Report preview:

Wear eye protection. Safety glasses with side-shields/Face shield (EN 166).

8.2.2.2. Skin protection

Skin and body protection - Report preview:

Wear suitable protective clothing. Chemical-resistant safety shoes or boots. After use: Wash contaminated skin areas thoroughly with soap and water. Protection cream can help to protect the skin surface. It should be applied before use.

Hand protection - Report preview:

Protective gloves. The manufacturer recommends the following glove materials: Chemically resistant protective gloves (according to European standard EN 374 or equivalent). Matériaux appropriés, même lors d'un contact direct et prolongé (recommandé : correspondant à l'index de protection 6 >480 minutes temps de perméation selon la norme EN 374): neoprene/viton®, butyl rubber, nitrile rubber. Layer thickness: 0.38 mm. Safety gloves should be selected for the actual conditions of use and in accordance with the instructions for use provided by the manufacturer. Please note that the daily use of a chemical glove in practice may be considerably shorter than the permeation time calculated in EN 374 as a result of many different factors (for example temperature). Use tested protective gloves. Protective gloves should be replaced immediately if damaged or in case of signs of wear.

Other skin protection

Materials for protective clothing - Report preview:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

8.2.2.3. Respiratory protection

Respiratory protection - Report preview:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Respiratory protection measures are required when large amounts of the product are used, when the product is used in enclosed spaces or under any other circumstances, in which the explosion limit concentration is approached or even surpassed. Approved organic vapour respirator. If necessary: Self-contained breathing apparatus, preferably a compressed airline breathing apparatus.

8.2.2.4. Thermal hazards

Thermal hazard protection:

Not necessary under the recommended storage and handling conditions.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Emission from ventilation and process equipment should be tested to make sure that it fulfils the requirements of environmental protection regulation.

Consumer exposure controls:

Avoid all unnecessary exposure. Handle in accordance with good industrial hygiene and safety procedures.

Other information:

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue. Green.
Appearance	: Clear to cloudy.
Odour	: weak.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: -18 °C
Boiling point	: 180 °C
Flammability	: Not available
Lower explosion limit	: 3.2 vol % (ethanediol; ethylene glycol)
Upper explosion limit	: 15.3 vol % (ethanediol; ethylene glycol)
Flash point	: 122 °C
Auto-ignition temperature	: 398 °C
Decomposition temperature	: Not available
pH	: 8.28
Viscosity, kinematic	: Not available
Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.134 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable



MOPAR®

Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ethanediol; ethylene glycol (107-21-1)

Boiling point	197 °C
Flash point	111 °C
Auto-ignition temperature	398 °C
Vapour pressure	0.053 hPa
Vapour pressure at 50°C	1.1 hPa

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 % Decopaint Directive (2004/42/EC) - Annex II

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heating can release hazardous gases. Keep away from heat and sources of ignition. Protect from humid air and water. Avoid contamination with incompatible materials.

10.5. Incompatible materials

Incompatible with strong acids and strong oxidising agents. chlorates, nitrates, peroxides.

10.6. Hazardous decomposition products

To avoid thermal decomposition, do not overheat. Ethylene glycol decomposes at 165 °C and releases among others glycolaldehyde, glyoxal, acetaldehyd, methan, formaldehyde, carbon monoxide and hydrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Antifreeze concentrate	
ATE GB CLP (oral)	510.204 mg/kg bodyweight
ethanediol; ethylene glycol (107-21-1)	
LD50 oral rat	7712 mg/kg (male/female)
LD50 dermal rat	3500 mg/kg (male/female)
LC50 Inhalation - Rat	> 2.5 mg/l /6h - (male/female)
ATE GB CLP (oral)	500 mg/kg bodyweight
ATE GB CLP (dermal)	3500 mg/kg bodyweight
Skin corrosion/irritation	: Not classified pH: 8.28
Serious eye damage/irritation	: Not classified pH: 8.28
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ethanediol; ethylene glycol (107-21-1)	
NOAEL (chronic, oral, animal/male, 2 years)	1000 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	1000 mg/kg bodyweight
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs (kidneys) through prolonged or repeated exposure.
ethanediol; ethylene glycol (107-21-1)	
NOAEL (subchronic, oral, animal/male, 90 days)	150 mg/kg bodyweight (OECD 408 method)
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure.
Aspiration hazard	: Not classified
ethanediol; ethylene glycol (107-21-1)	
Viscosity, kinematic	14.865 mm ² /s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms	: On ingestion : Risk of lung oedema,Pneumonia,Ethanediol (CAS 107-21-1): May impair fertility and cause harm to the unborn child,May cause arrhythmia,Liver and kidney injuries,If swallowed there is a risk of blindness,Danger of metabolic acidosis,Damage to central nervous system,Symptoms include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness,LDlo (oral, human): approx. 100 ml,(Deadly dose)
Toxicokinetics, metabolism and distribution	: Ethylene glycol is metabolized to oxalic acid.



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Experience with humans	: Inhalation of vapours in high concentration may cause irritation of respiratory tract,(Cough),Direct contact with the eyes is likely to be irritating,Drying out of the skin due to defatting,Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.
Other information	: Chronic (long-term) health effects may result from repeated overexposure

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

ethanediol; ethylene glycol (107-21-1)

LC50 - Fish [1]	72860 mg/l Pimephales promelas - (EPA 600/4-90/027)
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna (Water flea) - (OECD 202 method)
EC50 72h - Algae [1]	6500 – 13000 mg/l Raphidocelis subcapitata - (EPA 600/9-78-018)
NOEC chronic fish	> 40 mg/l Menidia peninsulae - (ASTM E-47.01/3)
NOEC chronic crustacea	8590 mg/l Daphnia magna (Water flea) - (EPA 600/4-89/001)
NOEC chronic algae	> 100 mg/l Raphidocelis subcapitata - (OECD 201 method)

12.2. Persistence and degradability

Antifreeze concentrate

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

ethanediol; ethylene glycol (107-21-1)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 90 % (10 d) - (OECD 301A method)

12.3. Bioaccumulative potential

ethanediol; ethylene glycol (107-21-1)

Partition coefficient n-octanol/water (Log Pow)	-1.36 (Quantitative structure-activity relationship (QSAR))
Bioaccumulative potential	Bioaccumulation is not expected to occur.

12.4. Mobility in soil

ethanediol; ethylene glycol (107-21-1)

Ecology - soil	The substance will not evaporate into the atmosphere from the water surface. Predicted distribution to environmental compartments : water.
----------------	--



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

12.5. Results of PBT and vPvB assessment

Component	
ethanediol; ethylene glycol (107-21-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects

No additional information available

12.7. Other adverse effects

Other adverse effects	: None known.
Additional information	: Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Product/Packaging disposal recommendations	: This material and its container must be disposed of as hazardous waste. Where possible recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact waste disposal services. The containers must be sealed, marked and disposed of safely. Do not flush into surface water or sanitary sewer system. Packaging material: Disposal must be done according to official regulations. Packaging can be sent for recycling after being emptied and cleaned. Dispose of non-cleansing packaging in the same way as the product. Emptied containers can contain residues of product. Empty containers can contain flammable and explosive vapours. Do not use unlabelled containers. Notes on reconditioning: The latest product label must remain on the packaging until the container has been reconditioned. Do not discharge the product into the environment.
Additional information	: Waste code numbers are a recommendation, since the intended use by the consumer allows a final assignment.
European List of Waste (LoW, EC 2000/532)	: 16 01 14* - antifreeze fluids containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
not regulated	not regulated	not restricted	not regulated	not regulated



Antifreeze concentrate

MOPAR®

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Transport document description				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant: No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations : Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Employment prohibitions and restrictions according to § 11 and § 12 MuSchG have to be observed.

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(b)	Antifreeze concentrate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : Not subject to 2012/18/EU (SEVESO III)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 0 % Decopaint Directive (2004/42/EC) - Annex II

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. United Kingdom

UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List



MOPAR®

Antifreeze concentrate

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

Abbreviations and acronyms:

	ATE = Acute Toxicity Estimate
	DNEL = Derived No Effect Level
	PNEC = Predicted No-Effect Concentration
	NOEL = No Observed Effect Level
	NOEC = No-Observed-Effect-Concentration
	NOAEL = No Observed Adverse Effect Level
	LOAEL = Lowest Observed Adverse Effect Level
	SADT = Self-Accelerating decomposition temperature
	SVHC = substance of very high concern
	VOC = Volatile organic compounds
	IUCLID = International Uniform Chemical Information Database
	OECD = Organization for Economic Co-operation and Development
	RTECS = Registry of Toxic Effects of Chemical Substances
	RTECS = Registry of Toxic Effects of Chemical Substances
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	CLP = Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	EINECS = European Inventory of Existing Commercial Chemical Substances
	ECHA = European Chemicals Agency

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Other information :



Antifreeze concentrate

MOPAR®

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

The information is based on present levels of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The product is to be used exclusively for the applications named in the technical data sheet or in the processing instructions. Existing laws and regulations are the responsibility of the recipient of our products. The data of the hazardous ingredients were taken from the last relevant safety data sheet of the subcontractor.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.