

 TOYOTA	SAFETY DATA SHEET	Page : 1 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : TGMO 5W30 FE
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Engine oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Toyota Motor Europe
Bourgetlaan 60
B 1140 Brussel
Belgium
T +32 (0)2 745 20 11
hazmat@toyota-europe.com

National representative : Reference to other sections 16

1.4. Emergency telephone number

Emergency number : + 32 3 575 55 55 (24/7)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

 TOYOTA	SAFETY DATA SHEET	Page : 2 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : EUH208 - Contains Calcium alkylbenzene sulphonate. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : . Not applicable.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
bis(nonylphenyl)amine (36878-20-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Base oil - unspecified (DMSO < 3%) contains one or more of the following EINECS numbers: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-161-3, 2658-166-0, 265-169-7, 265-176-5, 276-735-8, 276-736-3, 276-737-9, 276-738-4, 278-012-2
Mineral oil REACH nrs 01-2119488706-23, 01-2119487067-30, 01-2119487081-40, 01-2119483621-38, 01-2119480374-36, 01-2119488707-21, 01-2119467170-45, 01-2119480375-34, 01-2119484627-25, 01-2119480132-48, 01-2119487077-29, 01-2119489287-22, 01-2119480472-38, 01-2119471299-27, 01-2119485040-48, 01-2119555262-43, 01-2119495601-36, 01-2119474889-13, 01-2119474878-16.

 TOYOTA	SAFETY DATA SHEET	Page : 3 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs.	CAS-No.: 147880-09-9 EC-No.: 604-611-9	2 – 5	Aquatic Chronic 4, H413
bis(nonylphenyl)amine	CAS-No.: 36878-20-3 EC-No.: 253-249-4	1 – 1,5	Aquatic Chronic 4, H413
Calcium alkylbenzene sulphonate	CAS-No.: - EC-No.: - EC Index: -	< 1	Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection!. See also section 8 . Never give anything by mouth to an unconscious person. Show this safety data sheet to the doctor in attendance.
Inhalation	: No hazards which require special first aid measures. Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician. Cough .
Skin contact	: No hazards which require special first aid measures. Remove contaminated clothing and shoes. Wash off with soap and water. Get medical attention if irritation develops and persists. Discard contaminated shoes. Wash contaminated clothing before reuse.
Eyes contact	: No hazards which require special first aid measures. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	: No hazards which require special first aid measures. Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: None under normal use. In case of repeated or prolonged exposure : May cause irritation to the respiratory tract, Difficulty in breathing, Cough.
Skin contact	: May cause skin irritation. May produce an allergic reaction.
Eyes contact	: May cause eye irritation.
Ingestion	: None under normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Alcohol resistant foam. Carbon dioxide. dry extinguishing powder.
------------------------------	--

 TOYOTA	SAFETY DATA SHEET	Page : 4 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

Unsuitable extinguishing media : Strong water jet .

5.2. Special hazards arising from the substance or mixture

Specific hazards : Not flammable. Heating will cause a rise in pressure with a risk of bursting. Vapours are heavier than air and may spread along floors. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous decomposition products in case of fire : Hazardous combustion products. Organic compounds. Carbon oxides (CO, CO₂). Nitrogen oxides (NO_x). Sulphur oxides. Phosphorus oxides. Metal oxides (B, Zn, Ca).

5.3. Advice for firefighters

Firefighting instructions : Special protective equipment for firefighters. . In case of fire: Wear self-contained breathing apparatus. Use water spray or fog for cooling exposed containers. Hose down gases, fumes and/or dust with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel : Provide adequate ventilation. Stay upwind/keep distance from source. Avoid contact with skin and eyes. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8 .

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow material to contaminate ground water system. Site should have a spill plan to ensure that adequate safeguards are in place to minimize the impact of episodic releases.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Clean-up methods - large spillage: : Recover by skimming or pumping using explosion-proof equipment. Clean-up methods - small spillage: : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite or powdered limestone. Collect in closed and suitable containers for disposal. Dispose of contaminated materials in accordance with current regulations.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8 . Concerning disposal elimination after cleaning, see section 13.

 TOYOTA	SAFETY DATA SHEET	Page : 5 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Use only in well ventilated areas. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes and clothing. Do not breathe vapour/aerosol. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Vapours are heavier than air and may spread along floors. Take precautionary measures against static discharges. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Take any precaution to avoid mixing with combustibles... See also section 10 . When using do not eat, drink or smoke. After use replace the closing cap immediately. Do not allow to enter into surface water or drains.

Hygiene measures

: Keep good industrial hygiene. Wash hands and face before breaks and immediately after handling of the product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and shoes. Separate working clothes from town clothes.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed. Store in a dry, cool and well-ventilated place. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity. Avoid static electricity discharges. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

Packaging materials

: Keep only in the original container. Do not pierce or burn, even after use. Do not burn, or use a cutting torch on the empty drum.

7.3. Specific end use(s)

Reference to other sections : 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

TGMO 5W30 FE	
EU - Indicative Occupational Exposure Limit (IOEL)	
Mineral oil OEL's	
oil (mist) TLV-TWA (mg/m ³)	1 (se, no); 5 (be, nl, gb, fr, de, fi, dk) oil (mist) TLV-STEL (mg/m ³) : 3 (se); 10 (be, gb):

 TOYOTA	SAFETY DATA SHEET	Page : 6 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Concentration measurement in air. Personal air monitoring.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

Engineering measure(s)	: Provide adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Organisational measures to prevent/limit releases, dispersion and exposure : See also section 7 .
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Not required for normal conditions of use. Protective gloves (EN 374): NBR (Nitrile rubber) . Viton ® . Silver shield ® / 4H® (PE/EVAL/PE) . Thickness : > 0,3 mm. Breakthrough time : > 4h. The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
Eye protection	: Not required for normal conditions of use. During splash contact: Safety glasses with side shields (EN 166)
Body protection	: Not required for normal conditions of use. During splash contact: Wear suitable protective clothing
Respiratory protection	: Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. full face mask (DIN EN 136). Half-face mask (DIN EN 140). Filter type: AP (EN 141).
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light brown. brown.
Appearance	: liquid.

 TOYOTA	SAFETY DATA SHEET	Page : 7 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

Odour	: petroleum-like odour.
Odour threshold	: No data available
Melting / freezing point	: Not applicable
Freezing point	: Not applicable
Initial boiling point and boiling range	: > 315 °C
Flammability	: Not available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: ≥ 200 °C (ASTM D92)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: Not applicable
Kinematic viscosity	: 62 mm ² /s (40 °C)
Solubility	: Soluble in hydrocarbons. Water: Insoluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water	: No data available
Vapour pressure	: < 0,01 mmHg (37,8 °C)
Vapour pressure at 50°C	: Not available
Density	: ≤ 0,8528 kg/l (15 °C)
Relative density	: Not available
Vapour density	: > 1 Vapour density
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Additional information : Base oil, DMSO < 3% (IP 346/92)

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections 10.5.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

None under normal conditions.

 TOYOTA	SAFETY DATA SHEET	Page : 8 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

10.4. Conditions to avoid

Avoid the build-up of electrostatic charge. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. See Section 7 for information on safe handling.

10.5. Incompatible materials

Strong acids, strong oxidants. Nitrates. Peroxides. Chlorates. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections : 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

bis(nonylphenyl)amine (36878-20-3)	
LD50/oral/rat	> 5000 mg/kg (OECD 401)
LD50 oral	> 5000 mg/kg Rat
LD50/dermal/rat	> 2000 mg/kg (OECD 402)
LD50 dermal	> 2000 mg/kg Rat

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Contains Calcium alkylbenzene sulphonate. May produce an allergic reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

 TOYOTA	SAFETY DATA SHEET	Page : 9 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

TGMO 5W30 FE	
Kinematic viscosity	62 mm ² /s (40 °C)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Not applicable

11.2.2. Other information

Other information : Symptoms related to the physical, chemical and toxicological characteristics, Reference to other sections 4.2

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : Ecological injuries are not known or expected under normal use. The product has not been tested .

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

bis(nonylphenyl)amine (36878-20-3)	
LC50 - Fish [1]	(96h) > 100 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	(48h) > 100 mg/l Daphnia magna (Big water flea)
ErC50 algae	600 mg/l Selenastrum capricornutum (green algae)

12.2. Persistence and degradability

TGMO 5W30 FE	
Persistence and degradability	Contains non readily biodegradable component(s).

Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs. (147880-09-9)	
Persistence and degradability	Rapidly degradable

Calcium alkylbenzene sulphonate (-)	
Persistence and degradability	Rapidly degradable

bis(nonylphenyl)amine (36878-20-3)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % (28d)

 TOYOTA	SAFETY DATA SHEET	Page : 10 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

12.3. Bioaccumulative potential

TGMO 5W30 FE	
Bioconcentration factor (BCF)	No data available
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No additional information available.

bis(nonylphenyl)amine (36878-20-3)	
Bioconcentration factor (BCF)	1584,89
Partition coefficient n-octanol/water (Log Kow)	> 7,6
Bioaccumulative potential	Bioaccumulative potential.

12.4. Mobility in soil

TGMO 5W30 FE	
Mobility in soil	No additional information available
Ecology - soil	No data available.

12.5. Results of PBT and vPvB assessment

TGMO 5W30 FE	
Results of PBT assessment	Not applicable

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	bis(nonylphenyl)amine (36878-20-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	bis(nonylphenyl)amine (36878-20-3)

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Additional information : None known.

 TOYOTA	SAFETY DATA SHEET	Page : 11 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Handle with care. See Section 7 for information on safe handling : Handling and storage . Dispose of contaminated materials in accordance with current regulations. Refer to manufacturer/supplier for information on recovery/recycling. Collect and dispose of waste product at an authorised disposal facility.
Additional information	: Empty containers should be taken to local recyclers for disposal. In accordance with local and national regulations.
Further ecological information	: Do not allow to enter into surface water or drains.
European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)	: The following Waste Codes are only suggestions: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils (CH: 13 02 05*ds), 15 01 10* - packaging containing residues of or contaminated by dangerous substances (CH: 15 01 10*ds). Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
NA	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
NA	Not applicable	Not applicable	Not applicable	Not applicable
Transport document description				
UN NA NA				
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
Not applicable				

14.6. Special precautions for user

Special precautions for user : Not applicable

- Overland transport

No data available

- Transport by sea

No data available

 TOYOTA	SAFETY DATA SHEET	Page : 12 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	bis(nonylphenyl)amine	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

 TOYOTA	SAFETY DATA SHEET	Page : 13 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

No ICPE

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

Waterbezwaarlijkheid : B (4) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

Not applicable

For the following substances of this mixture a chemical safety assessment has been carried out
bis(nonylphenyl)amine

SECTION 16: Other information

Indication of changes:

1	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	
7	Handling and storage	Modified	
8.2	Hand protection	Modified	
11.1	Additional information	Added	
15	Regulatory information	Modified	
16	Other information	Modified	

Abbreviations and acronyms:

 TOYOTA	SAFETY DATA SHEET	Page : 14 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	EC50 = Median Effective Concentration
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	NA = Not applicable
	TLV = Threshold limits
	TWA = time weighted average
	STEL = Short term exposure limit
	persistent, bioaccumulating and toxic (PBT).
	vPvB = very persistent and very bioaccumulating
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Name (SDS) Toyota Genuine Motor Oil Fuel Economy SAE 5W-30. Revision date : 10.08.2017, revision 5. Manufacturer/Supplier Chevron Belgium NV. ECHA (European Chemicals Agency). CONCAWE Hazard classification and labelling of petroleum substances in the European Economic Area - 2010 (revised May 2012).

Training advice : Manipulations are to be done only by qualified and authorised persons. Training staff on good practice.

Other information : Assessment/classification CLP. Article 9. Calculation method. Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

National representative

United Kingdom:
 Toyota (GB) Plc.
 Great Burgh, Burgh Heath, Epsom, Surrey KT18 5UX, United Kingdom
 Tel: 441737367516

Ireland:
 Toyota Ireland
 Killeen Road, Dublin 12, Ireland
 Tel: 00-353-1- 4190218

Malta:
 Michael Debono Ltd
 Notabile Road, ZBG-9017, Zebbug, Malta
 Tel: 00356 2269 4000

Israël:
 United Motors Ltd.
 Toyota Towers, 67 Yigal Alon Street, 67443 Tel-Aviv, Israel
 Tel: 00972/ 8 942 5331

Full text of H- and EUH-statements:

Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
EUH208	Contains Calcium alkylbenzene sulphonate. May produce an allergic reaction.

 TOYOTA	SAFETY DATA SHEET	Page : 15 / 15
		Revision nr : 12.0
	CLP083	Issue date : 01/03/2024
		Supersedes : 14/04/2021

EUH210	Safety data sheet available on request.
H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.
Skin Sens. 1	Skin sensitisation, Category 1

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.