RAVENDL

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

* 1.1. Product identifier

Trade name/designation:

RAVENOL Getriebeoel SLS SAE 75W-140 GL 5 LS

Article No.: 1221110 UFI: 9JFV-6VUE-45SF-46WE

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

* 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit Jöllenbecker Str. 2 33824 Werther Germany **Telephone:** +49 5203 9719 0 **Telefax:** +49 5203 9719 40 **E-mail:** kontakt@ravenol.de **Website:** www.ravenol.de

E-mail (competent person): sdb@ravenol.de

* 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271 (Contract ID: RAV)

SECTION 2: Hazards identification

* 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Respiratory or skin sensitisation (Skin Sens. 1) | H317: May cause an allergic skin reaction. | Calculation method. |
| | H412: Harmful to aquatic life with long lasting effects. | Calculation method. |

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:





RAVENOĽ

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

Hazard components for labelling:

Amines, C10-14-tert-alkyl

Hazard statements for health hazards

H317 May cause an allergic skin reaction.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information: none

| Precautionary stat | recautionary statements Prevention | |
|--------------------|---|--|
| P261 | Avoid breathing vapours and spray. | |
| P273 | Avoid release to the environment. | |
| P280 | Wear protective gloves and eye/face protection. | |

Precautionary statements Response

| - 1 | · · · · · · · · · · · · · · · · · · · | |
|-----|---------------------------------------|--|
| | P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| | P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| | | |

Precautionary statements Disposal

Dispose of contents/container to an appropriate recycling or disposal facility.

* 2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

P501

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|--|--|------------------------|
| EC No.: 701-175-2 REACH No.: 01-2119456798-18 | Amines, C10-14-tert-alkyl Acute Tox. 2 (H330), Acute Tox. 3 (H311), Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314), Skin Sens. 1A (H317) Omega Danger M-factor (acute): 1 M-factor (chronic): 1 | 0 - < 1 weight-% |
| CAS No.: 1213789-63-9 EC No.: 627-034-4 REACH No.: 01-2119473797-19 | C16-18-(even numbered, saturated and unsaturated)- alkylamines The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | 0 - < 0.2 weight-% |
| CAS No.: 74499-35-7 Index No.: 604-092-00-9 | Phenol, (tetrapropenyl) Derivate Candidate List of Substances of Very High Concern for Authorisation! Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Repr. 1B (H360F), Skin Corr. 1C (H314) Comparison Danger M-factor (acute): 10 M-factor (chronic): 10 Additional information: This substance has endocrine disrupting properties with respect to humans. This substance has endocrine disrupting properties with respect to non-target organisms. | 0 - < 0.02 weight-% |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

RAVENOL

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately. **Self-protection of the first aider:**

Use personal protection equipment. No direct artificial respiration to be given by first aider.

* **4.2. Most important symptoms and effects, both acute and delayed** May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2) Extinguishing powder

alcohol resistant foam Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

* 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible. The formation of combustible vapours is possible at temperatures above: Flash point When hot, product develops flammable vapours.

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Gases/vapours, toxic During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Personal protection equipment: see section 8

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

* 6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Page 4/12

RAVENOL

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

Hints on storage assembly:

not required **Storage class (TRGS 510, Germany):** 10 – Combustible liquids that cannot be assigned to any of the above storage classes

above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available



Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type |
|--|-------------------------|---|
| | | ② Exposure route |
| Amines, C10-14-tert-alkyl EC No.: 701-175-2 | 2.5 mg/m ³ | DNEL Consumer Long-term – inhalation, systemic effects |
| Amines, C10-14-tert-alkyl EC No.: 701-175-2 | 12.1 mg/m ³ | DNEL worker Long-term - inhalation, local effects |
| Amines, C10-14-tert-alkyl EC No.: 701-175-2 | 1.2 mg/m ³ | DNEL Consumer Long-term – inhalation, local effects |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 | 0.38 mg/m ³ | DNEL worker Long-term - inhalation, systemic effects |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 | 1 mg/m³ | DNEL worker Long-term – inhalation, local effects |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 | 1 mg/cm² | DNEL worker Acute - inhalation, local effects |
| | | · |
| Substance name | PNEC Value | PNEC type |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 | PNEC Value | PNEC type PNEC aquatic, freshwater |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 | | |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 | 0.26 μg/L | ① PNEC aquatic, freshwater |
| Substance name C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4 C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 1213789-63-9 EC No.: 627-034-4 | 0.26 μg/L 0.026 μg/L | PNEC aquatic, freshwater PNEC aquatic, marine water |

* 8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection Wear eye/face protection. EN 166

Skin protection: Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber) Thickness of the glove material: >= 0,4 mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

| | Safety Data Sheet according to Reg RAVENOL Getriebeoel SLS SAE 75W | | 1907/200 | 6 (REACH) Page 6/12 RAVENOL |
|---|---|---------------------------------------|-----------|--|
| Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022 | | | | |
| | For special purposes, it is recomm mentioned above together with th Tested protective gloves must be Suitable protective clothing: Prote | e supplier of the worn: EN ISO 374 | se gloves | ance to chemicals of the protective gloves |
| | Respiratory protection: Usually no personal respirative pro | otection necessa | ry. | |
| | B.2.3. Environmental exposu See section 7. No additional meas | | | |
| 1 | SECTION 9: Physical and | chemical p | ropert | ies |
| k (| 9.1. Information on basic pl | hysical and c | hemical | properties |
| | Appearance | ing Sieur and e | | |
| | Physical state: Liquid | | Colour | : light yellow |
| | Odour: characteristic | | | |
| | Safety relevant basis data | | | |
| | Parameter | Value | at °C | 1 Method |
| | | | | ② Remark |
| | рН | not applicable | | |
| | Melting point | not determined | | |
| | Freezing point | not determined | | |
| | Initial boiling point and boiling range | not determined | | |
| | Decomposition temperature | not determined | | |
| | Flash point | 204 °C | | |
| | Evaporation rate | not determined | | |
| | Auto-ignition temperature | not determined | | |
| | Upper/lower flammability or explosive limits | not determined | | |
| | Vapour pressure | not determined | | |
| | Vapour density | not determined | | |
| | Density 872 kg/m ³ 15 °C | | | |
| | Relative density not determined | | | |
| Bulk density not determined | | | | |
| | Water solubility practically insoluble | | | |
| | Partition coefficient: n-octanol/water | not determined | | |
| | Dynamic viscosity | not determined | | |
| | Dynamic viscosicy | | | |

9.2. Other information

Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidizing agent, Reducing agent

* **10.6.** Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), During heating or in case of fire, toxic gases is possible.



RAVENOĽ

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

Further information

No information available.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Amines, C10-14-tert-alkyl EC No.: 701-175-2

LD₅₀ oral: 612 mg/kg (Rat) OECD TG 401

LD₅₀ dermal: 251 mg/kg (Rabbit) OECD TG 402

LC₅₀ Acute inhalation toxicity (dust/mist): >1.19 mg/L 4 h (Rat)

Phenol, (tetrapropenyl) Derivate CAS No.: 74499-35-7

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

* 11.2. Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

* 12.1. Toxicity

Amines, C10-14-tert-alkyl EC No.: 701-175-2

LC₅₀: 1.3 mg/L 4 d (fish, rainbow trout)

NOEC: 0.078 mg/L 56 d (fish, rainbow trout)

EC₅₀: 2.5 mg/L 2 d (crustaceans, Daphnia magna)

NOEC: 0.05 mg/L 3 d (Algae/water plant, Selenastrum capricornutum)

EC₅₀: 0.435 mg/L 3 d (Algae/water plant, Selenastrum capricornutum)



RAVENOL

| - 6 | C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627- |
|-----|--|
| | LC₅₀: >0.84 mg/L 4 d (fish) |
| ſ | EC₅₀: >0.32 mg/L 2 d (crustaceans) |
| ľ | EC ₅₀ : >0.39 mg/L 3 d (Algae/water plant) |
| ľ | NOEC: >0.63 mg/L 4 d (fish) |
| ĺ | Phenol, (tetrapropenyl) Derivate CAS No.: 74499-35-7 |
| ſ | LC₅₀: =40 mg/L 4 d (fish) |
| ſ | EC₅₀: =0.037 mg/L 2 d (crustaceans) |
| ľ | EC ₅₀ : =0.36 mg/L 3 d (Algae/water plant) |
| | NOEC: =0.0037 mg/L 21 d (crustaceans) |
| [| NOEC: =0.07 mg/L 3 d (Algae/water plant) |
| ł | quatic toxicity: Harmful to aquatic life with long lasting effects. dditional ecotoxicological information: Do not allow uncontrolled discharge of product into the environment. |
| | 2.2. Persistence and degradability |
| _ | Amines, C10-14-tert-alkyl EC No.: 701-175-2 |
| ľ | Biodegradation: Yes, slowly |
| f | Phenol, (tetrapropenyl) Derivate CAS No.: 74499-35-7 |
| ľ | Biodegradation: Yes, slowly |
| | iodegradation: Not readily biodegradable (according to OECD criteria) |
| Ľ | 2.3. Bioaccumulative potential |
| Γ | Phenol, (tetrapropenyl) Derivate CAS No.: 74499-35-7 |
| ĺ | Bioconcentration factor (BCF): 1,601 |
| | ccumulation / Evaluation: The product has not been tested. |
| L | 2.4. Mobility in soil |
| ٦ | The product has not been tested. |
| Ľ | 2.5. Results of PBT and vPvB assessment |
| Γ | Amines, C10-14-tert-alkyl EC No.: 701-175-2 |
| ĺ | Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XII C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627- |
| [| Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XII |
| ļ | Phenol, (tetrapropenyl) Derivate CAS No.: 74499-35-7 |
| L | Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XII |
| ٦ | The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. |
| Ľ | 2.6. Endocrine disrupting properties |
| | This product contains a substance that has endocrine disrupting properties with respect to non-target organisms. |
| | 2.7. Other adverse effects No data available. |
| 5 | ECTION 13: Disposal considerations |
| | 3.1. Waste treatment methods |
| | Dispose of waste according to applicable legislation. |
| | 3.1.1. Product/Packaging disposal |
| | aste codes/waste designations according to EWC/AVV |
| | /aste code packaging |
| N | emark: |



RAVENOĽ

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

Other disposal recommendations:

Consult the appropriate local waste disposal expert about waste disposal.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--|--|--|
| 14.1. UN number or | ID number | | |
| No dangerous good in sense of these transport regulations. |
| 14.2. UN proper ship | ping name | | |
| No dangerous good in sense of these transport regulations. |
| 14.3. Transport haza | rd class(es) | • | |
| not relevant | not relevant | not relevant | not relevant |
| 14.4. Packing group | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.5. Environmental | hazards | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.6. Special precau | tions for user | | |
| not relevant | not relevant | not relevant | not relevant |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

• E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1 Safety data sheet available on request.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/ EEC) for expectant or nursing mothers.

Störfallverordnung

for substances contained in the product:

Hazard categories:

• E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Technische Anleitung Luft (TA-Luft)

Remark:

To follow: 5.2.5





Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

| Revisi | on date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022 |
|----------------------------|--|
| Wate WG | r hazard class K: |
| | - deutlich wassergefährdend |
| | rce: |
| | elf-classification (mixture; calculation rule). entification number 436 |
| | ische Regeln für Gefahrstoffe |
| | S 510 |
| TRG | S 500 |
| | sgenossenschaftliche Vorschriften (DGUV-Vorschriften) |
| Beru | ıfsgenossenschaftliche Informationen (DGUV-Informationen) 868 ıfsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195 • regulations, restrictions and prohibition regulations |
| | l-Verordnung (AltölV) |
| | DK] National regulations |
| | regulations, restrictions and prohibition regulations |
| Dän | emark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 2 af 7. september 2010 |
| Liste | er over stoffer og processer, der anses for at vaere kraeftfremkaldende |
|] [| FR] National regulations |
| | regulations, restrictions and prohibition regulations |
| Nom | kreich: Tableaux de maladies professionelles nenclature des installations classées pour la protection de l'environnement cles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-2 |
| | Code du travail |
| [| NL] National regulations |
| Other | regulations, restrictions and prohibition regulations |
| Alge Ned | lerlande: Lijst vank kankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW) meene beoordelingsmethodiek Water (ABM) erlandse emissierichtlijn (NeR) -Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding |
| NIET NIET SZW SZW | -Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid -Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling /-lijst van kankerverwekkende stoffen /-lijst van mutagene stoffen van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden |
| (Arb | eidsomstandighedenwet) op de ondernemingsraden 1971 |
| . . | CH] National regulations |
| Other Men Gefa | regulations, restrictions and prohibition regulations genschwelle (Schweiz - StFV) ahrencode ndverhütung, BVD (Schweiz) |
| | - |
| | Chemical Safety Assessment nical safety assessments for substances in this mixture were not carried out. |
| | - |
| | Additional information ata available. |
| SEC | FION 16: Other information |
| 16.1 | Indication of changes |
| 1.1 | |
| 1.3 | |
| 1.4 | |
| 2.1 | |
| 2.2 | |
| 2.3 | |
| 3.2 | |
| 4.2 | . Most important symptoms and effects, both acute and delayed |



RAVENOĽ

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

| REVISION | | | |
|--|---|---|---|
| 5.2. | Special hazards arising from the sub | ostance or mixture | |
| 6.1. | Personal precautions, protective equ | ipment and emergency procedures | |
| 6.3. | Methods and material for containme | ent and cleaning up | |
| 7.1. | Precautions for safe handling | | |
| 8.1. | Control parameters | | |
| 8.2. | Exposure controls | | |
| 9.1. | Information on basic physical and cl | nemical properties | |
| 9.2. | Other information | | |
| 10.6. | Hazardous decomposition products | | |
| 11.1. | Information on hazard classes as de | fined in Regulation (EC) No 1272/20 | 08 |
| 11.2. | Information on other hazards | | |
| 12.1. | Toxicity | | |
| 12.2. | Persistence and degradability | | |
| 12.3. | Bioaccumulative potential | | |
| | Results of PBT and vPvB assessmen | t | |
| | Endocrine disrupting properties | | |
| | Safety, health and environmental re | gulations/legislation specific for the | substance or mixture |
| | Indication of changes | | |
| | Classification for mixtures and used | | gulation (EC) No 1272/2008 [CLP] |
| 16.5. | Relevant R-, H- and EUH-phrases (N | umber and full text) | |
| See ov For abb | Abbreviations and acrony verview table at www.euphrac.eu breviations and acronyms, see: E sment, chapter R.20 (Table of tern | CHA Guidance on information re | equirements and chemical safety |
| 67/548 1999/4 EC 190 1272/2 amend Regula Europe Europe OECD Institut substat | Key literature references B/EEC - Dangerous Substances Dir 45/EEC - Dangerous Preparations 07/2006 - REACH Regulation 2008 EC - Regulation on classifica ding Directives 67/548/EEC and 19 ation (EC) No 1907/2006 (REACH) ean Chemicals Agency (ECHA), C ean Chemicals Agency (ECHA), C the Global Portal to Information of the Global Portal to Information of the coccupational Safety and He ince database and International li al Environment Agency, Section IN dous to water Rigoletto (catalog s | rective Directive 299/45/EC and Regulation (EC) N Annex II & L classification and labeling in CHA CHEM Registered substance on Chemical Substances (ChemF ealth of the German Social Accid mit values for chemical substan 2.4: Documentation and Inform | No 1907/2006 Iventory es Portal) lent Insurance (IFA): GESTIS Ices |
| | Classification for mixtures | | thod according to |
| | ation (EC) No 1272/2008 [(| | |
| Hazaro | d classes and hazard Haz | ard statements | Classification procedure |

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Respiratory or skin sensitisation (Skin Sens. 1) | H317: May cause an allergic skin reaction. | Calculation method. |
| | H412: Harmful to aquatic life with long lasting effects. | Calculation method. |

* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

| Hazard statements | |
|-------------------|---|
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H360F | May damage fertility. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

*



RAVENOĽ

Revision date: 28 Apr 2022 Version: 3 Print date: 29 Apr 2022

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version