

Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX Wheel Cleaner

Article number: 04303410

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against None

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

**United Kingdom: 0344 892 0111** (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void Signal word Void

Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment

PRT.

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.



Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

Trade name: SONAX Wheel Cleaner

Eye Irrit. 2; H319:  $4 \% \le C < 10 \%$ 

Regulation (EC) No 648/2004 on detergents / Labelling for contents

amphoteric surfactants <5%

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: No special measures required

After skin contact: Wash the areas of skin affected with water and a mild detergent. After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

### Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

## SECTION 6: Accidental release measures

# **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 3)



Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

Trade name: SONAX Wheel Cleaner

(Contd. of page 2)

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

UAU. 141	110-44	-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
Dral	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)
Dermal	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)
		12.5 mg/kg (worker) (longterm systematic effects)
Inhalative	DNEL	44 mg/m³ (worker) (longterm systematic effects)
PNECs		
CAS: 147	170-44	-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
		numbered, C16 unsaturated), acyr derivs., nydroxides, inner sans
PNEC 3,0	000 mg/	· · · · · · · · · · · · · · · · · · ·
	_	· · · · · · · · · · · · · · · · · · ·
0.0	)135 m	(I (STP)
0.0 0.0	0135 m 00135 n	(I (STP) g/l (water (fresh water))
0.0 PNEC 1 r	0135 m 00135 n ng/kg (	/I (STP) g/I (water (fresh water)) ng/I (water (sea water))

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Respiratory protection: Not required in normal cases
Hand protection Not required in normal cases.
Eye/face protection Not required in normal cases

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid
Colour: Colourless
Odour: Nearly odourless
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range 100 °C (CAS: 7732-18-5 water)

(Contd. on page 4)



Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

Trade name: SONAX Wheel Cleaner

(Contd. of page 3)

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower:Not applicableUpper:Not applicableFlash point:Not applicable.Decomposition temperature:Not determined.

pH at 20 °C 9.5-10.5

Viscosity:

Kinematic viscosity at 40 °C <20.5 mm<sup>2</sup>/s

Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C:

Not determined.
23 hPa (CAS: 7732-18-5 water)

Density and/or relative density

**Density at 20 °C:**1.03-1.05 g/cm³ **Vapour density**Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

**Explosives** Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)



Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

Trade name: SONAX Wheel Cleaner

(Contd. of page 4)

I D/I C50	values	relevant	for cl	lassification:

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral LD50 >5,000 mg/kg (rat) (OECD 401)
Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

### SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

### Aquatic toxicity:

# CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

	mambered, 616 diseatarated), defit
LC 50	>1-10 mg/l (Pimephales promelas) (OECD 203)
EC0	>1-10 mg/l (Pimephales promelas) (OECD 203) >100 mg/l (Pseudomonas putida) (OECD 209) >1-10 mg/l (Daphnia magna) (OECD 202) >1-10 mg/l (Desmodesmus subspicatus) (OECD 201) ≤1 mg/l (Oncorhynchus mykiss) (OECD210) ≤1 mg/l (Daphnia magna) (OECD 211)
EC50	>1-10 mg/l (Daphnia magna) (OECD 202)
	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC	≤1 mg/l (Oncorhynchus mykiss) (OECD210)
	≤1 mg/l (Daphnia magna) (OECD 211)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

### vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

### 12.7 Other adverse effects

Additional ecological information:

# General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.



Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

Trade name: SONAX Wheel Cleaner

(Contd. of page 5)

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### National regulations:

# Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB ·



Printing date 21.03.2023 Version: 5.00 (replaces version 4.01) Revision: 12.05.2022

Trade name: SONAX Wheel Cleaner

(Contd. of page 6)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Date of previous version: 22.04.2021 Version number of previous version: 4.01

# Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
DGR: Przepisy dotyczące towarów niebezpiecznych - Dangerous Goods Regulations by IATA

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.